



Price List

# UK Price List 2020

**RAWLPLUG®**

EXPERT IN FIXINGS, FASTENERS AND TOOLS

## From London to Mars



- 1934 Rawbolt: The world's first mechanical anchor, patented by Rawlplug.
- 1941 Rawnut Shock and vibration proof fixing device.
- Spring Toggle . The world's first metal anchor for drywall.
- 1948 Rawlanchor World's first cavity interset fixing.
- 1969 R-OLD Launch of production of plastic expansion plugs in Glasgow, UK.

## Products for each sector of the construction industry



- 2006 EasyFix. Professional calculation software.
- 2007 CFS + Cartridge Free System. Cartridge free system for bonded anchors. Less waste and high performance.
- 2009 Direct Fastening Systems. For safer and quicker onsite jobs.
- HPT & XPT. New line of HPT and XPT Throughbolts.
- 2010 Bonded Anchors. Cartridge system for bonded anchors.
- No.1 expansion plug in the UK. Simplicity and outstanding performance combined.

## All around the world



- 1887 Rawlings Brothers Starting a small electrical engineering company in London, UK.
- 1911 The world's first expansion plug John Rawlings invented and patented the first wall expansion plug.
- 1919 Rawlplug Company Ltd Changing the company name to Rawlplug Company Ltd.
- 1930 Rawhammer. The world's first patented hammerdrill.
- 1980 Safety Plus. Heavy duty expansion anchors.
- 1998 ETA Certification Rawlplug became the first UK manufacturer with ETA.
- 2002 Stapling, Tacking and Gluing High efficiency for site and DIY work.
- 2005 UNO® Plug. No.1 expansion plug in the UK. Simplicity and outstanding performance combined.

## Knowledge & competence development



2011 FF1 Frame Fixings. Best installation performance for use in all base materials.  
 2012 Sustainable Rawlplug. Our policy inauguration.  
 Foams, Sealants & Adhesives. Wide variety of products for any application.  
 2013 TFIX Facade Fixings. For energy-saving building industry.  
 Power Tool Accessories. Innovated accessories you can really trust. 4ALL Universal plug for all substrates.  
 2014 Passive Fire Protection System. Providing safety in critical applications.

## The evolution of the perfect Rawlplug



**Expert**  
in fixings,  
fasteners and tools



2016 POS. Point Of Sale Exposition System, which sells itself.

2017 BIM. Building Information Modeling.  
 2018 Rawlplug Academy Expand your knowledge and improve professional skills.  
 R-KER II. Bonded Anchor, Hybrid Resin.

2019 Celebrating 100 years! RAWLPLUG Anniversary.

**100** years  
1919-2019  
**RAWLPLUG®**

2019 is a very special year for Rawlplug brand. Already upon the conception of the Rawlplug brand in 1919, John Joseph Rawlings dreamt of making it the global brand of first choice. But he couldn't have suspected that 100 years later the portfolio of our investments would include London's Wembley Stadium, the Cape Town Stadium, the Yas Marina Formula 1 circuit, Dubai's Burj Khalifa Tower, the Olympic Park in Sochi or the Grand Egyptian Museum in Giza. He couldn't have possibly imagined that Rawlplug's DIN 7984 bolts would be used to build the Curiosity rover exploring the planet Mars under the Mars Science Laboratory project.

And by no means could he have conceived that our manufacturing plants would daily ship products to more than 70 countries all over the world. While we still consistently pursue his vision by designing our selection of products and services in a way which proves that Rawlplug knows and understands its customers. Because Rawlplug stands by them, day by day. Rawlplug supports and communicates with them, sharing know-how and experience. Rawlplug provides customers with **products, highly specialised services and innovative training courses – the 3 pillars of the offering** which matches even the most challenging tasks tackled by professionals.

Get more information about Rawlplug's 100th anniversary on [rawlplug.com](http://rawlplug.com)

# Rawlplug® Products

## BONDED ANCHORS

- **Injection Cartridges Systems**
  - Polyester Resins
  - Epoxy Resins
  - Vinylester Resins
  - Hybrid Resins
- **CFS+ Cartridge Free System**
  - Vinylester Resins CFS+
  - Polyester Resins CFS+
- **Capsules**
  - Hammer-In Vinylester Capsule
  - Spin-In Vinylester Capsule
- **Bonded Anchor Accessories**



## MECHANICAL ANCHORS

- Heavy Duty Expansion Anchors
- Shield Anchors
- Throughbolts
- Drop-in Anchors
- Concrete Screw Bolts
- Mechanical Anchors Accessories

## LIGHTWEIGHT FIXINGS

- Frame Fixings
- Lightweight Metal Fixings
- Hammer Fixings
- Plastic Expansion Plugs
- Plasterboard Fixings
- Special Fixings



## FAÇADE INSULATION FIXINGS

- Screw-in Façade Fixings
- Hammer-in Façade Fixings
- Washers
- Façade Insulation Accessories

## ROOFING INSULATION FIXINGS

- Telescopic Sleeves
- Roofing Screws
  - Screws for Concrete
  - Screws for Steel
- Roofing Washers



## PASSIVE FIRE PROTECTION SYSTEM, FOAMS, SEALANTS & ADHESIVES



- Fire Resistant Sealants
- Fire Resistant Mortars
- Firestop Board
- Foams
  - Gun Foams
  - Handheld Foams
  - Polyurethane Foam Mortars and Adhesives
  - Fire Resistant Foams
  - Foams Accessories
- Sealants
  - Silicones
  - Roof Rubber Sealants
  - Acrylics
  - Sealants & Adhesives
- Express Cement

## DIRECT AND MANUAL FASTENING SYSTEMS

- Gas Actuated Products
- Pneumatic Products
- Powder Actuated products
- Stapling
  - Professional Line



## POWER TOOL ACCESSORIES



- Drill Bits and Chisels
- Bits, Sockets and Adapters
- Sawing Accessories
- Diamond Discs
- Angle Grinder Cutting and Grinding Wheels
- Other Accessories



# Services

**Our entire team** is composed of actual experts in the field of fixing solutions. They are industry professionals with many years of experience in the vast area of construction engineering who have spent their whole professional life in close proximity of clients, never waiving any challenge at hand. The close collaboration and experience exchange between designers, contractors, sales-people and the international Rawlplug team turn the solutions we propose into genuine advisory. What's more - all services offered by Rawlplug are free of charge.

Design tools  
BIM  
EASYFIX



Technical library  
and product  
selector



Technical  
assistance  
  
Tel: +44 (0) 141 273 2234  
rawltech@rawlplug.co.uk



[www.rawlplug.co.uk](http://www.rawlplug.co.uk)




## Tools for designers

Our portfolio comprises a set of complementary services and tools matching our products that, on the one hand, will make it easier for you to choose suitable fixing solution and design them correctly, and on the other hand, provide you with the information you will find indispensable for the future use. You are welcome to use:

### EasyFix

Our original application dedicated to engineers and designers. This simple, yet multifunctional tool enables you to run calculations and develop designs using Rawlplug fixings. EasyFix is a guarantee of reliability and safety, since both the program itself and the calculations it delivers conform to the standards defined in European Technical Approval Guidelines (ETAG).

FREE software download:  
[www.easyfix.rawlplug.com](http://www.easyfix.rawlplug.com)



### ON-LINE APPLICATION



An on-line application containing a comprehensive portfolio of models, plan views and technical drawings of Rawlplug fixings along with their full technical documentation. It enables you to use all of them in some of the most popular BIM/CAD environment software packages.

### PRODUCT SELECTOR

Designed to make the choice of products matching your design's requirements easier and quicker. It is here that you can quickly view the full portfolio of criteria - from the type of substrate, a recommended application, approvals and certificates, materials and coatings, environmental conditions to an indication that a product is new in our offer. The presentation of each product includes a set of photos, drawings, technical models, video tutorials, data sheets, approvals and so on.

#### Fixings & Fasteners Selector



### TECHNICAL LIBRARY

Contains technical documentation of products divided into as many as 15 categories. All you need to do is enter the name of the product and a list of all technical documents available in our library will appear in the search results.

## Technical Assistance

Our team is ready to deliver comprehensive technical assistance. The range of services comprises:

- technical advisory,
- site testing,
- assistance in designing of fixings,
- technical FAQ.

### TECHNICAL ADVISORY

Our clients are offered the support of an engineering team from the Technical Department. They are ready to answer all your questions pertaining to the design of fixings, the range of their applications, the installation process or the service of Rawlplug's products. You only need to fill in the Technical Request form on [www.rawlplug.co.uk](http://www.rawlplug.co.uk)



### SITE TESTING

While running site tests, we make use of our signature standard, designed with reference to the requirements of British Standard BS:8539 as well as guidelines of the British Construction Fixings Association (CFA). It was our team of experts, being members of the Technical Committee, who developed these principles and who provide testing oversight.

### ASSISTANCE IN DESIGNING OF FIXINGS

We offer support for the extensive range of fixing design activities. Our team of engineers from the Technical Department is at your disposal. They will answer all your questions related to the design of fixings and their recommended applications. We encourage you to contact our experts on [www.rawlplug.co.uk](http://www.rawlplug.co.uk)



### TECHNICAL FAQ

Based on our experience to date, and thanks to the regular close relationship with our customers and understanding of the challenges they face on a daily basis, we have developed a list of the most typical issues and areas in the format of easily searchable questions and intuitive answers. The list of the most frequently asked questions is available on [www.rawlplug.co.uk](http://www.rawlplug.co.uk)

# > Rawlplug POS System

Presentation of Rawlplug's products is based on an integrated display system operating on 3 levels:

- Point of Sale product display system
- labelling
- packaging

What we offer in this scope is innovative across the market and provides us with unquestionable competitive edge. Not only does the POS product display system ensure formal attractiveness, but primarily stands for unparalleled functionality and intuitiveness whenever Rawlplug products are to be chosen from among hundreds of other items available on store shelves. And even more importantly, it supports the consumer in making the right choice.

When designing the POS system, we were guided by principles that reflect the real needs and behaviour of customers at the point of purchase. By that means we have managed to create features that are characteristic only for the Rawlplug product display system: colour coding, key words, installation guidelines, QR codes, standard display system, customised display system, unique packaging, environmental sustainability

## COLOUR CODING

products intended for specific substrates are marked with specific colours, enabling instantaneous choice of suitable products with this criterion in mind.

## KEY WORDS

in order to describe our products we have used key words that users recognise intuitively, which significantly speeds up the choice of what one truly needs.

## INSTALLATION GUIDELINES

simplicity of use is crucial to contractors, and we additionally allow them to quickly read and understand instructions thanks to icons and step-by-step type presentation models



## QR CODES

every product packaging features a QR code the scanning of which provides you with access to videos and animations with installation instructions.

## STANDARD DISPLAY SYSTEM

we can provide you with complete display systems ready for installation at points of sale, with all the features required to enable making appropriate and quick choice of products in demand.

## CUSTOMISED DISPLAY SYSTEM

we also provide you with an opportunity to develop a customised display set based on individual, specific customer requirements, which is possible thanks to the modularity of our solutions as well as their adaptability to any size and layout of a specific shop.

## UNIQUE PACKAGING

for every product, we have developed attractive, ergonomic and comfortable to use unique packaging.

## ENVIRONMENTAL SUSTAINABILITY

our products are manufactured using sustainable technological standards which matter greatly to environmental protection.





# Rawlplug Academy

Inspired by knowledge & skills

**Rawlplug Academy** is an innovative development project intended for our clients. It is a unique venture across the industry, dedicated to education, competence building as well as knowledge and experience sharing, designed to reflect the actual needs of engineers and designers, contractors and salespeople. What you receive is a single point of access to an integrated training package that will not only help you in everyday operations, but also assist you in the development of your specialisation.

## A state-of- the art knowledge and training platform

Courses available online – you study when and where you want



Varied forms of training



Courses designed in accordance with both business and personal needs



4 types of training categories:

courses that develop products and services competences, operating systems skills and legally required courses



Enhance your knowledge, master new skills

Every course concludes with a test



[www.rawlcentre.com](http://www.rawlcentre.com)

> Under the **Rawplug Academy**, we perform three types of training activities:

- **Rawplug Academy's original training courses** devised to reflect the operating needs of our customers,
- **vocational training** courses conducted under prestigious country-specific educational programmes,
- **video tutorials** collected in a library of training videos and animations.

**ORIGINAL TRAINING COURSES**

The Rawplug Academy original training scheme comprises series of specialised courses, soon to be available to our on-line clients as well.

Book now for a selection of courses: [www.rawlcentre.com](http://www.rawlcentre.com)



**VOCATIONAL TRAINING COURSES**

Being a professional partner who provides clients with integrated education and knowledge sharing services, we extend our Rawplug Academy related activities by participating in development programmes whose purpose is to expand specialised qualifications and improve field-specific competencies. This is why our experts have become personally engaged in developing training courses and workshops under the Continuing Professional Development scheme and BS:8539.

**CPD Seminars**

Specialists representing the Rawplug team take part in various initiatives, tutoring industry-specific seminars, co-moderating major conferences and events relevant to the sector as well as organising practical workshops aimed at improving participants' competencies in terms of professional choice and applications of fixing and fastening solutions. In this milieu, we collaborate with such parties as the Institution of Civil Engineers (ICE) and the Institution of Structural Engineers (IStructE). Each person taking part in the CPD seminars run by experts from Rawplug Ltd. acquires qualifications documented with a certificate that proves to be a significant add-on to a professional portfolio.

**BS:8539 COURSES**

Rawplug Ltd. is a certified member of the Construction Fixings Association (CFA). The membership is indeed a prestigious achievement, but it also an obligation. That is why, we organise and conduct seminars and workshops in line with British Standard BS:8539. This means that as we deliver training we always rely on the best available practices. Participation in BS:8539 courses is certified, which enables the participant to formally confirm the qualifications and competencies thus acquired.



**VIDEO TUTORIALS**

Based on many years of observations of the processes and activities connected with everyday operations performed by our clients, we have developed scripts for video tutorials. How do they work? We teach you how to choose the best fixing solutions. We demonstrate where and under what circumstances they should be applied. We present how to use them under real-life conditions. And the entire content is delivered in a simple, intuitive and comprehensible manner. You are welcome to use the library of Rawplug's video tutorials.



## Content

		PAGE
<b>BONDED ANCHORS</b>		
R-KEX II Pure epoxy resin - ETA Option 1		16
R-KER II Hybrid resin - ETA Option 1		16, 74
RV200 Vinylester resin (CFS+ system) - ETA Option 1		17
R-KEM II Styrene free polyester resin - ETA Option 7		17
RM50 Styrene free polyester resin (CFS+ system) - ETA Option 7		18
R-KF2 Polyester resin - ETA Option 7		18
RP30 Polyester resin (CFS+) - ETA Option 7		18
R-CAS-V Spin-In capsule - ETA Option 7		19
R-HAC-V Hammer-In capsule - ETA Option 7		19
R-STUDS Metric threaded rods		20-21, 74
R-ITS Internally threaded sockets		22
Wire mesh sleeves		22
Threaded Rods		23
Plastic mesh sleeves		23
Mixer nozzles		24
R-BRUSH manual brushes		24
R-GUN Dispenser guns		25-26
R-BLOWPUMP blow pump		25
		PAGE
<b>MECHANICAL ANCHORS</b>		
R-SPL Safety Plus - ETA Option 7		28
R-SPLII Safety Plus II - ETA Option 1		29-30
R-HPTIIZF Stainless steel throughbolt - ETA Option 1		30-31
R-HPTIIA4 Stainless steel throughbolt - ETA Option 1		31-32, 74
R-XPT Throughbolt - ETA Option 7		32-33
R-XPTIIA4 Stainless steel throughbolt - ETA Option 7		33-34
R-XPT-HD Hot Dip Galvanized Throughbolt		34-35
R-RBL Rawlbolt - loose bolt - ETA Option 1		35-36
R-RBP Rawlbolt - bolt projecting - ETA Option 1		36-37
R-RBL-H Rawlbolt - hook bolt		38
		PAGE
<b>MECHANICAL ANCHORS</b>		
R-RBL-E Rawlbolt - eye bolt		38
R-RB Rawlbolt shield		39
R-RB-PF Rawlbolt Collar		39
RBL2 Rawlbolt - Shield anchor loose bolt		39-40
RBP2 - Shield anchor bolt projecting		40
RBL2-HRawlbolt - hook bolt		41
RBL2-E Rawlbolt - eye bolt		41
R-RLK Rawlok		41
Sleeve anchor, Projecting Bolt, Zinc-plated		42
R-LX Concrete screwbolt		42-45, 75
R-DCA / R-DCA-A4 Drop in anchor		46
R-DCL Lipped drop in anchor		46
Drop In Anchor Setting Tool		47
Drop In Anchor Setting Tool with handle		47
		PAGE
<b>LIGHTWEIGHT FIXINGS</b>		
FF1 Nylon frame fixing		48-49, 75
R-KKS Frame fixing		49
R-FF Nylon frame fixing		49-50
WHO Frame screws		50
GS Ceiling wedge anchor - ETA Option 1		51
KMW Metal hammer fixing		51
SRS Ceiling fixing		51
KGS Lightweight block anchor		52
FX-L Polypropoylene hammer-in fixing with countersunk head		52
FX-N-L Nylon hammer-in fixing with countersunk head - ETA Option 7		53
FX-N-C Nylon hammer-in fixing with cylinder head - ETA Option 7		54
FX-N-K Nylon hammer-in fixing with mushroom head - ETA Option 7		54-55
FX-N-A2 Stainless Steel Hammer-in fixing - ETA Option 7		55
R-MNL Masonry nails		55

**Content**

	PAGE
<b>LIGHTWEIGHT FIXINGS</b>	
UNO® Universal plug and Universal plugs 	<b>56-58</b>
UNO® Universal plug and Universal plug with screws 	<b>57-58</b>
4ALL Universal nylon plug 	<b>58</b>
4ALL Universal nylon plug with screw 	<b>59</b>
FIX Nylon expansion plug 	<b>60</b>
HDPE Contractors Plastic Plug 	<b>61</b>
Scaffolding Eye Bolt & Nylon Plug 	<b>61</b>
Rawlplug Plastic Plugs 	<b>61</b>
Nylon self drill fixing for plaster-board 	<b>62</b>
Metal self drill fixing for plaster-board 	<b>62</b>
Interset Hollow wall anchor 	<b>64</b>
AT Tool for interset 	<b>65</b>
Spring toggle 	<b>65</b>
Plastic toggle 	<b>66</b>
Plasterboard plug 	<b>66</b>
RAWLNUT Flexi Plug 	<b>66-67</b>
TAP-IT Hammer-in fixing for plasterboard 	<b>67</b>
WetNFix Fast bonding solution 	<b>67</b>
Sanitary Fixing Kits 	<b>68-70</b>
Solution Fixing Kits 	<b>71</b>
SinkFix Fixing Kit 	<b>71</b>
TubFix Fixing Kit 	<b>71</b>
<b>FACADE INSULATION FIXINGS &amp; RAINSCREEN CLADDING</b>	
PH Pan head framing screws 	<b>76</b>
OCWS Hex self-drill screws 	<b>76</b>
ONS Hex stainless steel screw 	<b>76</b>
CWT wing tip self-drill screws 	<b>77</b>
KI-10 Facade fixing with plastic pin 	<b>77</b>
KI-10N Long expansion zone facade fixing with metal pin 	<b>78</b>

	PAGE
<b>FACADE INSULATION FIXINGS &amp; RAINSCREEN CLADDING</b>	
KI-10NS Screw-in insulation fixing with long expansion zone 	<b>78</b>
MBA Stainless steel facade fixing 	<b>79</b>
MBA Steel facade fixing 	<b>79</b>
KC Insulation Washers 	<b>80</b>
KWL Insulation retaining plate 	<b>80</b>
WX-T Self-drilling screws for steel 	<b>80</b>
OC Self drilling screws 	<b>81</b>
MKC Washers 	<b>81</b>
POK Washers 	<b>81</b>
DB-Z Fire rated washer 	<b>82</b>
WBT Screw for concrete 	<b>82</b>
<b>FLAT ROOFING &amp; CLADDING SCREWS</b>	
OC Hex self-drill screws 	<b>84, 97</b>
OC-T Hex self-drill screws with washer 	<b>84</b>
ON Hex head 	<b>84</b>
ON-T Hex head with washer 	<b>85</b>
CWT Countersunk wing tip self-drill screws 	<b>85-86</b>
PH Pan head self-drill screw + torx 25 bit 	<b>86</b>
OC High low thread gauge screw 	<b>86</b>
OCR Composite panel screw 	<b>86-87</b>
ONR Composite panel screw 	<b>87</b>
ORR Composite panel screw 	<b>87</b>
OTR Composite panel screw 	<b>88</b>
GOK Telescopic sleeve with round plate 	<b>88</b>
GOK 75 	<b>89</b>
WX-T Self -drilling screws for steel 	<b>89</b>
WBT Screw for concrete 	<b>90</b>
WO-T Screws for steel 	<b>90</b>
WW Timber torx screw 	<b>91</b>

## Content

FLAT ROOFING & CLADDING SCREWS			PAGE
POK Timber torx screw and washer		91	
POW/POK/DB-Z Pressure plate washers		92	
OCS Countersunk wing tip self-drill screws		92	
ONS Hex head		92	
PH Pan head self-drill screw + torx 25 bit		93	
CWTS Countersunk wing tip self-drill screws		93	
OCS High low thread gauge screw		93	
UCF-A2 Timber screws		93-94	
MKC Washers		94	
KC Insulation Washers		94	
KWL Insulation retaining plate		95	
FTF firtree fixing		95	
ISO-PLUG Insulation fixings		95	

NUTS AND BOLTS			PAGE
R-NW Nut and washer		98	
R-933 Hex screw with nut and washer		98	
R-RW Roof washer		98	
R-RSF Roof sheet fixing		98	
R-603 Hex bolt and nut		99	
R-125 Flat washer		99	
R-934 Hex nut		100	
R-985 Nylon insert nut		100	
R-571 Hex head coach screw		100	
R-NW Hex nut and washer		101	
R-MC-02 Mirror Screw		101	
R-9021 Repair washer		101	
R-RBN Roofing bolt and nut		102	
R-SCDC Screw cover		102	
R-SCP Screw cover		102	

NUTS AND BOLTS			PAGE
R-SC Screw cup brass		103	
R-SC Screw Cup Nickle Plated		103	
R-436 Square plate washer		103	

FOAMS & ACRYLIC			PAGE
RPP-B1 B1 Fire Resistant Gun PU Foam		104	
RPP-45 B3 GUN PU Foam		104	
RPS B3 Hand Held Expanding Foam 750ml & 500ml		104	
RPP-PVC B3 Low Expansion Gun PU Foam		105	
RPP-FIX B3 Adhesvie		105	
RPP-MORTAR B3		105	
R-RPC-0500 Agent for removing uncured polyurethane foams		105	
RPP-GUN-NC Professional gun for expanding foams		106	
R-FRACR Acrylic firestop cartridge		106	
R-FRACR Acrylic firestop compound		106	
R-XPC-300 Express Cement		106	

SCREWS			PAGE
R-CS Timber screws		107	
QCP High Performance screws		108	

DIRECT FASTENING SYSTEMS			PAGE
R-RAWL-WW90CH Gas powered 1st Fix Nailer		109	
R-DPG, R-DRG paper collated nails with fuel cells - 1st Fix Nailer		109	
R-DPGH, R-DRGH paper collated nails with fuel cells - 1st Fix Nailer Handy Packs		110	
R-DRS paper collated nails with fuel cells		110	
R-RAWL-A2064 Gas powered brad second fix nailer		110	
Angled brad nails		111	
R-RAWL-B1664 Gas powered brad second fix nailer		111	

**Content**

	<b>PAGE</b>
<b>DIRECT FASTENING SYSTEMS</b>	
Straight brad nails 	<b>111</b>
R-RAWL-SC40II Gas powered steel & concrete nailer 	<b>112</b>
R-KNC, R-KSC plastic collated concrete pins 	<b>112</b>
SC40 II Fixing Clips 	<b>113-115</b>
R-RAWL-GP1 	<b>116</b>
R-RAWL-GP4-2BL 	<b>116</b>
Direct fastening tool cleaning kit 	<b>116</b>
<b>POWER TOOL ACCESSORIES</b>	
RT-BIT-ADAP Bit holders 	<b>118</b>
RT-BIT-ADAP/60 Bit holder 	<b>118</b>
RT-IBIT-T T type impact screwdriver bits 	<b>118</b>
RT-BIT-ADAP/QC Bit holder Quick Change 	<b>118</b>
RT-BIT Screwdriver bits 	<b>119</b>
RT-BIT-PH Phillips screwdriver bits 	<b>119</b>
RT-BIT-PZ Pozidriv screwdriver bits 	<b>119</b>
RT-BIT-SET1 Bits set 	<b>119</b>
RT-BIT-TORX T type screwdriver bits 	<b>120</b>
RT-BIT-TORX25 T25 long screwdriver bits 	<b>120</b>
RT-CHUCK/13 Chuck with key 	<b>120</b>
RT-CHUCKADAPT Adapter SDS plus 1/2" 	<b>121</b>
RT-CHUCKSET/1 Set of chuck and adapter SDS plus 	<b>121</b>
RT-CHUCK-UNIVKEY Key for chucks 	<b>121</b>
RT-KLESSCHUCK/13 Keyless chuck 	<b>121</b>

	<b>PAGE</b>
<b>POWER TOOL ACCESSORIES</b>	
RT-JSB-M Jigsaw blades for metal cutting 	<b>122</b>
RT-JSB-B112 Jigsaw blade for clean and finishing wood cutting 	<b>122</b>
RT-JSB-MW1AS Jigsaw blades set 	<b>122</b>
RT-JSB Jigsaw blades for wood 	<b>123</b>
RT-JSB Reciprocating saw blades for steel 	<b>123-124</b>
RT-JSB Reciprocating saw blades for wood 	<b>124</b>
RT-AWD Auger bits 	<b>125</b>
RT-FLWD Flat drill bits 	<b>125</b>
RT-HSSP HSS drill bits 	<b>126</b>
RT-IMP Masonry drill bits Impactor 	<b>126</b>
R-BF Blue Flash Masonry drill bits 	<b>127</b>
RT-SDSA Drill bits Aggressor SDS plus 	<b>127-128</b>
RT-SDSR Drill bits Rebardrill SDS plus 	<b>129</b>
RT-MAXA Drill bits Aggressor SDS max 	<b>130</b>
RT-MAXC Connector SDS max 	<b>130</b>
<b>STAPLING TACKING &amp; GLUING</b>	
RT-KGR0011 – Hammer tacker 6-10 mm 	<b>131</b>
RT-KGR0024 Hand stapler 	<b>131</b>
RT-KSS140 Staples RL140 	<b>131</b>

**APPROVED BODY SYMBOLS**

	European Technical Approval and European Technical Assessment		Polish Construction Sign (Poland, Warsaw)		FM Approved		Approval of Prüfgemeinschaft Mauerbahrer (PGM)
	CE Marking		Resistance to fire exposure		Earthquake Resistant		Trade Pack (Boxes)
							Trade Retail Packs (Bags)

## Epoxy Resin

### R-KEX II Pure epoxy resin

Pure epoxy resin. ETA Option 1 cracked and non-cracked concrete, rebar



#### Packaging



#### Approvals and Reports

- ETA-13/0455
- ETA-13/0454
- ETA-13/0585



Installation guide movie



Rawplug code	Volume	Recommended Gun	Quantity		Packaging	Discount Group	Price Per Box £
	ml		Box	pcs			
R-KEX-II-385	385	R-GUN-385-P	1		✓	B-CR-A04	56.62

## Vinylester Hybrid Resin

### R-KER II Hybrid resin

High resistance vinylester hybrid resin. ETA Option 1 cracked and non-cracked concrete, rebar



#### Packaging



#### Approvals and Reports

- ETA - 17/0594



Rawplug code	Volume	Recommended Gun	Quantity		Packaging	Discount Group	Price Per Box £
	ml		Box	pcs			
R-KER-II-400	400	R-GUN-380-UK	10		✓	B-CR-A06	360.00
R-KER-II-400W	400	R-GUN-380-UK	10		✓	B-CR-A06	380.00
R-KER-II-300	300	R-GUN-300-N	10		✓	B-CR-A06	234.00

## Vinylester Resin

### RV200 Vinylester resin (CFS+ cartridge free system)

Vinylester resin. Foil capsules. ETA Option 1 cracked and non-cracked concrete, rebar



#### Packaging



#### Approvals and Reports

- ETA-10/0055
- ETA-12/0319
- ETA-13/0805



Installation guide movie



Rawlplug code	Volume	Recommended Gun	Quantity	Packaging	Discount Group	Price Per Box £
	ml		Box			
			pcs			
R-CFS+RV200-4	300	R-CFS+GUN	4	✓	B-CR-A05	86.40

## Polyester Resin

### R-KEM II Styrene free polyester resin

Universal polyester styrene free resin. ETA Option 7, suitable for use in non-cracked concrete and wide range of solid or hollow masonry structures. ETA for 15 substrates



#### Packaging



#### Approvals and Reports

- ETA-12/0394
- ETA-12/0528



Installation guide movie



Rawlplug code	Volume	Recommended Gun	Kit Contents	Quantity	Packaging	Discount Group	Price Per Box £
	ml			Box			
				pcs			
R-KEM-II-175	175	R-GUN-300-N	-	10	✓	B-CR-A08	172.80
R-KEM-II-300	300	R-GUN-300-N	-	10	✓	B-CR-A08	194.40
R-KEM-II-410	410	R-GUN-410-N	-	10	✓	B-CR-A08	183.60
GLA-60273	300	-	3 x R-KEM-II-300ml cartridges, 6 x nozzles, 4 x brushes, 1 blow pump, 1 dispenser gun & 5 x plastic sleeves	1	✓	B-CR-A08	254.25

# BONDED ANCHORS

## RM50 Styrene free polyester resin (CFS+ cartridge free system)

Universal polyester styrene free resin. Foil capsules. ETA Option 7 non-cracked concrete, masonry



Packaging



Approvals and Reports

• ETA-12/0394



Rawplug code	Volume	Recommended Gun	Quantity	Packaging	Discount Group	Price Per Box £
	ml		Box	pcs		
R-CFS+RM50-4	300	R-CFS+GUN	4	✓	B-CR-A07	69.45

## R-KF2 Polyester resin

Polyester general purpose resin. ETA Option 7 non-cracked concrete.



Packaging



Approvals and Reports

• ETA-11/0141



Rawplug code	Volume	Recommended Gun	Quantity	Packaging	Discount Group	Price Per Box £
	ml		Box	pcs		
R-KF2-380	380	R-GUN-380-N	10	✓	B-CR-A02	183.60

## RP30 Polyester resin (CFS+ cartridge free system)

Polyester general purpose resin. Foil capsules. ETA Option 7 non-cracked concrete.



Packaging



Approvals and Reports

• ETA-11/0141



Rawplug code	Volume	Recommended Gun	Quantity	Packaging	Discount Group	Price Per Box £
	ml		Box	pcs		
R-CFS+RP30-4	300	R-CFS+GUN	4	✓	B-CR-A01	63.16

## R-CAS-V Spin-In capsule

Vinylester capsule resin. ETA Option 7 non-cracked concrete



Packaging



Approvals and Reports

• ETA-10/0108



Installation guide movie

Rawlplug code	Diameter	Drill size mm	Selling unit pcs	Quantity		Packaging 	Discount Group	Price Per Box £
				Box	pcs			
R-CAS-V-08	M8	10	1	10	10	✓	B-CR-C01	22.98
R-CAS-V-10	M10	12	1	10	10	✓	B-CR-C01	24.31
R-CAS-V-12	M12	14	1	10	10	✓	B-CR-C01	26.45
R-CAS-V-16	M16	18	1	10	10	✓	B-CR-C01	27.62
R-CAS-V-20	M20	24	1	6	6	✓	B-CR-C01	40.38
R-CAS-V-24	M24	28	1	6	6	✓	B-CR-C01	47.64
R-CAS-V-30	M30	35	1	4	4	✓	B-CR-C01	62.55

## R-HAC-V Hammer-In capsule

Vinylester capsule resin. ETA Option 7 non-cracked concrete



Packaging



Approvals and Reports

• ETA-11/0002




Rawlplug code	Threaded Rod		Rebar		Selling unit pcs	Quantity		Packaging 	Discount Group	Price Per Box £
	Size	Drill size mm	Size mm	Drill diameter mm		Box	pcs			
R-HAC-V-10	M10	12	10	14	1	10	10	✓	B-CR-C02	31.45
R-HAC-V-12	M12	14	12	16	1	10	10	✓	B-CR-C02	33.70
R-HAC-V-16	M16	18	14	18	1	10	10	✓	B-CR-C02	38.19
R-HAC-V-20	M20	24	16	22	1	6	6	✓	B-CR-C02	61.78
R-HAC-V-24	M24	28	20	26	1	6	6	✓	B-CR-C02	73.01
R-HAC-V-30	M30	35	25	35	1	4	4	✓	B-CR-C02	101.09

## R-STUDS Metric threaded rods

Threaded rod with hexagonal head made of carbon steel for use with bonded anchors

### Packaging



For Fixture Thickness and embedment depths, please contact our technical department 0141 273 2234

Size	Rawlplug Code	Anchor		Quantity	Packaging	Discount Group	Price Per Box £
		Drill Size	Length	Box			
		mm	mm	pcs			
<b>R-STUDS Metric Threaded Rods - Steel Class 5.8 with Hexagonal Head</b>							
M8	R-STUDS-08110	10	110	10	✓	B-CR-B06	7.41
	R-STUDS-08160	10	160	10	✓	B-CR-B06	8.20
M10	R-STUDS-10130	12	130	10	✓	B-CR-B06	11.01
	R-STUDS-10170	12	170	10	✓	B-CR-B06	14.93
	R-STUDS-10190	12	190	10	✓	B-CR-B06	19.19
M12	R-STUDS-12160	14	160	10	✓	B-CR-B06	18.08
	R-STUDS-12190	14	190	10	✓	B-CR-B06	19.66
	R-STUDS-12220	14	220	10	✓	B-CR-B06	22.83
	R-STUDS-12260	14	260	10	✓	B-CR-B06	25.68
	R-STUDS-12300	14	300	10	✓	B-CR-B06	31.23
M16	R-STUDS-16190	18	190	10	✓	B-CR-B06	31.00
	R-STUDS-16220	18	220	10	✓	B-CR-B06	39.96
	R-STUDS-16260	18	260	10	✓	B-CR-B06	45.67
	R-STUDS-16300	18	300	5	✓	B-CR-B06	25.68
M20	R-STUDS-20260	24	260	5	✓	B-CR-B06	34.82
	R-STUDS-20300	24	300	5	✓	B-CR-B06	53.51
M24	R-STUDS-24300	28	300	1	✓	B-CR-B06	16.38
M30	R-STUDS-30380	35	380	1	✓	B-CR-B06	50.00
<b>R-STUDS Metric Threaded Rods - Steel Class 5.8 with Flat Head</b>							
M8	R-STUDS-08110-FL	10	110	10	✓	B-CR-B06	6.44
	R-STUDS-08160-FL	10	160	10	✓	B-CR-B06	7.86
M10	R-STUDS-10130-FL	12	130	10	✓	B-CR-B06	9.21
	R-STUDS-10170-FL	12	170	10	✓	B-CR-B06	16.22
M12	R-STUDS-12160-FL	14	160	10	✓	B-CR-B06	16.18
	R-STUDS-12190-FL	14	190	10	✓	B-CR-B06	18.52
	R-STUDS-12220-FL	14	220	10	✓	B-CR-B06	21.57
	R-STUDS-12260-FL	14	260	10	✓	B-CR-B06	27.02
M16	R-STUDS-16190-FL	18	190	10	✓	B-CR-B06	29.58
	R-STUDS-16220-FL	18	220	10	✓	B-CR-B06	33.32
	R-STUDS-16260-FL	18	260	10	✓	B-CR-B06	50.84
M20	R-STUDS-20260-FL	24	260	6	✓	B-CR-B06	43.83
	R-STUDS-20300-FL	24	300	5	✓	B-CR-B06	50.28
	R-STUDS-20350-FL	24	350	1	✓	B-CR-B06	32.40
M24	R-STUDS-24300-FL	28	300	1	✓	B-CR-B06	16.61
M30	R-STUDS-30380-FL	35	380	1	✓	B-CR-B06	25.83

## R-STUDS Metric threaded rods (cont.)

For Fixture Thickness and embedment depths, please contact our technical department 0141 273 2234

Size	Rawplug Code	Anchor		Quantity	Packaging 	Discount Group	Price Per Box €
		Drill Size	Length	Box			
		mm	mm	pcs			
<b>R-STUDS Metric Threaded Rods - HDG Steel Class 8.8 with Hexagonal Head</b>							
M10	R-STUDS-10130-88HD	12	130	10	✓	B-CR-B06	16.76
M12	R-STUDS-12160-88HD	14	160	10	✓	B-CR-B06	31.47
	R-STUDS-12220-88HD	14	220	10	✓	B-CR-B06	43.37
M16	R-STUDS-16150-88HD	18	150	10	✓	B-CR-B06	50.46
	R-STUDS-16190-88HD	18	190	10	✓	B-CR-B06	52.84
	R-STUDS-16300-88HD	18	300	5	✓	B-CR-B06	42.76
M20	R-STUDS-20260-88HD	24	260	5	✓	B-CR-B06	57.39
M24	R-STUDS-24300-88HD	28	300	1	✓	B-CR-B06	40.50
M30	R-STUDS-30380-88HD	35	380	1	✓	B-CR-B06	89.28
<b>R-STUDS Metric Threaded Rods - A4 with Hexagonal Head</b>							
M8	R-STUDS-08110-A4	10	110	10	✓	B-CR-B16	30.04
M10	R-STUDS-10130-A4	12	130	10	✓	B-CR-B16	46.82
M12	R-STUDS-12160-A4	14	160	10	✓	B-CR-B16	78.95
M16	R-STUDS-16190-A4	18	190	10	✓	B-CR-B16	164.48
M20	R-STUDS-20260-A4	24	260	5	✓	B-CR-B16	190.98
<b>R-STUDS Metric Threaded Rods - A4 Stainless Steel with Flat Head</b>							
M8	R-STUDS-08110-A4FL	10	110	10	✓	B-CR-B16	22.21
M10	R-STUDS-10130-A4FL	12	130	10	✓	B-CR-B16	48.63
	R-STUDS-10170-A4FL	12	170	10	✓	B-CR-B16	96.09
M12	R-STUDS-12160-A4FL	14	160	10	✓	B-CR-B16	64.68
	R-STUDS-12190-A4FL	14	190	10	✓	B-CR-B16	144.13
M16	R-STUDS-16190-A4FL	18	190	10	✓	B-CR-B16	154.85
	R-STUDS-16220-A4FL	18	220	10	✓	B-CR-B16	275.26
M24	R-STUDS-20260-A4FL	28	260	6	✓	B-CR-B16	197.37
M30	R-STUDS-24300-A4FL	35	300	1	✓	B-CR-B16	59.39
<b>R-STUDS Metric Threaded Rods - Zinc Plated Steel Class 8.8 with Hexagonal Head</b>							
M8	R-STUDS-08110-88	10	110	10	✓	B-CR-B06	10.18
M10	R-STUDS-10130-88	12	130	10	✓	B-CR-B06	15.16
M12	R-STUDS-12160-88	14	160	10	✓	B-CR-B06	26.64
M16	R-STUDS-16190-88	18	190	10	✓	B-CR-B06	53.72
M20	R-STUDS-20260-88	24	260	5	✓	B-CR-B06	56.13
M24	R-STUDS-24300-88	28	300	1	✓	B-CR-B06	20.94
M30	R-STUDS-30380-88	35	380	1	✓	B-CR-B06	39.21

## R-ITS Internally threaded sockets

Internally threaded socket anchor, designed for use with bonded anchors



### Packaging



Rawplug code	Anchor			Quantity	Packaging	Discount Group	Price Per Box £
	Length	Drill Size	Internal Diameter	Box			
	mm	mm	mm	pcs			
<b>R-ITS-Z Internally Threaded Sockets</b>							
R-ITS-Z-06075	75	12	6	10	✓	B-CR-B08	15.43
R-ITS-Z-08075	75	14	8	10	✓	B-CR-B08	18.96
R-ITS-Z-08090	90	14	8	10	✓	B-CR-B08	16.46
R-ITS-Z-10075	75	20	10	10	✓	B-CR-B08	27.15
R-ITS-Z-10100	100	20	10	10	✓	B-CR-B08	31.60
R-ITS-Z-12100	100	20	12	6	✓	B-CR-B08	21.18
R-ITS-Z-16125	125	28	16	6	✓	B-CR-B08	40.71
<b>R-ITS-A2 Internally Threaded Sockets - Stainless Steel</b>							
R-ITS-A2-06075	75	12	6	10	✓	B-CR-B18	28.89
R-ITS-A2-08075	75	14	8	10	✓	B-CR-B18	36.31
R-ITS-A2-08090	90	14	8	10	✓	B-CR-B18	49.06
R-ITS-A2-10075	75	20	10	10	✓	B-CR-B18	49.74
R-ITS-A2-10100	100	20	10	10	✓	B-CR-B18	55.54
R-ITS-A2-12100	100	20	12	6	✓	B-CR-B18	43.77
R-ITS-A2-16125	125	28	16	6	✓	B-CR-B18	91.61

## Wire mesh sleeves

Metal, zinc-plated mesh sleeve for use with bonded anchors in hollow substrates and concrete



R-MS

### Packaging



Size	Rawplug Code	Sleeve size		Quantity	Packaging	Discount Group	Price Per Box £
		Diameter	Length	Box			
		mm	mm	pcs			
M8	R-MS-11085	11	85	10	✓	B-CR-B03	42.81
M10	R-MS-15095	15	95	10	✓	B-CR-B03	57.54
M10	R-MS-15130	15	130	10	✓	B-CR-B03	48.06
M10	R-MS-15200	15	200	10	✓	B-CR-B03	58.96
M12	R-MS-17095	17	95	10	✓	B-CR-B03	49.58
M12	R-MS-17200	17	200	10	✓	B-CR-B03	49.86
M16	R-MS-21200	21	200	10	✓	B-CR-B03	50.18
M10	SP-CE-R10	14	1000	10	✓	B-CR-B03	153.11
M12	SP-CE-R12	16	1000	10	✓	B-CR-B03	164.21
M16	SP-CE-R16	22	1000	10	✓	B-CR-B03	175.27
M20	SP-CE-R20	26	1000	10	✓	B-CR-B03	278.25

## Threaded Rods

1 metre threaded rod.



### Packaging



Rawlplug Code	Thread size		Quantity	Packaging	Discount Group	Price Per Box £
	Size	Length	Box			
	mm	mm	pcs			
975-06-1000-48-ZN	M6	1000	5	✓	B-NF-A01	7.14
975-08-1000-48-ZN	M8	1000	5	✓	B-NF-A01	13.28
975-10-1000-48-ZN	M10	1000	5	✓	B-NF-A01	21.93
975-12-1000-48-ZN	M12	1000	5	✓	B-NF-A01	30.55
975-16-1000-48-ZN	M16	1000	5	✓	B-NF-A01	56.03
975-20-1000-48-ZN	M20	1000	5	✓	B-NF-A01	87.53

Rawlplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty			
			Packs			
R-S1-STUDS08110/5	8X110mm ZP	5	5	✓	R-S1-A01	3.64
R-S1-STUDS10130/5	10X130mm ZP	5	5	✓	R-S1-A01	5.10
R-S1-STUDS12160/5	12X160mm ZP	5	5	✓	R-S1-A01	7.29

## Plastic mesh sleeves

The sleeve for reduced mortar consumption and optimal mechanical interlock



### Packaging



Rawlplug Code	Sleeve size		Stud Size	Quantity	Packaging	Discount Group	Price Per Box £
	Diameter	Length		Box			
	mm	mm		pcs			
R-PLS-16085-10	16	85	M10-M12	10	✓	B-CR-B03	5.37
R-PLS-16130-10	16	130	M10-M12	10	✓	B-CR-B03	7.05
R-PLS-20085-10	20	85	M16	10	✓	B-CR-B03	9.85

Rawlplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty			
			Packs			
R-S1-PLS-12050/6	12X50mm	6	5	✓	R-S1-A01	2.41
R-S1-PLS-15085/6	16X85mm	6	5	✓	R-S1-A01	2.49
R-S1-PLS-15125/6	16X125mm	6	5	✓	R-S1-A01	2.74
R-S1-PLS-20085/6	20X85mm	6	5	✓	R-S1-A01	4.44

# BONDED ANCHORS

## Mixer nozzles

Static mixer for bonded anchors in cartridges and CFS+ system

### Packaging



Rawlplug code	Suitable for	Quantity	Packaging	Discount Group	Price Per Box £
		Box pcs			
R-NOZ-KEX-II-10	Nozzles for R-KEX-II only	10	✓	B-CR-B01	30.40
R-NOZ-KEX-II-100	Nozzles for R-KEX-II only	100	✓	B-CR-B01	294.21
R-NOZ-10	Nozzles for R-KEM-II, R-KF2, R-KER (all except the epoxy mix)	10	✓	B-CR-B01	12.09
R-NOZ-100/100	Nozzles for R-KEM-II, R-KF2, R-KER (all except the epoxy mix)	100	✓	B-CR-B01	100.74
R-NOZ-KER-II-10	Nozzles for R-KER-II	10	✓	B-CR-B01	18.09
R-NOZ-KER-II-100	Nozzles for R-KER-II	100	✓	B-CR-B01	149.75
SP-CE-ED-1M	1 metre nozzle extension	10	✓	B-CR-B01	28.53

Rawlplug code	Contents	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty			
			Packs			
R-S1-NOZ-KEM/5	Nozzles for R-KEM-II	5	5	✓	R-S1-A01	4.21
R-S1-NOZ-KER/5	Nozzles for R-KER-II	5	5	✓	R-S1-A01	7.02

## R-BRUSH manual wire brushes

Wire brush accessory for cleaning out holes prior to anchor installation

### Packaging



Rawlplug code	Drill Diameter	Quantity	Packaging	Discount Group	Price Per Box £
		Box pcs			
R-BRUSH-M08/M	M8	1	✓	B-CR-B05	16.14
R-BRUSH-M10/M	M10	1	✓	B-CR-B05	17.10
R-BRUSH-M12/M	M12	1	✓	B-CR-B05	17.63
R-BRUSH-M16/M	M16	1	✓	B-CR-B05	18.53
R-BRUSH-M20/M	M20	1	✓	B-CR-B05	19.98
R-BRUSH-M24/M	M24	1	✓	B-CR-B05	21.59
R-BRUSH-M30/M	M30	1	✓	B-CR-B05	23.31

## R-GUN Dispenser guns

Professional manual dispensing system for resin anchors in cartridges

### Packaging



**R-GUN-300-N**

Suitable for the following:

- R-KEM II 175/300ml
- R-KER-II 300ml



**R-GUN-380-P**

Heavy duty, suitable for the following:

- R-KER II 380ml, 410ml
- R-KER 400ml
- R-KER II 400ml
- R-KEM II 380ml, 410ml
- R-KF2 380ml, 400ml



**R-GUN-345-N**

Suitable for the following:

- R-KER II 345ml



**R-GUN-380-UK**

Suitable for the following:

- R-KER II 380ml, 410ml
- R-KER 400ml
- R-KER II 400ml
- R-KEM II 410ml
- R-KF2 380ml, 400ml



**R-GUN- MULTI**

Suitable for the following:

- R-KEX II 385ml, 600ml
- R-KER II 300ml, 400ml
- R-KER 480ml, 400ml
- R-KEM II 175ml, 300ml, 410ml
- R-KF2 380ml, 400ml

Rawlplug code	Quantity		Packaging	Discount Group	Price Per Box £
	Box	pcs			
R-GUN-300-N	1		✓	B-CR-B02	59.16
R-GUN-345-N	1		✓	B-CR-B02	75.81
R-GUN-380-UK	1		✓	B-CR-B02	51.22
R-GUN-380-P	1		✓	B-CR-B02	71.84
R-GUN-MULTI	1		✓	B-CR-B02	140.40

## R-BLOWPUMP blow pump

Manual blow pump ideal for cleaning dust from drilled holes prior to applying bonded anchors or installing mechanical anchors

### Packaging



Rawlplug code	Quantity		Packaging	Discount Group	Price Per Box £
	Box	pcs			
R-BLOW PUMP	1		✓	B-CR-B05	28.09

## R-GUN 385-P

Professional dispensing system for resin anchors in cartridges

Packaging



Suitable for the following:

- R-KEX II 385ml

Rawlplug code	Quantity		Packaging	Discount Group	Price Per Box €
	Box	pcs			
	R-GUN-385-P	1			

## R-GUN Dispenser gun CFS+

Professional dispensing system for resin anchors in CFS+ foils

Packaging



Suitable for the following:

- RV200 300ml
- RM50 300ml
- RP30 300ml

Rawlplug code	Quantity		Packaging	Discount Group	Price Per Box €
	Box	pcs			
	R-CFS+-GUN	1			

## R-GUN Pneumatic dispenser gun CFS+

Professional dispensing system for resin anchors in CFS+ foils

Packaging



Suitable for the following:

- RV200 300ml
- RM50 300ml
- RP30 300ml

Rawlplug code	Quantity		Packaging	Discount Group	Price Per Box €
	Box	pcs			
	R-GUN-380-PNEU	1			

## R-GUN-380-AKU Battery operated resin tool

Professional dispensing system for resin anchors

Packaging



Suitable for the following:

- R-KEM II 410ml
- R-KER II 400ml
- R-KF2 380ml
- R-KER 380ml

Rawlplug code	Quantity		Packaging	Discount Group	Price Per Box €
	Box	pcs			
	R-GUN-380-AKU	1			

# SERVICES

We have genuine experts on board – specialists who cooperate on a daily basis to keep track of the actual needs of construction professionals.

They continuously seek to improve the Rawlplug® service package, focused on technical and design support for architects, constructors and contractors. They track even the most specific and ambitious expectations of customers, and successfully integrate them with our solutions. Rawlplug® has been investing in the development and improvement of tools intended to make your daily work easier and to enhance its comfort, efficiency and quality. And we haven't stopped there, since all our services are rendered at no extra charge.

 **Onsite Technical Support**

 **Technical Helpdesk**

 **Technical Library**


 **Product Selector**

 **EasyFix**

 **BIM**



Quick access to  
**Services**



## R-SPL Safety Plus

High performance mechanical anchor, ETA Option 7 non-cracked concrete



R-SPL

### Packaging



### Approvals and Reports

• ETA-11/0126

Option 7



Rawplug code	Anchor		Fixture	Quantity	Packaging	Discount Group	Price Per Box £
	Drill Size mm	Length mm	Max. thickness mm	Box pcs			
<b>R-SPL SafetyPlus - Loose Bolt</b>							
R-SPL-08090/15	12	90	15	50	✓	B-MA-B01	169.41
R-SPL-080110/40	12	110	40	50	✓	B-MA-B01	209.26
R-SPL-10105/20	15	105	20	50	✓	B-MA-B01	209.26
R-SPL-10120/40	15	120	40	50	✓	B-MA-B01	224.22
R-SPL-10140/60	15	140	60	50	✓	B-MA-B01	234.17
R-SPL-12120/25	18	120	25	25	✓	B-MA-B01	151.97
R-SPL-12150/50	18	150	50	25	✓	B-MA-B01	176.88
R-SPL-16145/25	24	145	25	10	✓	B-MA-B01	159.44
R-SPL-16170/50	24	170	50	10	✓	B-MA-B01	170.40
R-SPL-20175/30	28	175	30	10	✓	B-MA-B01	302.94

## R-SPL-BP Safety Plus

High performance mechanical anchor, ETA Option 7 non-cracked concrete



R-SPL-BP

### Packaging



### Approvals and Reports

• ETA-11/0126

Option 7



Rawplug code	Anchor		Fixture	Quantity	Packaging	Discount Group	Price Per Box £
	Drill Size mm	Length mm	Max. thickness mm	Box pcs			
<b>R-SPL-BP SafetyPlus - Bolt Projecting</b>							
R-SPL-BP-10110/20	15	110	20	50	✓	B-MA-B02	313.90
R-SPL-BP-12135/25	18	120	25	25	✓	B-MA-B02	229.19
R-SPL-BP-12160/50	18	160	50	25	✓	B-MA-B02	323.88
R-SPL-BP-16160/25	24	160	25	10	✓	B-MA-B02	206.30
R-SPL-BP-16185/50	24	185	50	10	✓	B-MA-B02	216.26

## R-SPL-C Safety Plus

High performance mechanical anchor, ETA Option 7 non-cracked concrete



R-SPL-C

### Packaging



### Approvals and Reports

- ETA-11/0126

Option 7



Rawlplug code	Anchor		Fixture	Quantity	Packaging	Discount Group	Price Per Box €
	Drill Size	Length	Max. thickness	Box			
	mm	mm	mm	pcs			
<b>R-SPL-C SafetyPlus - Countersunk</b>							
R-SPL-C-08090/20	12	90	20	50	✓	B-MA-B03	204.27
R-SPL-C-10105/25	15	105	25	50	✓	B-MA-B03	281.34
R-SPL-C-12125/30	18	125	30	25	✓	B-MA-B03	191.83
R-SPL-C-16145/30	24	145	30	10	✓	B-MA-B03	162.44

## R-SPL-II Safety Plus II Loose Bolt

High performance mechanical anchor, ETA Option 1 cracked and non-cracked concrete



R-SPLII-L

### Packaging



### Approvals and Reports

- ETA-14/0345, Option 1
- C1 and C2 Seismic Approval



Rawlplug code	Anchor		Fixture	Quantity	Packaging	Discount Group	Price Per Box €
	Drill size	Length	Max. thickness	Box			
	mm	mm	mm	pcs			
<b>R-SPLII-L - Loose Bolt</b>							
R-SPL-II-06080/20L	10	80	20	50	✓	B-MA-B01	172.11
R-SPL-II-06110/50L	10	110	20	50	✓	B-MA-B01	184.28
R-SPL-II-08080/10L	12	80	10	25	✓	B-MA-B01	98.79
R-SPL-II-08090/20L	12	90	20	25	✓	B-MA-B01	102.06
R-SPL-II-08120/50L	12	120	50	25	✓	B-MA-B01	111.67
R-SPL-II-10090/10L	15	90	10	20	✓	B-MA-B01	112.30
R-SPL-II-10100/20L	15	100	20	20	✓	B-MA-B01	116.77
R-SPL-II-10130/50L	15	130	50	20	✓	B-MA-B01	127.90
R-SPL-II-10180100L	15	180	100	-	✓	B-MA-B01	201.59
R-SPL-II-12110/10L	18	110	10	20	✓	B-MA-B01	170.07
R-SPL-II-12125/25L	18	125	25	20	✓	B-MA-B01	178.69
R-SPL-II-12150/50L	18	150	50	20	✓	B-MA-B01	193.10
R-SPL-II-12200100L	18	200	100	-	✓	B-MA-B01	279.22
R-SPL-II-16125/10L	24	125	10	10	✓	B-MA-B01	197.99
R-SPL-II-16140/25L	24	140	25	10	✓	B-MA-B01	221.23

## R-SPL-II Safety Plus II Bolt Projecting

High performance mechanical anchor, ETA Option 1 cracked and non-cracked concrete



R-SPLII-P

### Packaging



### Approvals and Reports

- ETA-14/0345, Option 1
- C1 and C2 Seismic Approval



Rawlplug code	Anchor		Fixture	Quantity	Packaging	Discount Group	Price Per Box €
	Drill size	Length	Max. thickness	Box			
	mm	mm	mm	pcs			
<b>R-SPLII-P - Bolt Projecting</b>							
R-SPL-II-06080/20P	10	80	20	50	✓	B-MA-B01	175.58
R-SPL-II-06110/50P	10	110	50	50	✓	B-MA-B01	225.23
R-SPL-II-08090/20P	12	90	20	25	✓	B-MA-B01	107.89
R-SPL-II-10100/20P	15	100	20	20	✓	B-MA-B01	118.27
R-SPL-II-12125/25P	18	125	25	20	✓	B-MA-B01	195.17
R-SPL-II-16125/10P	24	125	10	10	✓	B-MA-B01	222.66

## R-SPL-II Safety Plus II Countersunk

High performance mechanical anchor, ETA Option 1 cracked and non-cracked concrete



R-SPLII-C

### Packaging



### Approvals and Reports

- ETA-14/0345, Option 1
- C1 and C2 Seismic Approval



Rawlplug code	Anchor		Fixture	Quantity	Packaging	Discount Group	Price Per Box €
	Drill size	Length	Max. thickness	Box			
	mm	mm	mm	pcs			
<b>R-SPLII-C - Countersunk</b>							
R-SPL-II-06080/25C	10	80	25	50	✓	B-MA-B01	180.40
R-SPL-II-08090/26C	12	90	26	25	✓	B-MA-B01	106.92
R-SPL-II-10100/27C	15	100	27	20	✓	B-MA-B01	122.33
R-SPL-II-12125/33C	18	125	33	20	✓	B-MA-B01	187.19

## R-HPTIIF Zinc flake throughbolt

Throughbolt anchor, ETA Option 1 for cracked and non-cracked concrete



### Packaging



### Approvals and Reports

- ETA-12/0309



Rawlplug code	Anchor		Fixture		Quantity	Packaging	Discount Group	Price Per Box €
	Drill Hole Diameter	Length	Max. thickness		Box			
			$t_{Fix,r}$	$t_{Fix,s}$				
	mm	mm	mm	mm				
<b>R-HPTIIF Zinc flake throughbolt</b>								
R-HPTIIF-08065/15	8	65	15	-	100	✓	B-MA-C02	78.54
R-HPTIIF-08080/15	8	80	30	15	100	✓	B-MA-C02	82.44

All products listed in this publication are branded and distributed with RAWLPLUG® or RAWL® trademarks.

## R-HPTIIF Zinc flake throughbolt Cont.

Rawlplug code	Anchor		Fixture		Quantity	Packaging	Discount Group	Price Per Box €
	Drill Hole Diameter	Length	Max. thickness		Box			
			$t_{fix,r}$	$t_{fix,s}$		pcs		
mm	mm	mm	mm					
<b>R-HPTIIF Zinc flake throughbolt</b>								
R-HPTIIF-08100/35	8	100	50	35	100	✓	B-MA-C02	87.04
R-HPTIIF-08115/50	8	115	65	50	100	✓	B-MA-C02	90.31
R-HPTIIF-10065/5	10	65	5	-	50	✓	B-MA-C02	49.16
R-HPTIIF-10080/20	10	80	20	-	50	✓	B-MA-C02	52.05
R-HPTIIF-10095/15	10	95	35	15	50	✓	B-MA-C02	53.99
R-HPTIIF-10115/35	10	115	55	35	50	✓	B-MA-C02	58.91
R-HPTIIF-10130/50	10	130	70	50	50	✓	B-MA-C02	60.86
R-HPTIIF-12080/5	12	80	5	-	50	✓	B-MA-C02	65.75
R-HPTIIF-12100/5	12	100	25	5	50	✓	B-MA-C02	69.69
R-HPTIIF-12120/25	12	120	45	25	50	✓	B-MA-C02	77.57
R-HPTIIF-12135/40	12	135	60	40	50	✓	B-MA-C02	80.50
R-HPTIIF-12150/55	12	150	75	55	50	✓	B-MA-C02	85.40
R-HPTIIF-16105/10	16	105	10	-	25	✓	B-MA-C02	60.86
R-HPTIIF-16140/20	16	140	40	20	25	✓	B-MA-C02	72.14
R-HPTIIF-16180/60	16	180	80	60	25	✓	B-MA-C02	81.45
R-HPTIIF-16220/100	16	180	100	80	25	✓	B-MA-C02	114.07
R-HPTIIF-20125/5	20	125	5	-	25	✓	B-MA-C02	126.12
R-HPTIIF-20160/20	20	160	40	20	25	✓	B-MA-C02	141.29
R-HPTIIF-20200/60	20	200	80	60	10	✓	B-MA-C02	105.89

## R-HPTIIA4 Stainless steel throughbolt

Stainless steel throughbolt anchor, ETA Option 1 for cracked and non-cracked concrete.



### Packaging



### Approvals and Reports

- ETA-12/0021



Installation guide movie

Rawlplug code	Anchor		Fixture		Quantity	Packaging	Discount Group	Price Per Box €
	Drill Hole Diameter	Length	Max. thickness		Box			
			$t_{fix,r}$	$t_{fix,s}$		pcs		
mm	mm	mm	mm					
<b>R-HPTIIA4 Stainless steel throughbolt</b>								
R-HPTIIA4-08060/10	8	60	10	-	100	✓	B-MA-C11	358.66
R-HPTIIA4-08075/10	8	75	25	10	100	✓	B-MA-C11	382.12
R-HPTIIA4-08085/20	8	85	35	20	100	✓	B-MA-C11	413.16
R-HPTIIA4-08095/30	8	95	45	30	100	✓	B-MA-C11	427.41
R-HPTIIA4-08105/40	8	105	55	40	100	✓	B-MA-C11	445.57
R-HPTIIA4-08115/50	8	115	65	50	100	✓	B-MA-C11	465.56
R-HPTIIA4-10065/5	10	65			50	✓	B-MA-C11	265.21
R-HPTIIA4-10080/20	10	80			50	✓	B-MA-C11	290.27
R-HPTIIA4-10095/15	10	95	35	15	50	✓	B-MA-C11	313.26
R-HPTIIA4-10115/35	10	115	55	35	50	✓	B-MA-C11	349.13
R-HPTIIA4-10130/50	10	130	70	50	50	✓	B-MA-C11	370.73
R-HPTIIA4-10140/60	10	140	80	60	50	✓	B-MA-C11	388.00
R-HPTIIA4-12080/5	12	80			50	✓	B-MA-C11	429.59

## R-HPTIIA4 Stainless steel throughbolt Cont.

Rawlplug code	Anchor		Fixture		Quantity	Packaging	Discount Group	Price Per Box £
	Drill Hole Diameter	Length	Max. thickness		Box			
			$t_{fix,r}$	$t_{fix,s}$	pcs			
mm	mm	mm	mm	mm	mm	mm		
<b>R-HPTIIA4 Stainless steel throughbolt</b>								
R-HPTIIA4-12100/5	12	100	25	5	50	✓	B-MA-C11	474.20
R-HPTIIA4-12115/20	12	115	40	20	50	✓	B-MA-C11	497.55
R-HPTIIA4-12125/30	12	125	50	30	50	✓	B-MA-C11	537.42
R-HPTIIA4-12150/55	12	150	75	55	50	✓	B-MA-C11	601.22
R-HPTIIA4-12180/85	12	180	105	85	50	✓	B-MA-C11	753.03
R-HPTIIA4-16125/5	16	125	25	5	25	✓	B-MA-C11	488.55
R-HPTIIA4-16140/20	16	140	40	20	25	✓	B-MA-C11	458.83
R-HPTIIA4-16150/30	16	150	50	30	25	✓	B-MA-C11	543.92
R-HPTIIA4-16180/60	16	180	80	60	25	✓	B-MA-C11	611.40

## R-XPT Throughbolt, bright zinc plate

Throughbolt, ETA Option 7 non-cracked concrete



Packaging



Approvals and Reports

• ETA-08/0339



Installation guide movie

Rawlplug code	Anchor		Fixture		Quantity	Packaging	Discount Group	Price Per Box £
	Drill Hole Diameter	Length	Max. thickness		Box			
			$t_{fix,r}$	$t_{fix,s}$	pcs			
mm	mm	mm	mm	mm	mm	mm		
R-XPT-06050/10	6	50	10	-	100	✓	B-MA-C01	68.50
R-XPT-06065/5	6	65	25	5	100	✓	B-MA-C01	76.26
R-XPT-06085/25	6	85	45	25	100	✓	B-MA-C01	76.26
R-XPT-08050/5	8	50	5	-	100	✓	B-MA-C01	70.83
R-XPT-08060/10	8	60	10	-	100	✓	B-MA-C01	73.65
R-XPT-08065/15	8	65	15	-	100	✓	B-MA-C01	87.17
R-XPT-08075/10	8	75	25	10	100	✓	B-MA-C01	95.55
R-XPT-08085/20	8	85	35	20	100	✓	B-MA-C01	98.05
R-XPT-08095/30	8	95	45	30	100	✓	B-MA-C01	101.25
R-XPT-08115/50	8	115	65	50	100	✓	B-MA-C01	104.76
R-XPT-08140/75	8	140	90	75	100	✓	B-MA-C01	108.95
R-XPT-10065/5	10	65	5	-	50	✓	B-MA-C01	57.26
R-XPT-10080/10	10	80	20	10	50	✓	B-MA-C01	59.91
R-XPT-10095/25	10	95	35	25	50	✓	B-MA-C01	65.38
R-XPT-10115/45	10	115	55	45	50	✓	B-MA-C01	70.83
R-XPT-10130/60	10	130	70	60	50	✓	B-MA-C01	74.42
R-XPT-10140/70	10	140	80	70	50	✓	B-MA-C01	76.26
R-XPT-12080/5	12	80	5	-	50	✓	B-MA-C01	68.26
R-XPT-12100/5	12	100	25	5	50	✓	B-MA-C01	71.25
R-XPT-12120/25	12	120	45	25	50	✓	B-MA-C01	81.59
R-XPT-12125/30	12	125	50	30	50	✓	B-MA-C01	82.60
R-XPT-12135/40	12	135	60	40	50	✓	B-MA-C01	95.71
R-XPT-12140/45	12	140	65	45	50	✓	B-MA-C01	98.05
R-XPT-12150/55	12	150	75	55	50	✓	B-MA-C01	102.66
R-XPT-12180/85	12	180	105	85	50	✓	B-MA-C01	108.95

All products listed in this publication are branded and distributed with RAWLPLUG® or RAWL® trademarks.

## R-XPT Throughbolt, bright zinc plate Cont.

Rawlplug code	Anchor		Fixture		Quantity	Packaging	Discount Group	Price Per Box £
	Drill Hole Diameter	Length	Max. thickness		Box			
			mm	mm	t <sub>fix, r</sub>	t <sub>fix, s</sub>		
R-XPT-12220/125	12	220	145	125	50	✓	B-MA-C01	262.83
R-XPT-16090/10	16	90	-	-	25	✓	B-MA-C01	68.10
R-XPT-16100/5	16	100	5	-	25	✓	B-MA-C01	70.92
R-XPT-16105/10	16	105	10	-	25	✓	B-MA-C01	73.54
R-XPT-16125/5	16	125	25	5	25	✓	B-MA-C01	78.98
R-XPT-16140/20	16	140	40	20	25	✓	B-MA-C01	88.87
R-XPT-16150/30	16	150	50	30	25	✓	B-MA-C01	91.35
R-XPT-16180/60	16	180	80	60	25	✓	B-MA-C01	95.32
R-XPT-16220/100	16	220	120	100	25	✓	B-MA-C01	176.14
R-XPT-16280/160	16	280	180	160	15	✓	B-MA-C01	192.69
R-XPT-20125/5	20	125	5	-	25	✓	B-MA-C01	147.09
R-XPT-20160/20	20	160	40	20	25	✓	B-MA-C01	171.58
R-XPT-20200/60	20	200	80	60	10	✓	B-MA-C01	115.03
R-XPT-20300/160	20	300	180	160	10	✓	B-MA-C01	149.31
R-XPT-24180/20	24	180	35	20	10	✓	B-MA-C01	223.32
R-XPT-24260/100	24	260	115	100	10	✓	B-MA-C01	304.94
R-XPT-24300/140	24	300	155	140	10	✓	B-MA-C01	329.16

Rawlplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty			
			Packs			
R-S1-XPT08075/8	8X75 ZP	8	5	✓	R-S1-A01	5.25
R-S1-XPT10080/6	10X80 ZP	6	5	✓	R-S1-A01	5.36
R-S1-XPT12100/4	12X100 ZP	4	5	✓	R-S1-A01	4.88

## R-XPTIIA4 Stainless steel throughbolt

Stainless steel throughbolt, ETA Option 7 non-cracked concrete



Packaging



Approvals and Reports

- ETA-12/0384



Rawlplug code	Anchor		Fixture		Quantity	Packaging	Discount Group	Price Per Box £
	Drill Hole Diameter	Length	Max. thickness		Box			
			mm	mm	t <sub>fix, r</sub>	t <sub>fix, s</sub>		
<b>R-HPTIIA4 Stainless steel throughbolt</b>								
R-XPTIIA4-06050/10	6	50	10	-	100	✓	B-MA-C11	146.65
R-XPTIIA4-06085/25	6	85	25	5	100	✓	B-MA-C11	166.50
R-XPTIIA4-08060/10	8	60	10	-	100	✓	B-MA-C11	170.57
R-XPTIIA4-08075/10	8	75	25	10	100	✓	B-MA-C11	186.79
R-XPTIIA4-08085/20	8	85	35	20	100	✓	B-MA-C11	204.46
R-XPTIIA4-08095/30	8	95	45	30	100	✓	B-MA-C11	242.63
R-XPTIIA4-08105/40	8	105	55	40	100	✓	B-MA-C11	249.25
R-XPTIIA4-08115/50	8	115	65	50	100	✓	B-MA-C11	276.59
R-XPTIIA4-10065/5	10	65	5	-	50	✓	B-MA-C11	158.39
R-XPTIIA4-10080/20	10	80	20	-	50	✓	B-MA-C11	165.51

## R-XPTIIA4 Stainless steel throughbolt Cont.

Rawlplug code	Anchor		Fixture		Quantity	Packaging	Discount Group	Price Per Box £
	Drill Hole Diameter	Length	Max. thickness		Box			
			t <sub>fix,r</sub>	t <sub>fix,s</sub>				
mm	mm	mm	mm	mm	mm	mm		
R-XPTIIA4-10095/15	10	95	35	15	50	✓	B-MA-C11	178.72
R-XPTIIA4-10115/35	10	115	55	35	50	✓	B-MA-C11	193.06
R-XPTIIA4-10130/50	10	130	70	50	50	✓	B-MA-C11	213.70
R-XPTIIA4-10140/60	10	140	80	60	50	✓	B-MA-C11	234.62
R-XPTIIA4-12080/5	12	80	5	-	50	✓	B-MA-C11	233.78
R-XPTIIA4-12100/5	12	100	5	25	50	✓	B-MA-C11	261.52
R-XPTIIA4-12115/20	12	115	-	-	50	✓	B-MA-C11	273.71
R-XPTIIA4-12125/30	12	125	50	30	50	✓	B-MA-C11	286.85
R-XPTIIA4-12150/55	12	150	75	55	50	✓	B-MA-C11	311.65
R-XPTIIA4-12180/85	12	180	105	85	50	✓	B-MA-C11	424.96
R-XPTIIA4-16125/5	16	125	5	-	25	✓	B-MA-C11	242.16
R-XPTIIA4-16140/20	16	140	40	20	25	✓	B-MA-C11	268.95
R-XPTIIA4-16150/30	16	150	50	30	25	✓	B-MA-C11	310.85
R-XPTIIA4-16180/60	16	180	80	60	25	✓	B-MA-C11	349.69
R-XPTIIA4-20125/5	20	125	5	-	25	✓	B-MA-C11	591.84
R-XPTIIA4-20160/20	20	160	40	20	25	✓	B-MA-C11	662.06
R-XPTIIA4-20200/60	20	200	80	60	10	✓	B-MA-C11	405.72
R-XPTIIA4-20300/16	20	300	180	160	10	✓	B-MA-C11	591.04
R-XPTIIA4-24260/10	24	260	120	100	10	✓	B-MA-C11	1,163.28

## R-XPT-HD Hot Dip Galvanised Throughbolt

Hot Dip galvanised throughbolt, for cracked concrete



Packaging



Approvals and Reports

• AT-15-9326/2014



Rawlplug code	Anchor		Fixture		Quantity	Packaging	Discount Group	Price Per Box £
	Drill Hole Diameter	Length	Max. thickness		Box			
			t <sub>fix,r</sub>	t <sub>fix,s</sub>				
mm	mm	mm	mm	mm	mm	mm		
R-XPT-HD-08050/5	8	50	5	-	100	✓	B-MA-C21	97.90
R-XPT-HD-08060/10	8	60	10	-	100	✓	B-MA-C21	101.91
R-XPT-HD-08065/15	8	65	15	-	100	✓	B-MA-C21	106.80
R-XPT-HD-08075/10	8	75	25	10	100	✓	B-MA-C21	108.44
R-XPT-HD-08095/30	8	95	45	30	100	✓	B-MA-C21	111.42
R-XPT-HD-08115/50	8	115	65	50	100	✓	B-MA-C21	115.71
R-XPT-HD-08140/75	8	140	90	75	100	✓	B-MA-C21	124.61
R-XPT-HD-10065/5	10	65	5	-	50	✓	B-MA-C21	65.87
R-XPT-HD-10080/10	10	80	20	10	50	✓	B-MA-C21	68.40
R-XPT-HD-10095/25	10	95	35	25	50	✓	B-MA-C21	71.93
R-XPT-HD-10115/45	10	115	55	45	50	✓	B-MA-C21	75.65
R-XPT-HD-10140/70	10	140	80	70	50	✓	B-MA-C21	84.54
R-XPT-HD-12080/5	12	80	5	-	50	✓	B-MA-C21	97.62
R-XPT-HD-12100/5	12	100	25	5	50	✓	B-MA-C21	106.80
R-XPT-HD-12125/30	12	125	50	30	50	✓	B-MA-C21	115.71
R-XPT-HD-12150/55	12	150	75	55	50	✓	B-MA-C21	124.61
R-XPT-HD-12180/85	12	180	105	85	50	✓	B-MA-C21	141.62

All products listed in this publication are branded and distributed with RAWLPLUG® or RAWL® trademarks.

## R-XPT-HD Hot Dip Galvanised Throughbolt Cont.

Rawlplug code	Anchor		Fixture		Quantity	Packaging	Discount Group	Price Per Box €
	Drill Hole Diameter	Length	Max. thickness		Box			
			mm	mm	mm	mm		
R-XPT-HD-12220/125	12	220	145	125	50	✓	B-MA-C21	190.00
R-XPT-HD-16100/5	16	100	5	-	25	✓	B-MA-C21	111.26
R-XPT-HD-16125/5	16	125	25	5	25	✓	B-MA-C21	104.57
R-XPT-HD-16150/30	16	150	50	30	25	✓	B-MA-C21	91.29
R-XPT-HD-16180/60	16	180	80	60	25	✓	B-MA-C21	98.23
R-XPT-HD-16220/100	16	220	120	100	25	✓	B-MA-C21	150.00
R-XPT-HD-20125/5	20	125	5	-	25	✓	B-MA-C21	180.00
R-XPT-HD-20160/20	20	160	40	20	25	✓	B-MA-C21	196.45
R-XPT-HD-20200/60	20	200	80	60	10	✓	B-MA-C21	150.00
R-XPT-HD-24260/100	24	260	115	100	10	✓	B-MA-C21	335.56

## R-RBL Rawlbolt - loose bolt

World's most popular all-purpose expanding shield anchor, ETA Option 1 for cracked and non-cracked concrete



### Packaging



### Approvals and Reports

• ETA-11/0479



Installation guide movie

Rawlplug code	Anchor		Fixture		Quantity	Packaging	Discount Group	Price Per Box €
	Drill Hole Diameter	Length	Max. thickness		Box			
			mm	mm	mm	mm		
R-RBL-M06/10W	12	M6	55	10	50	✓	B-MA-A01	101.26
R-RBL-M06/25W	12	M6	70	25	50	✓	B-MA-A01	101.26
R-RBL-M06/40W	12	M6	85	40	50	✓	B-MA-A01	119.66
R-RBL-M08/10W	14	M8	65	10	50	✓	B-MA-A01	119.66
R-RBL-M08/25W	14	M8	80	25	50	✓	B-MA-A01	129.55
R-RBL-M08/40W	14	M8	95	40	50	✓	B-MA-A01	138.11
R-RBL-M10/10W	16	M10	75	10	50	✓	B-MA-A01	139.53
R-RBL-M10/25W	16	M10	90	25	50	✓	B-MA-A01	154.47
R-RBL-M10/50W	16	M10	115	50	50	✓	B-MA-A01	156.50
R-RBL-M10/75W	16	M10	140	75	50	✓	B-MA-A01	170.32
R-RBL-M12/10W	20	M12	90	10	25	✓	B-MA-A01	134.54
R-RBL-M12/25W	20	M12	105	25	25	✓	B-MA-A01	139.53
R-RBL-M12/40W	20	M12	120	40	25	✓	B-MA-A01	138.11
R-RBL-M12/60W	20	M12	140	60	25	✓	B-MA-A01	174.92
R-RBL-M16/15W	25	M16	135	15	10	✓	B-MA-A01	111.61
R-RBL-M16/30W	25	M16	150	30	10	✓	B-MA-A01	117.58
R-RBL-M16/60W	25	M16	180	60	10	✓	B-MA-A01	137.53
R-RBL-M20/60W	32	M20	195	60	10	✓	B-MA-A01	665.57
R-RBL-M20/100W	32	M20	235	110	10	✓	B-MA-A01	663.80
R-RBL-M24/100W	38	M24	255	100	5	✓	B-MA-A01	390.09
R-RBL-M24/150W	38	M24	300	150	10	✓	B-MA-A01	807.18

## R-RBL Rawlbolt - loose bolt Cont.

Rawlplug code	Product Size	Product QTY in Pack	Min Order		Packaging	Discount Group	Price Per Product €
			Qty	Packs			
R-S1-RBL-M6/10/5	M6/10L	5	5	5	✓	R-S1-A01	7.50
R-S1-RBL-M8/10/5	M8/10L	5	5	5	✓	R-S1-A01	7.67
R-S1-RBL-M8/25/5	M8/25L	5	5	5	✓	R-S1-A01	8.46
R-S1-RBL-M10/10/2	M10/10L	2	5	5	✓	R-S1-A01	4.18
R-S1-RBL-M10/10/5	M10/10L	5	5	5	✓	R-S1-A01	8.46
R-S1-RBL-M10/25/2	M10/25L	2	5	5	✓	R-S1-A01	4.56
R-S1-RBL-M10/25/5	M10/25L	5	5	5	✓	R-S1-A01	9.37
R-S1-RBL-M10/50/5	M10/50L	5	5	5	✓	R-S1-A01	10.24
R-S1-RBL-M10/75/5	M10/75L	5	5	5	✓	R-S1-A01	10.83
R-S1-RBL-M12/10/5	M12/10L	5	5	5	✓	R-S1-A01	15.38

## R-RBL Rawlbolt - loose bolt - Medium/Large packs

World's most popular all-purpose expanding shield anchor, ETA Option 1 for cracked and non-cracked concrete



Packaging



Approvals and Reports

• ETA-11/0479



Installation guide movie

Rawlplug code	Product Size	Product QTY in Pack	Min Order		Packaging	Discount Group	Price Per Product €
			Qty	Packs			
FKT-RBL-M06/10W-50	M6/10L	50	5	5	✓	R-S1-A01	53.85
FKT-RBL-M08/10W-30	M8/10L	30	5	5	✓	R-S1-A01	36.68
FKT-RBL-M08/25W-30	M8/25L	30	5	5	✓	R-S1-A01	41.08
FKT-RBL-M10/10W-20	M10/10L	20	5	5	✓	R-S1-A01	25.92
FKT-RBL-M10/25W-20	M10/25L	20	5	5	✓	R-S1-A01	28.75
FKT-RBL-M10/50W-25	M10/50L	25	5	5	✓	R-S1-A01	39.29

## R-RBP Rawlbolt - bolt projecting

World's most popular all-purpose expanding shield anchor, ETA Option 1 for cracked and non-cracked concrete



Packaging



Approvals and Reports

• ETA-11/0479



Installation guide movie

Rawlplug code	Anchor		Fixture		Quantity	Packaging	Discount Group	Price Per Box €
	Drill Hole Diameter	Length	Max. thickness		Box			
			$t_{Fb, r}$	$t_{Fb, s}$				
			mm	mm	mm	mm		
R-RBP-M06/10W	12	M6	65	10	50	✓	B-MA-A03	94.65
R-RBP-M06/25W	12	M6	80	25	50	✓	B-MA-A03	109.63
R-RBP-M06/60W	12	M6	115	60	50	✓	B-MA-A03	110.46
R-RBP-M08/10W	14	M8	75	10	50	✓	B-MA-A03	124.30

All products listed in this publication are branded and distributed with RAWLPLUG® or RAWL® trademarks.

## R-RBP Rawlbolt - bolt projecting Cont.

Rawlplug code	Anchor		Fixture		Quantity	Packaging	Discount Group	Price Per Box €
	Drill Hole Diameter	Length	Max. thickness		Box			
			mm	mm	mm	mm	pcs	
R-RBP-M08/25W	14	M8	90	25	50	✓	B-MA-A03	128.89
R-RBP-M08/60W	14	M8	125	60	50	✓	B-MA-A03	139.53
R-RBP-M10/15W	16	M10	90	15	50	✓	B-MA-A03	147.26
R-RBP-M10/30W	16	M10	105	30	50	✓	B-MA-A03	153.71
R-RBP-M10/60W	16	M10	135	60	50	✓	B-MA-A03	149.49
R-RBP-M12/15W	20	M12	110	15	25	✓	B-MA-A03	119.64
R-RBP-M12/30W	20	M12	125	30	25	✓	B-MA-A03	125.40
R-RBP-M12/75W	20	M12	170	75	25	✓	B-MA-A03	155.33
R-RBP-M16/15W	25	M16	150	15	10	✓	B-MA-A03	112.28
R-RBP-M16/35W	25	M16	170	35	10	✓	B-MA-A03	115.04
R-RBP-M16/75W	25	M16	210	75	10	✓	B-MA-A03	118.74
R-RBP-M20/15W	32	M20	170	15	10	✓	B-MA-A03	429.88
R-RBP-M20/30W	32	WM20	185	30	10	✓	B-MA-A03	453.00
R-RBP-M20/100W	32	M20	255	100	10	✓	B-MA-A03	474.95
R-RBP-M24/75W	38	M24	255	75	5	✓	B-MA-A03	293.62

Rawlplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product €
			Qty			
			Packs			
R-S1-RBP-M6/25/5	M6/25P	5	5	✓	R-S1-A01	6.17
R-S1-RBP-M8/25/5	M8/25P	5	5	✓	R-S1-A01	7.56
R-S1-RBP-M8/60/5	M8/60P	5	5	✓	R-S1-A01	8.46
R-S1-RBP-M10/60/5	M10/60P	5	5	✓	R-S1-A01	10.71
R-S1-RBP-M12/15/5	M12/15P	5	5	✓	R-S1-A01	15.92
R-S1-RBP-M12/30/5	M12/30P	5	5	✓	R-S1-A01	16.66
R-S1-RBP-M12/75/5	M12/75P	5	5	✓	R-S1-A01	19.18

## R-RBP Rawlbolt - bolt projecting - Medium/Large packs

World's most popular all-purpose expanding shield anchor, ETA Option 1 for cracked and non-cracked concrete



Packaging



Approvals and Reports

• ETA-11/0479



Rawlplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product €
			Qty			
			Packs			
FKT-RBP-M08/60W-25	M8/60P	25	5	✓	R-S1-A01	34.81
FKT-RBP-M10/30W-25	M10/30P	25	5	✓	R-S1-A01	35.87

## R-RBL-H Rawlbolt - hook bolt

World's most popular all-purpose expanding shield anchor - hook bolt version



### Packaging



Installation guide movie

Rawlplug code	Anchor			Quantity	Packaging	Discount Group	Price Per Box £
	Drill Hole mm	Diameter	Length mm	Box pcs			
R-RBL-06HW	12	M6	83	25	✓	B-MA-A04	67.26
R-RBL-08HW	14	M8	98	25	✓	B-MA-A04	82.86
R-RBL-10HW	16	M10	120	25	✓	B-MA-A04	117.34
R-RBL-12HW	20	M12	145	25	✓	B-MA-A04	199.29

Rawlplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty			
			Packs			
R-S1-RBL-08H/2	M10/30P	2	5	✓	R-S1-A01	5.36

## R-RBL-E Rawlbolt - eye bolt

World's most popular all-purpose expanding shield anchor - eye bolt version



### Packaging



Installation guide movie

Rawlplug code	Anchor			Quantity	Packaging	Discount Group	Price Per Box £
	Drill Hole mm	Diameter	Length mm	Box pcs			
R-RBL-06EW	12	M6	83	25	✓	B-MA-A04	67.26
R-RBL-08EW	14	M8	98	25	✓	B-MA-A04	79.73
R-RBL-10EW	16	M10	120	25	✓	B-MA-A04	117.34
R-RBL-12EW	20	M12	145	25	✓	B-MA-A04	189.35
R-RBL2-08EW	14	M8	130	25	✓	B-MA-A04	40.45

Rawlplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty			
			Packs			
R-S1-RBL-08E/2	M8	2	5	✓	R-S1-A01	5.10
R-S1-RBL-12E/2	M12	2	5	✓	R-S1-A01	9.74

## R-RB Rawlbolt shield

World's most popular all-purpose expanding shield anchor - shield



Packaging



Installation guide movie

Rawplug code	Anchor			Fixture Hole diameter mm	Quantity Box pcs	Packaging 	Discount Group	Price Per Box £
	Drill Hole mm	Diameter	Length mm					
R-RB-M06W	12	M6	45	6.5	100	✓	B-MA-A02	179.38
R-RB-M08W	14	M8	50	9	100	✓	B-MA-A02	182.24
R-RB-M10W	16	M10	60	11	100	✓	B-MA-A02	216.28
R-RB-M12W	20	M12	75	13	50	✓	B-MA-A02	174.86
R-RB-M16W	25	M16	115	17	25	✓	B-MA-A02	207.07
R-RB-M20W	32	M20	130	22	15	✓	B-MA-A02	997.79
R-RB-M24W	38	M24	150	26	5	✓	B-MA-A02	352.12

## R-RB-PF Rawlbolt Collar

World's most popular all-purpose expanding shield anchor. Ideal for use in hollow concrete beams.



Packaging



Installation guide movie

Rawplug code	Anchor			Fixture Hole diameter mm	Quantity Box pcs	Packaging 	Discount Group	Price Per Box £
	Drill Hole mm	Diameter	Length mm					
R-RB-PF-M06W	12	M6	45	6.5	50	✓	B-MA-A02	250.00
R-RB-PF-M08W	14	M8	50	9	50	✓	B-MA-A02	200.00
R-RB-PF-M10W	16	M10	60	11	50	✓	B-MA-A02	210.00
R-RB-PF-M12W	20	M12	75	13	50	✓	B-MA-A02	220.00

## RBL2 Rawlbolt - Shield anchor loose bolt

All-purpose expanding shield anchor - loose bolt version



Packaging



Rawplug code	Anchor			Fixture Max. thickness mm	Quantity Box pcs	Packaging 	Discount Group	Price Per Box £
	Drill Hole mm	Diameter	Length mm					
RBL2-M06/10W	12	M6	55	10	25	✓	B-MA-A01	20.82
RBL2-M06/25W	12	M6	70	25	25	✓	B-MA-A01	22.15
RBL2-M06/40W	12	M6	85	40	25	✓	B-MA-A01	23.77
RBL2-M08/10W	14	M8	65	10	25	✓	B-MA-A01	28.71
RBL2-M08/25W	14	M8	80	25	25	✓	B-MA-A01	30.67
RBL2-M08/40W	14	M8	95	40	25	✓	B-MA-A01	33.30
RBL2-M10/10W	16	M10	75	10	25	✓	B-MA-A01	44.11
RBL2-M10/25W	16	M10	90	25	25	✓	B-MA-A01	48.05
RBL2-M10/50W	16	M10	115	50	25	✓	B-MA-A01	55.76
RBL2-M10/75W	16	M10	140	75	25	✓	B-MA-A01	65.25
RBL2-M12/10W	20	M12	90	10	25	✓	B-MA-A01	118.50
RBL2-M12/60W	20	M12	140	60	25	✓	B-MA-A01	138.10

## RBL2 Rawlbolt - Shield anchor loose bolt Cont.

Rawlplug code	Product Size	Product QTY in Pack	Min Order		Packaging	Discount Group	Price Per Product £
			Qty	Packs			
							
R-S1-RBL2-M6/10/5	M6/10L	5	5	5	✓	R-S1-A01	2.46
R-S1-RBL2-M6/25/5	M6/25L	5	5	5	✓	R-S1-A01	2.68
R-S1-RBL2-M6/40/5	M6/40L	5	5	5	✓	R-S1-A01	2.87
R-S1-RBL2-M8/10/5	M8/10L	5	5	5	✓	R-S1-A01	3.18
R-S1-RBL2-M8/25/5	M8/25L	5	5	5	✓	R-S1-A01	3.12
R-S1-RBL2-M10/10/5	M10/10L	5	5	5	✓	R-S1-A01	4.22
R-S1-RBL2-M10/25/5	M10 25L	5	5	5	✓	R-S1-A01	6.62
R-S1-RBL2-M10/50/5	M10/50L	5	5	5	✓	R-S1-A01	4.84
R-S1-RBL2-M10/75/5	M10/75L	5	5	5	✓	R-S1-A01	5.32
R-S1-RBL2-M12/60/5	M12/60L	5	5	5	✓	R-S1-A01	7.95

## RBP2 - Shield anchor bolt projecting

All-purpose expanding shield anchor - bolt projecting version



### Packaging



Rawlplug code	Anchor			Fixture	Quantity	Packaging	Discount Group	Price Per Box £
	Drill Hole	Diameter	Length	Max. thickness	Box			
	mm		mm	mm	pcs			
RBP2-M08/10W	14	M8	75	10	25	✓	B-MA-A02	52.46
RBP2-M08/25W	14	M8	90	25	25	✓	B-MA-A02	58.02
RBP2-M08/60W	14	M8	125	60	25	✓	B-MA-A02	38.10
RBP2-M10/15W	16	M10	90	15	25	✓	B-MA-A02	75.06
RBP2-M10/60W	16	M10	135	60	25	✓	B-MA-A02	58.24
RBP2-M12/75W	20	M12	170	75	25	✓	B-MA-A02	101.02

Rawlplug code	Product Size	Product QTY in Pack	Min Order		Packaging	Discount Group	Price Per Product £
			Qty	Packs			
							
R-S1-RBP2-M8/60/5	M8/60P	5	5	5	✓	R-S1-A01	3.91
R-S1-RBP2-M10/30/5	M10/30P	5	5	5	✓	R-S1-A01	7.19
R-S1-RBP2-M10/60/5	M10/60P	5	5	5	✓	R-S1-A01	5.51
R-S1-RBP2-M12/75/5	M12/75P	5	5	5	✓	R-S1-A01	9.72

## RBL2 Shield Anchors

All-purpose expanding shielded anchor - hook and eye bolts



### Packaging



Rawplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty			
			Packs			
R-S1-RBL2-06E/2	M6 EYE	2	5	✓	R-S1-A01	1.52
R-S1-RBL2-06E/5	M6 EYE	5	5	✓	R-S1-A01	3.93
R-S1-RBL2-06H/2	M6 HOOK	2	5	✓	R-S1-A01	1.30
R-S1-RBL2-08E/5	M8 EYE	5	5	✓	R-S1-A01	5.43
R-S1-RBL2-10E/5	M10 EYE	5	5	✓	R-S1-A01	7.44

## R-RLK Rawlok

All purpose expansion anchor for use in medium weight applications.



### Packaging



Rawplug code	Anchor		Fixture	Quantity	Packaging	Discount Group	Price Per Box £
	Drill size	Length	Max. thickness	Box			
	mm	mm	mm	pcs			
<b>R-RLK Rawlok Loose Bolt - Zinc Plated</b>							
R-RLK-L-08060	10	60	15	50	✓	B-MA-D01	44.41
R-RLK-L-08080	10	80	35	50	✓	B-MA-D01	52.69
R-RLK-L-10070	12	70	14	25	✓	B-MA-D01	41.99
R-RLK-L-10100	12	100	44	25	✓	B-MA-D01	47.93
<b>R-RLK Rawlok Loose Bolt - Zinc Plated</b>							
R-RLK-P-05056	6.5	56	25	100	✓	B-MA-D02	28.87
R-RLK-P-06040	8	40	10	100	✓	B-MA-D02	39.57
R-RLK-P-06065	8	65	35	50	✓	B-MA-D02	23.25
R-RLK-P-08050	10	50	10	50	✓	B-MA-D02	30.01
R-RLK-P-08075	10	75	36	50	✓	B-MA-D02	40.05
R-RLK-P-08095	10	95	55	25	✓	B-MA-D02	24.75
R-RLK-P-10060	12	60	10	25	✓	B-MA-D02	25.40
R-RLK-P-10070	12	75	27	25	✓	B-MA-D02	29.78
R-RLK-P-10100	12	100	50	10	✓	B-MA-D02	14.04
R-RLK-P-10130	12	130	80	10	✓	B-MA-D02	17.88
R-RLK-P-12110	16	110	55	10	✓	B-MA-D02	25.08
R-RLK-P-12145	16	145	85	10	✓	B-MA-D02	32.57

## Sleeve anchor, Projecting Bolt, Zinc-plated

All purpose expansion anchor for use in applications in concrete and clay brick



### Packaging



Rawplug code	Plug		Quantity	Packaging	Discount Group	Price Per Box £
	Diameter	Length	Box			
	mm	mm	pcs			
KT-08085	M10	8x85	100	✓	B-MA-D02	44.41
KT-10080	M12	10x80	50	✓	B-MA-D02	27.46
KT-10100	M12	10x100	50	✓	B-MA-D02	31.99
KT-12060	M16	12x60	50	✓	B-MA-D02	43.84
KT-12075	M16	12x75	50	✓	B-MA-D02	50.61
KT-12100	M16	12x100	25	✓	B-MA-D02	26.04
KT-12130	M16	12x130	25	✓	B-MA-D02	34.64
KT-16150	M20	16x150	20	✓	B-MA-D02	47.17

Rawplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty			
			Packs			
R-S1-KT-10080	10X80mm ZP	2	5	✓	R-S1-A01	1.68
R-S1-KT-10100	10X100mm ZP	2	5	✓	R-S1-A01	1.83
R-S1-KT-12075	12X75mm ZP	2	5	✓	R-S1-A01	1.98
R-S1-KT-12100	12X100mm ZP	2	5	✓	R-S1-A01	2.25
R-S1-KT-16150/2	16X150mm ZP	2	5	✓	R-S1-A01	3.68

## R-LX Concrete screwbolt

Self-tapping concrete screwbolt. ETA Option 1 cracked and non-cracked concrete.



### Packaging



### Approvals and Reports

- ETA Option 1



### Features

R-LX screws have been designed in two variants, and come with high quality zinc electroplated (ZP) finish or zinc-flake (ZF) finish of even higher corrosion resistance.

The manufacturing process has allowed us to eliminate the risk of what is referred to as hydrogen embrittlement which haunts contractors when they decide to use products made of high hardness carbon steel.

Head Type	Drill	Rawplug code	Size O/D	Fixture			Quantity	Packaging	Discount Group	Price Per Box £
				Length	Max. thickness		Box			
				L	t <sub>fix, r</sub>	t <sub>fix, s</sub>	pcs			
mm	mm	mm								
<b>R-LX-CS Countersunk Concrete Screw Anchor - Zinc Flake</b>										
	5.0	R-LX-05X050-CS-ZF	Ø6.3	50	25	10	100	✓	B-MA-G01	22.00
	5.0	R-LX-05X075-CS-ZF		75	50	35	100	✓	B-MA-G01	26.99
	6.0	R-LX-06X050-CS-ZF		50	10	-	100	✓	B-MA-G01	29.13
	6.0	R-LX-06X075-CS-ZF	Ø7.5	75	35	20	100	✓	B-MA-G01	38.13
	6.0	R-LX-06X100-CS-ZF		100	60	45	100	✓	B-MA-G01	52.39
	6.0	R-LX-06X130-CS-ZF		130	90	75	100	✓	B-MA-G01	71.39
	6.0	R-LX-06X150-CS-ZF		150	110	95	100	✓	B-MA-G01	80.82
	8.0	R-LX-08X060-CS-ZF	Ø10	60	10	-	100	✓	B-MA-G01	61.94
	8.0	R-LX-08X075-CS-ZF		75	25	5	100	✓	B-MA-G01	73.75
	8.0	R-LX-08X090-CS-ZF		90	40	20	100	✓	B-MA-G01	84.66
	8.0	R-LX-08X100-CS-ZF		100	50	30	100	✓	B-MA-G01	94.40
	8.0	R-LX-08X130-CS-ZF		130	80	60	50	✓	B-MA-G01	65.48
	8.0	R-LX-08X150-CS-ZF		150	100	80	50	✓	B-MA-G01	73.75

All products listed in this publication are branded and distributed with RAWLPLUG® or RAWL® trademarks.

## R-LX Concrete screwbolt Cont.

Head Type	Drill	Rawlplug code	Size O/D	Fixture			Quantity	Packaging	Discount Group	Price Per Box €
				Length	Max. thickness					
					L mm	t <sub>fix,r</sub> mm	t <sub>fix,s</sub> mm	Box pcs		
<b>R-LX-CS Countersunk Concrete Screw Anchor - Zinc Flake</b>										
 R-LX-CS-ZF	10.0	R-LX-10X065-CS-ZF	Ø12.5	65	10	-	50	✓	B-MA-G01	48.97
	10.0	R-LX-10X075-CS-ZF		75	20	-	50	✓	B-MA-G01	57.52
	10.0	R-LX-10X085-CS-ZF		85	30	-	50	✓	B-MA-G01	63.20
	10.0	R-LX-10X100-CS-ZF		100	45	15	50	✓	B-MA-G01	74.03
	10.0	R-LX-10X120-CS-ZF		120	65	35	25	✓	B-MA-G01	50.45
	10.0	R-LX-10X140-CS-ZF		140	85	55	25	✓	B-MA-G01	56.64
	10.0	R-LX-10X160-CS-ZF		160	105	75	20	✓	B-MA-G01	50.91
<b>R-LX-HF Hex with Flange Concrete Screw Anchor - Zinc Flake</b>										
 R-LX-HF-ZF	5.0	R-LX-05X050-HF-ZF	Ø6.3	50	25	10	100	✓	B-MA-G01	22.00
	5.0	R-LX-05X075-HF-ZF		75	50	35	100	✓	B-MA-G01	26.99
	6.0	R-LX-06X050-HF-ZF	Ø7.5	50	10	-	100	✓	B-MA-G01	29.13
	6.0	R-LX-06X075-HF-ZF		75	35	20	100	✓	B-MA-G01	38.13
	6.0	R-LX-06X100-HF-ZF		100	60	45	100	✓	B-MA-G01	52.39
	6.0	R-LX-06X130-HF-ZF		130	90	75	100	✓	B-MA-G01	71.39
	6.0	R-LX-06X150-HF-ZF		150	110	95	100	✓	B-MA-G01	80.82
	8.0	R-LX-08X060-HF-ZF		60	10	-	100	✓	B-MA-G01	81.94
	8.0	R-LX-08X090-HF-ZF	Ø10	90	40	20	100	✓	B-MA-G01	84.66
	8.0	R-LX-08X100-HF-ZF		100	50	30	100	✓	B-MA-G01	94.40
	8.0	R-LX-08X130-HF-ZF		130	80	60	50	✓	B-MA-G01	65.48
	8.0	R-LX-08X150-HF-ZF		150	100	80	50	✓	B-MA-G01	73.75
	10.0	R-LX-10X065-HF-ZF	Ø12.5	65	10	-	50	✓	B-MA-G01	48.97
	10.0	R-LX-10X075-HF-ZF		75	20	-	50	✓	B-MA-G01	57.52
	10.0	R-LX-10X085-HF-ZF		85	30	-	50	✓	B-MA-G01	63.20
	10.0	R-LX-10X100-HF-ZF		100	45	15	50	✓	B-MA-G01	65.34
	10.0	R-LX-10X120-HF-ZF		120	65	35	25	✓	B-MA-G01	50.45
	10.0	R-LX-10X140-HF-ZF		140	85	55	25	✓	B-MA-G01	56.64
	12.0	R-LX-12X075-HF-ZF	Ø14.9	75	10	-	50	✓	B-MA-G01	119.35
	12.0	R-LX-12X100-HF-ZF		100	35	-	50	✓	B-MA-G01	144.67
	12.0	R-LX-12X130-HF-ZF		130	65	30	50	✓	B-MA-G01	176.93
	12.0	R-LX-12X150-HF-ZF		150	85	50	50	✓	B-MA-G01	197.85
	14.0	R-LX-14X080-HF-ZF	Ø17	80	5	-	20	✓	B-MA-G01	55.24
	14.0	R-LX-14X105-HF-ZF		105	30	-	20	✓	B-MA-G01	65.93
	14.0	R-LX-14X135-HF-ZF		135	60	15	20	✓	B-MA-G01	82.02
14.0	R-LX-14X160-HF-ZF	160		-	-	15	✓	B-MA-G01	73.68	
<b>R-LX-CS Countersunk Concrete Screw Anchor - Zinc Plate</b>										
 R-LX-CS-ZP	5.0	R-LX-05X050-CS-ZP	Ø6.3	50	25	10	100	✓	B-MA-G01	18.10
	5.0	R-LX-05X075-CS-ZP		75	50	35	100	✓	B-MA-G01	24.47
	6.0	R-LX-06X050-CS-ZP	Ø7.5	50	10	-	100	✓	B-MA-G01	26.94
	6.0	R-LX-06X075-CS-ZP		75	35	20	100	✓	B-MA-G01	34.57
	6.0	R-LX-06X100-CS-ZP		100	60	45	100	✓	B-MA-G01	51.54
	6.0	R-LX-06X130-CS-ZP		130	90	75	100	✓	B-MA-G01	69.47
	6.0	R-LX-06X150-CS-ZP		150	110	95	100	✓	B-MA-G01	77.83
	8.0	R-LX-08X060-CS-ZP		60	10	-	100	✓	B-MA-G01	57.14
	8.0	R-LX-08X075-CS-ZP	Ø10	75	25	5	100	✓	B-MA-G01	67.87
	8.0	R-LX-08X090-CS-ZP		90	40	20	100	✓	B-MA-G01	80.89
	8.0	R-LX-08X100-CS-ZP		100	50	30	100	✓	B-MA-G01	89.97
	8.0	R-LX-08X130-CS-ZP		130	80	60	50	✓	B-MA-G01	61.11
	8.0	R-LX-08X150-CS-ZP	150	100	80	50	✓	B-MA-G01	70.52	
	10.0	R-LX-10X065-CS-ZP	Ø12.5	65	10	-	50	✓	B-MA-G01	46.88
	10.0	R-LX-10X075-CS-ZP		75	20	-	50	✓	B-MA-G01	55.80
	10.0	R-LX-10X085-CS-ZP		85	30	-	50	✓	B-MA-G01	59.42
	10.0	R-LX-10X100-CS-ZP		100	45	15	50	✓	B-MA-G01	68.10
	10.0	R-LX-10X120-CS-ZP		120	65	35	25	✓	B-MA-G01	43.90
	10.0	R-LX-10X140-CS-ZP		140	85	55	25	✓	B-MA-G01	53.79
	10.0	R-LX-10X160-CS-ZP	160	105	75	20	✓	B-MA-G01	50.90	

## R-LX Concrete screwbolt Cont.

Head Type	Drill	Rawlplug code	Size O/D	Fixture			Quantity	Packaging	Discount Group	Price Per Box €
				Length	Max. thickness		Box			
					L mm	t <sub>fix,r</sub> mm	t <sub>fix,s</sub> mm	pcs		
<b>R-LX-HF Hex with Flange Concrete Screw Anchor - Zinc Plate</b>										
 R-LX-HF-ZP	5.0	R-LX-05X050-HF-ZP	Ø6.3	50	25	10	100	✓	B-MA-G01	19.22
	5.0	R-LX-05X075-HF-ZP		75	50	35	100	✓	B-MA-G01	25.89
	6.0	R-LX-06X050-HF-ZP	Ø7.5	50	10	-	100	✓	B-MA-G01	26.45
	6.0	R-LX-06X075-HF-ZP		75	35	20	100	✓	B-MA-G01	36.10
	6.0	R-LX-06X100-HF-ZP		100	60	45	100	✓	B-MA-G01	52.34
	6.0	R-LX-06X130-HF-ZP		130	90	75	100	✓	B-MA-G01	70.84
	6.0	R-LX-06X150-HF-ZP		150	110	95	100	✓	B-MA-G01	79.92
	8.0	R-LX-08X060-HF-ZP		Ø10	60	10	-	100	✓	B-MA-G01
	8.0	R-LX-08X075-HF-ZP	75				100	✓	B-MA-G01	72.61
	8.0	R-LX-08X090-HF-ZP	90		40	20	100	✓	B-MA-G01	83.14
	8.0	R-LX-08X100-HF-ZP	100		50	30	100	✓	B-MA-G01	92.95
	8.0	R-LX-08X130-HF-ZP	130		80	60	50	✓	B-MA-G01	63.20
	8.0	PR-LX-08X150-HF-ZP	150		100	80	50	✓	B-MA-G01	72.45
	10.0	R-LX-10X065-HF-ZP	Ø12.5	65	10	-	50	✓	B-MA-G01	48.32
	10.0	R-LX-10X075-HF-ZP		75	20	-	50	✓	B-MA-G01	56.61
	10.0	R-LX-10X085-HF-ZP		85	30	-	50	✓	B-MA-G01	60.71
	10.0	R-LX-10X100-HF-ZP		100	45	15	50	✓	B-MA-G01	73.25
	10.0	R-LX-10X120-HF-ZP		120	65	35	25	✓	B-MA-G01	49.37
	10.0	R-LX-10X140-HF-ZP		140	85	55	25	✓	B-MA-G01	55.80
	14.0	R-LX-14X080-HF-ZP		Ø17	80	5	-	20	✓	B-MA-G01
14.0	R-LX-14X105-HF-ZP	105			30	-	20	✓	B-MA-G01	59.02
14.0	R-LX-14X115-HF-ZP	115				20	✓	B-MA-G01	66.01	
14.0	R-LX-14X135-HF-ZP	135	60		15	20	✓	B-MA-G01	70.92	
14.0	R-LX-14X160-HF-ZP	160				15	✓	B-MA-G01	54.89	
<b>R-LX Hex Head without flange Srew Anchor - Zinc Plate</b>										
 R-LX-H-ZP	8.0	R-LX-08X060-H-ZP	Ø10	60	10	-	100	✓	B-MA-G01	52.09
	8.0	R-LX-08X075-H-ZP		75	25	5	100	✓	B-MA-G01	61.69
	8.0	R-LX-08X090-H-ZP		90		-	100	✓	B-MA-G01	84.10
	8.0	R-LX-08X100-H-ZP		100		-	100	✓	B-MA-G01	93.75
	8.0	R-LX-08X130-H-ZP		130		-	50	✓	B-MA-G01	63.68
	8.0	R-LX-08X150-H-ZP		150		-	50	✓	B-MA-G01	59.28
	10.0	R-LX-10X065-H-ZP	Ø12.5	65	10	-	50	✓	B-MA-G01	48.73
	10.0	R-LX-10X075-H-ZP		75	20	-	50	✓	B-MA-G01	57.17
	10.0	R-LX-10X085-H-ZP		85	30	-	50	✓	B-MA-G01	61.35
	10.0	R-LX-10X100-H-ZP		100	45	15	50	✓	B-MA-G01	61.42
	10.0	R-LX-10X120-H-ZP		120	65	35	25	✓	B-MA-G01	49.37
	10.0	R-LX-10X140-H-ZP		140	85	55	25	✓	B-MA-G01	56.04
	12.0	R-LX-12X130-H-ZP		130	-	-	20	✓	B-MA-G01	83.22
	12.0	R-LX-12X150-H-ZP		150	-	-	20	✓	B-MA-G01	122.06

## R-LX Concrete screwbolt Cont.

Head Type	Drill	Rawlplug code	Size O/D	Fixture			Quantity	Packaging	Discount Group	Price Per Box £
				Length	Max. thickness		Box			
					L	t <sub>fix, r</sub>	t <sub>fix, s</sub>			
mm										
<b>R-LX Pan Head Screw Anchor - Zinc Plate</b>										
 R-LX-P	7.5	R-LX-06X040-P-ZP	6	40	1	-	9	✓	B-MA-G01	24.27
<b>R-LX-I Internal Threaded Head Screw Anchor - Zinc Plate</b>										
 R-LX-I	6.0	R-LX-06X035-I08-ZP	7.5	35	8	-	100	✓	B-MA-G01	112.50
	6.0	R-LX-06X035-I10-ZP		35	10	-	100	✓	B-MA-G01	116.13
	6.0	R-LX-06X055-I08-ZP		55	8	-	100	✓	B-MA-G01	123.24
	6.0	R-LX-06X055-I10-ZP		55	10	-	100	✓	B-MA-G01	126.10

Rawlplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty			
			Packs			
R-S1-LXC06075Z/10	6X75mm CSK ZP	10	5	✓	R-S1-A01	3.30
R-S1-LXH06075Z/10	6X75mm HEX ZP	10	5	✓	R-S1-A01	3.40
R-S1-LXH08075Z/10	8X75mm HEX ZP	10	5	✓	R-S1-A01	5.97
R-S1-LXH08090Z/10	8X90mm HEX ZP	10	5	✓	R-S1-A01	8.09
R-S1-LXH08150Z/10	8X150mm HEX ZP	10	5	✓	R-S1-A01	10.84
R-S1-LXH10085Z/10	10X85mm HEX ZP	10	5	✓	R-S1-A01	10.52
R-S1-LXH10120Z/10	10X120mm HEX ZP	10	5	✓	R-S1-A01	11.94
R-S1-LXH10140Z/10	10X140mm HEX ZP	10	5	✓	R-S1-A01	15.81

## Concrete Screw testing gauge

Testing gauge allows you to determine if the R-LX screw anchors are suitable for re-use



### Packaging



Rawlplug code	Product info	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty			
			Packs			
R-S1-LX-TEST-08/2	Wear Gauge for R-LX-08	2	5	✓	R-S1-A01	13.48
R-S1-LX-TEST-10/2	Wear Gauge for R-LX-10	2	5	✓	R-S1-A01	13.74
R-S1-LX-TEST-14/2	Wear Gauge for R-LX-14	2	5	✓	R-S1-A01	15.06

## R-DCA / R-DCA-A4 Drop-in anchor

Internally threaded drop in anchor for simple hammer-set installation. ETA Part 6. ETA Option 7 non-cracked concrete



### Packaging



### Approvals and Reports

- ETA-13/0584
- ETA Option 7
- A1 Fire Resistance (96/603/EC)



Installation guide movie



Rawplug code	Anchor			Quantity	Packaging	Discount Group	Price Per Box £
	Drill Hole mm	Diameter	Length mm	Box pcs			
<b>R-LX-I Internal Threaded Head Screw Anchor</b>							
R-DCA-06-25	8	M6	25	100	✓	B-MA-F01	19.04
R-DCA-08-30	10	M8	30	100	✓	B-MA-F01	27.64
R-DCA-10-40	12	M10	40	50	✓	B-MA-F01	21.19
R-DCA-12-50	15	M12	50	50	✓	B-MA-F01	39.99
R-DCA-16-65	20	M16	65	25	✓	B-MA-F01	49.26
R-DCA-20-80	25	M20	80	15	✓	B-MA-F01	55.03
<b>R-DCA-A4</b>							
R-DCA-06-25-A4	8	M6	25	100	✓	B-MA-F03	119.58
R-DCA-08-30-A4	10	M8	30	100	✓	B-MA-F03	269.45
R-DCA-10-40-A4	12	M10	40	50	✓	B-MA-F03	244.98
R-DCA-12-50-A4	15	M12	50	50	✓	B-MA-F03	407.19
R-DCA-16-65-A4	18	M16	65	25	✓	B-MA-F03	531.48

## R-DCL Lipped drop-in anchor

Internally threaded drop in anchor with lip for simple hammer-set installation. ETA Option 7, part 6



### Packaging



### Approvals and Reports

- ETA-13/0584
- A1 Fire Resistance (96/603/EC)



Installation guide movie



Rawplug code	Anchor			Quantity	Packaging	Discount Group	Price Per Box £
	Drill Hole mm	Diameter	Length mm	Box pcs			
R-DCL-06	8	M6	25	100	✓	B-MA-F02	22.60
R-DCL-08	10	M8	30	100	✓	B-MA-F02	31.07
R-DCL-08-25	10	M8	25	100	✓	B-MA-F02	38.91
R-DCL-10	12	M10	40	50	✓	B-MA-F02	24.32
R-DCL-10-25	12	M10	25	50	✓	B-MA-F02	28.59
R-DCL-12	15	M12	50	50	✓	B-MA-F02	41.97
R-DCL-16	20	M16	65	25	✓	B-MA-F02	49.71

## Drop-in Anchor Setting Tool

Manual setting tool for drop in anchor installation.



Packaging



Rawlplug code	Use with Anchor size	Diameter			Quantity	Packaging	Discount Group	Price Per Box €
		d <sub>1</sub>	d <sub>2</sub>	l <sub>2</sub>				
		mm			Box pcs			
R-DCA-ST-06	M6	5.0	7.5	14.8	1	✓	B-MA-F04	3.45
R-DCA-ST-08	M8	6.6	9.5	18.0	1	✓	B-MA-F04	3.49
R-DCA-ST-10	M10	8.3	11.5	23.0	1	✓	B-MA-F04	6.10
R-DCA-ST-12	M12	10.2	14.5	28.0	1	✓	B-MA-F04	13.22
R-DCA-ST-16	M16	13.5	19.5	33.0	1	✓	B-MA-F04	17.40
R-DCA-ST-20	M20	16.8	24.5	47.0	1	✓	B-MA-F04	23.66

## Drop-in Anchor Setting Tool with handle

Manual setting tool for drop in anchor installation.



Packaging



Rawlplug code	Use with Anchor size	Diameter			Quantity	Packaging	Discount Group	Price Per Box €
		d <sub>1</sub>	d <sub>2</sub>	l <sub>2</sub>				
		mm			Box pcs			
R-DCA-ST-II-06	M6	5.0	7.5	14.8	1	✓	B-MA-F04	16.85
R-DCA-ST-II-08	M8	6.6	9.5	18.0	1	✓	B-MA-F04	20.31
R-DCA-ST-II-10	M10	8.3	11.5	23.0	1	✓	B-MA-F04	30.24
R-DCA-ST-II-12	M12	10.2	14.5	28.0	1	✓	B-MA-F04	31.32
R-DCA-ST-II-16	M16	13.5	19.5	33.0	1	✓	B-MA-F04	32.40

## FF1 Nylon frame fixing

Universal frame fixing for many applications. ETA Option 7



FF1-N-K Frame Fixing with Collar



FF1-N-L Frame Fixing Countersunk

### Packaging



### Approvals and Reports

• ETA-12/0398



Installation guide movie

### Version

- Stainless steel
- Zinc-plated steel

Drill Size	Rawplug code	Plug	Fixture		Quantity	Packaging	Discount Group	Price Per Box £
		Length mm	Max. thickness		Box			
			$t_{fix, r}$ mm	$t_{fix, s}$ mm	pcs			
<b>FF1-N-K Frame fixing with collar - Zinc Plated screw, Hex head with Torx drive</b>								
Ø10	R-FF1-N-10K080	80	30	10	50	✓	B-FF-C02	55.76
	R-FF1-N-10K100	100	50	30	25	✓	B-FF-C02	31.82
	R-FF1-N-10K120	120	70	50	25	✓	B-FF-C02	35.42
	R-FF1-N-10K140	140	90	70	25	✓	B-FF-C02	40.00
	R-FF1-N-10K160	160	110	90	25	✓	B-FF-C02	45.59
	R-FF1-N-10K200	200	150	130	25	✓	B-FF-C02	95.10
	R-FF1-N-10K240	240	190	170	25	✓	B-FF-C02	118.05
	R-FF1-N-10K300	300	250	230	10	✓	B-FF-C02	86.56
<b>FF1-N-L Frame fixing countersunk - Zinc Plated screw, Torx head drive</b>								
Ø8	R-FF1-N-08L080	80	-	10	50	✓	B-FF-C03	32.75
	R-FF1-N-08L100	100	-	30	50	✓	B-FF-C03	40.77
	R-FF1-N-08L120	120	-	50	50	✓	B-FF-C03	46.67
Ø10	R-FF1-N-10L080	80	30	10	50	✓	B-FF-C03	47.22
	R-FF1-N-10L100	100	50	30	25	✓	B-FF-C03	27.89
	R-FF1-N-10L120	120	70	50	25	✓	B-FF-C03	32.14
	R-FF1-N-10L140	140	90	70	25	✓	B-FF-C03	37.05
	R-FF1-N-10L160	160	110	90	25	✓	B-FF-C03	41.98
	R-FF1-N-10L200	200	150	130	25	✓	B-FF-C03	95.10
	R-FF1-N-10L240	240	190	170	25	✓	B-FF-C03	118.05
	R-FF1-N-10L300	300	250	230	10	✓	B-FF-C03	86.56
<b>FF1-N-K Frame fixing with collar - A4 Stainless Steel screw, Hex head with Torx drive</b>								
Ø10	R-FF1-N-10K080-A4	80	30	10	50	✓	B-FF-C04	180.66
	R-FF1-N-10K100-A4	100	50	30	25	✓	B-FF-C04	103.09
	R-FF1-N-10K120-A4	120	70	50	25	✓	B-FF-C04	114.78
	R-FF1-N-10K140-A4	140	90	70	25	✓	B-FF-C04	129.65
	R-FF1-N-10K160-A4	160	110	90	25	✓	B-FF-C04	143.50
	R-FF1-N-10K200-A4	200	150	130	25	✓	B-FF-C04	184.92
	R-FF1-N-10K240-A4	240	190	170	25	✓	B-FF-C04	229.55
	R-FF1-N-10K300-A4	300	250	230	10	✓	B-FF-C04	262.44
<b>FF1-N-L Frame fixing countersunk - Stainless Steel screw, Torx head drive</b>								
Ø10	R-FF1-N-10L080-A4	80	30	10	50	✓	B-FF-C04	166.15
	R-FF1-N-10L100-A4	100	50	30	25	✓	B-FF-C04	95.49
	R-FF1-N-10L120-A4	120	70	50	25	✓	B-FF-C04	110.09
	R-FF1-N-10L140-A4	140	90	70	25	✓	B-FF-C04	126.94
	R-FF1-N-10L160-A4	160	110	90	25	✓	B-FF-C04	139.91
	R-FF1-N-10L200-A4	200	150	130	25	✓	B-FF-C04	184.92
	R-FF1-N-10L240-A4	240	190	170	25	✓	B-FF-C04	229.55
	R-FF1-N-10L300-A4	300	205	230	10	✓	B-FF-C04	144.29

All products listed in this publication are branded and distributed with RAWLPLUG® or RAWL® trademarks.

## FF1 Nylon frame fixing Cont.

Rawplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty			
			Packs			
R-S1-FF1N10K080/6	10X80mm HEX ZP	6	5	✓	R-S1-A01	3.81
R-S1-FF1N10K100/6	10X100mm HEX ZP	6	5	✓	R-S1-A01	4.26
R-S1-FF1N10K120/4	10X120mm HEX ZP	4	5	✓	R-S1-A01	3.56
R-S1-FF1N10K140/4	10X140mm HEX ZP	4	5	✓	R-S1-A01	4.10
R-S1-FF1N10L080/6	10x80mm CSK ZP	6	5	✓	R-S1-A01	3.56
R-S1-FF1N10L100/6	10X100mm CSK ZP	6	5	✓	R-S1-A01	3.96
R-S1-FF1N10L120/4	10X120mm CSK ZP	4	5	✓	R-S1-A01	3.36
R-S1-FF1N10L140/4	10X140mm CSK ZP	4	5	✓	R-S1-A01	3.81

## R-KKS Frame fixing

Frame fixing



Packaging



Rawplug code	Plug		Quantity	Packaging	Discount Group	Price Per Box £
	Diameter	Length	Box			
	mm	mm	pcs			
R-KKS-08060-R	8	60	50	✓	B-FF-C01	23.57
R-KKS-08080-R	8	80	50	✓	B-FF-C01	29.26
R-KKS-08100-R	8	100	50	✓	B-FF-C01	33.08
R-KKS-08120-R	8	120	50	✓	B-FF-C01	36.84
R-KKS-10080-R	10	80	50	✓	B-FF-C01	43.86
R-KKS-10100-R	10	100	50	✓	B-FF-C01	49.29
R-KKS-10120-R	10	120	50	✓	B-FF-C01	54.80
R-KKS-10135-R	10	135	50	✓	B-FF-C01	61.87
R-KKS-10160-R	10	160	50	✓	B-FF-C01	84.35

## R-FF Nylon Frame fixing

Frame fixing



Packaging



Rawplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty			
			Packs			
R-S1-FF-08060/16	8X60mm CSK ZP	16	5	✓	R-S1-A01	3.64
R-S1-FF-08060/6	8X60mm CSK ZP	6	5	✓	R-S1-A01	2.19
R-S1-FF-08080/16	8X80mm CSK ZP	16	5	✓	R-S1-A01	4.34
R-S1-FF-08080/6	8X80mm CSK ZP N/D	6	5	✓	R-S1-A01	1.56
R-S1-FF-08100/16	8X100mm CSK ZP	16	5	✓	R-S1-A01	4.88
R-S1-FF-08100/6	8X100mm CSK ZP	6	5	✓	R-S1-A01	2.68
R-S1-FF-08120/16	8X120mm CSK ZP	16	5	✓	R-S1-A01	5.42
R-S1-FF-08120/6	8X120mm CSK ZP	6	5	✓	R-S1-A01	3.40
R-S1-FF-10100/12	10X100mm CSK ZP	12	5	✓	R-S1-A01	5.57
R-S1-FF-10100/4	10X100mm CSK ZP	4	5	✓	R-S1-A01	2.79

## R-FF Nylon Frame fixing Cont.

Rawlplug code	Product Size	Product QTY in Pack	Min Order		Packaging	Discount Group	Price Per Product £
			Qty	Packs			
							
R-S1-FF-10120/12	10X120mm CSK ZP	12	5	5	✓	R-S1-A01	6.32
R-S1-FF-10120/4	10X120mm CSK ZP	4	5	5	✓	R-S1-A01	3.07
R-S1-FF-10135/12	10X135mm CSK ZP	12	5	5	✓	R-S1-A01	6.92
R-S1-FF-10135/4	10X135mm CSK ZP	4	5	5	✓	R-S1-A01	3.23
R-S1-FF-10160/12	10X160mm CSK ZP	12	5	5	✓	R-S1-A01	7.72
R-S1-FF-10160/4	10X160mm CSK ZP	4	5	5	✓	R-S1-A01	3.49

## WHO Frame screws

Special frame screws for window and door installation



### Packaging



### Approvals and Reports

- AT-15-6997/2012
- AT-15-6997/2012 - ANNEX No 1



Rawlplug code	Screw			Quantity	Packaging	Discount Group	Price Per Box £
	Drill size	Diameter	Length	Box			
	mm	mm	mm	pcs			
R-WHO-75052	6	7,5	52	100	✓	B-FF-D01	15.02
R-WHO-75072	6	7,5	72	100	✓	B-FF-D01	19.65
R-WHO-75092	6	7,5	92	100	✓	B-FF-D01	27.73
R-WHO-75112	6	7,5	112	100	✓	B-FF-D01	34.67
R-WHO-75132	6	7,5	132	100	✓	B-FF-D01	39.29
R-WHO-75152	6	7,5	152	100	✓	B-FF-D01	53.16
R-WHO-75182	6	7,5	182	100	✓	B-FF-D01	77.43
R-WHO-75202	6	7,5	202	100	✓	B-FF-D01	100.54
R-WHO-75212	6	7,5	212	100	✓	B-FF-D01	117.87

Rawlplug code	Product Size	Product QTY in Pack	Min Order		Packaging	Discount Group	Price Per Product £
			Qty	Packs			
							
R-S1-WHO75052/30	7.5X52	30	5	5	✓	R-S1-A01	4.27
R-S1-WHO75072/30	7.5X72 CSK ZP	30	5	5	✓	R-S1-A01	4.75
R-S1-WHO75092/30	7.5X92 CSK ZP	30	5	5	✓	R-S1-A01	5.95
R-S1-WHO75112/30	7.5X112 CSK ZP	30	5	5	✓	R-S1-A01	6.91
R-S1-WHO75132/20	7.5X132 CSK ZP	20	5	5	✓	R-S1-A01	5.95
R-S1-WHO75152/20	7.5X152 CSK ZP	20	5	5	✓	R-S1-A01	7.54
R-S1-WHO75182/5	7.5X182	5	5	5	✓	R-S1-A01	3.93

## GS Ceiling wedge anchor

Ceiling wedge anchor. ETA Option 1 cracked and non-cracked concrete.



### Packaging



### Approvals and Reports

• ETA-11/0268



Rawplug code	Anchor		Quantity	Packaging	Discount Group	Price Per Box €
	Diameter	Length				
	mm	mm	Box	pcs		
R-GS-06040	6	40	100	✓	B-CP-B02	24.85
R-GS-06065	6	65	100	✓	B-CP-B02	37.95

## KMW Metal hammer fixing

For light duty fixings of metal constructions and sheet metal to solid building materials



### Packaging



### Approvals and Reports

- AT-15-7637/2008 - ANNEX No 1
- AT-15-7637/2008 - ANNEX No 2
- AT-15-7637/2014



Rawplug code	Anchor		Quantity	Packaging	Discount Group	Price Per Box €
	Diameter	Length				
	mm	mm	Box	pcs		
KMW-05020	5	20	200	✓	B-CP-B01	48.34
KMW-06030	6	30	100	✓	B-CP-B01	31.07
KMW-06040	6	40	100	✓	B-CP-B01	32.72
KMW-06050	6	50	100	✓	B-CP-B01	40.94
KMW-06065	6	65	100	✓	B-CP-B01	48.53

## SRS Ceiling fixing

Ceiling wire hanger for lightweight ceilings and suspended ceilings to solid building materials



### Packaging



Rawplug code	Hanger		Quantity	Packaging	Discount Group	Price Per Box €
	Diameter	Length				
	mm	mm	Box	pcs		
R-SRS-06063	6	63	100	✓	B-CP-B03	27.80

## KGS Lightweight block anchor

Metal anchor for wood and chipboard screws in lightweight blocks and masonry, 18<sup>th</sup> edition compliant



Packaging



Rawlplug code	Plug		Quantity	Packaging	Discount Group	Price Per Box £
	Diameter	Length	Box			
	mm	mm	pcs			
KGS-0632	6	32	200	✓	B-CP-A41	70.25
R-KGS-0632	6	32	50	✓	B-CP-A41	19.61
KGS-0838	8	38	200	✓	B-CP-A41	83.79
KGS-0860	8	60	100	✓	B-CP-A41	46.68
KGS-1060	10	60	50	✓	B-CP-A41	53.79

## FX-L Polypropylene hammer-in fixing with countersunk head

The Polypropylene hammer fixing with countersunk head for fast, simple installations



Packaging



Rawlplug code	Plug		Quantity	Packaging	Discount Group	Price Per Box £
	Diameter	Length	Box			
	mm	mm	pcs			
FX-05L030	5	30	200	✓	B-FF-A01	22.95
FX-05L040	5	40	200	✓	B-FF-A01	26.31
FX-05L050	5	50	200	✓	B-FF-A01	29.87
FX-06L035	6	35	200	✓	B-FF-A01	23.34
FX-06L040	6	40	200	✓	B-FF-A01	25.13
FX-06L050	6	50	100	✓	B-FF-A01	19.59
FX-06L060	6	60	100	✓	B-FF-A01	18.39
FX-06L080	6	80	100	✓	B-FF-A01	25.13
FX-08L060	8	60	100	✓	B-FF-A01	29.87
FX-08L080	8	80	50	✓	B-FF-A01	19.59
FX-08L100	8	100	50	✓	B-FF-A01	27.51
FX-08L120	8	120	50	✓	B-FF-A01	29.69
FX-08L140	8	140	50	✓	B-FF-A01	35.42
FX-08L160	8	160	50	✓	B-FF-A01	38.98

## FX-N-L Nylon hammer-in fixing with countersunk head

The nylon hammer fixing with countersunk head for fast, simple, cost-effective installations . ETA Option 7 for non-cracked concrete



### Packaging



### Approvals and Reports

• ETA-12/0457



Rawplug code	Plug		Quantity	Packaging	Discount Group	Price Per Box €
	Diameter	Length	Box			
	mm	mm	pcs			
R-FX-N-05L025	5	25	100	✓	B-FF-A01	13.52
R-FX-N-05L030	5	30	100	✓	B-FF-A01	13.91
R-FX-N-05L035	5	35	100	✓	B-FF-A01	14.33
R-FX-N-05L040	5	40	100	✓	B-FF-A01	15.55
R-FX-N-06L035	6	35	100	✓	B-FF-A01	15.96
R-FX-N-06L040	6	40	100	✓	B-FF-A01	15.55
R-FX-N-06L050	6	50	100	✓	B-FF-A01	22.52
R-FX-N-06L060	6	60	100	✓	B-FF-A01	22.54
R-FX-N-06L080	6	80	100	✓	B-FF-A01	29.75
R-FX-N-08L045	8	45	100	✓	B-FF-A01	30.69
R-FX-N-08L060	8	60	100	✓	B-FF-A01	35.19
R-FX-N-08L080	8	80	50	✓	B-FF-A01	23.53
R-FX-N-08L100	8	100	50	✓	B-FF-A01	30.89
R-FX-N-08L120	8	120	50	✓	B-FF-A01	34.79
R-FX-N-08L140	8	140	50	✓	B-FF-A01	43.43
R-FX-N-08L160	8	160	50	✓	B-FF-A01	48.63
R-FX-N-10L120	10	120	25	✓	B-FF-A01	41.49
R-FX-N-10L140	10	140	25	✓	B-FF-A01	47.60

Rawplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product €
			Qty			
			Packs			
R-S1-FX-N06L040/10	6X40mm CSK ZP	10	5	✓	R-S1-A01	1.93
R-S1-FX-N06L040/16	6X40mm CSK ZP	16	5	✓	R-S1-A01	5.57
R-S1-FX-N06L040/20	6X40mm CSK ZP	20	5	✓	R-S1-A01	2.51
R-S1-FX-N06L060/10	6X60mm CSK ZP	10	5	✓	R-S1-A01	2.12
R-S1-FX-N06L060/20	6X60mm CSK ZP	20	5	✓	R-S1-A01	2.87
R-S1-FX-N08L060/10	8X60mm CSK ZP	10	5	✓	R-S1-A01	2.51
R-S1-FX-N08L060/20	8X60mm CSK ZP	20	5	✓	R-S1-A01	3.63
R-S1-FX-N08L080/10	8X80mm CSK ZP	10	5	✓	R-S1-A01	2.87
R-S1-FX-N08L080/20	8X80mm CSK ZP	20	5	✓	R-S1-A01	4.57
R-S1-FX-N08L100/10	8X100mm CSK ZP	10	5	✓	R-S1-A01	3.14
R-S1-FX-N08L100/20	8X100mm CSK ZP	20	5	✓	R-S1-A01	4.84
R-S1-FX-N08L120/10	8X120mm CSK ZP	10	5	✓	R-S1-A01	3.92
R-S1-FX-N08L120/20	8X120mm CSK ZP	20	5	✓	R-S1-A01	3.37

## FX-N-C Nylon hammer-in fixing with cylinder head

The nylon hammer fixing with cylinder head for fast, simple, cost-effective installations . ETA Option 7 for non cracked concrete



### Packaging



### Approvals and Reports

• ETA-12/0457



Rawlplug code	Plug		Quantity	Packaging	Discount Group	Price Per Box £
	Diameter	Length				
	mm	mm	Box	pcs		
R-FX-N-05C030	5	30	100	✓	B-FF-A02	31.52
R-FX-N-05C035	5	35	100	✓	B-FF-A02	14.47
R-FX-N-05C040	5	40	100	✓	B-FF-A02	16.60
R-FX-N-06C035	6	35	100	✓	B-FF-A02	15.65
R-FX-N-06C040	6	40	100	✓	B-FF-A02	16.36
R-FX-N-06C055	6	55	100	✓	B-FF-A02	23.44
R-FX-N-06C060	6	60	100	✓	B-FF-A02	24.78
R-FX-N-06C080	6	80	100	✓	B-FF-A02	30.05
R-FX-N-08C045	8	45	100	✓	B-FF-A02	32.72
R-FX-N-08C060	8	60	100	✓	B-FF-A02	36.02
R-FX-N-08C080	8	80	50	✓	B-FF-A02	23.94
R-FX-N-08C100	8	100	50	✓	B-FF-A02	30.28

## Nylon Hammer Fixings - Medium pack

The nylon hammer fixing pack



Rawlplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty			
			Packs			
FKT-HAM050	8X100mm	50	5	✓	R-S1-A01	7.40

## FX-N-K Nylon Hammer Fixings

The nylon hammer fixing with mushroom head for fast, simple, cost-effective installations . ETA Option 7 for non cracked concrete



### Packaging



### Approvals and Reports

• ETA-12/0457



Rawlplug code	Plug		Quantity	Packaging	Discount Group	Price Per Box £
	Diameter	Length				
	mm	mm	Box	pcs		
R-FX-N-06K040	6	40	100	✓	B-FF-A04	17.70
R-FX-N-06K060	6	60	100	✓	B-FF-A04	24.95

## Nylon Hammer Fixings Cont.

Rawplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty			
			Packs			
R-S1-FX-N06K040/20	6X40mm MUSH ZP	20	5	✓	R-S1-A01	2.58

## FX-N-A2 Stainless Steel Hammer-in fixing

The nylon hammer fixing. ETA Option 7 for non cracked concrete



R-FX-N-A2-L



R-FX-N-A2-K

### Packaging



### Approvals and Reports

• ETA-12/0457



Rawplug code	Plug		Quantity	Packaging	Discount Group	Price Per Box £
	Diameter	Length	Box			
	mm	mm	pcs			
<b>Countersunk head</b>						
R-FX-N-06L040-A2	6	40	100	✓	B-FF-A03	30.05
R-FX-N-06L060-A2	6	60	100	✓	B-FF-A03	43.49
R-FX-N-08L060-A2	8	60	100	✓	B-FF-A03	68.50
R-FX-N-08L080-A2	8	80	50	✓	B-FF-A03	44.88
R-FX-N-08L100-A2	8	100	50	✓	B-FF-A03	52.95
<b>Mushroom head</b>						
R-FX-N-06K040-A2	6	40	100	✓	B-FF-A03	30.64

## R-MNL Masonry nails

Hardened nails for masonry and heavy duty applications



R-MNL



R-MNL-W

### Packaging



Rawplug code	Nail		Quantity	Packaging	Discount Group	Price Per Box £
	Diameter	Length	Box			
	mm	mm	pcs			
<b>Countersunk head</b>						
R-MNL-25025	2.5	25	100	✓	B-SN-B01	2.40
R-MNL-25030	2.5	30	100	✓	B-SN-B01	2.62
R-MNL-25035	2.5	35	100	✓	B-SN-B01	2.85
R-MNL-25040	2.5	40	100	✓	B-SN-B01	3.10
R-MNL-25050	2.5	50	100	✓	B-SN-B01	3.47
R-MNL-30040	3.0	40	100	✓	B-SN-B01	4.47
R-MNL-30050	3.0	50	100	✓	B-SN-B01	5.21
R-MNL-30060	3.0	60	100	✓	B-SN-B01	5.94
R-MNL-30065	3.0	65	100	✓	B-SN-B01	7.05
R-MNL-35065	3.5	65	100	✓	B-SN-B01	8.49
R-MNL-35075	3.5	75	100	✓	B-SN-B01	10.14
R-MNL-35085	3.5	85	100	✓	B-SN-B01	11.03
R-MNL-35100	3.5	100	100	✓	B-SN-B01	12.25
<b>Mushroom head</b>						
R-MNL-W-37025	3.7	25	100	✓	B-SN-B01	14.53
R-MNL-W-37030	3.7	30	100	✓	B-SN-B01	14.85
R-MNL-W-37035	3.7	35	100	✓	B-SN-B01	16.04
R-MNL-W-37040	3.7	40	100	✓	B-SN-B01	17.95
R-MNL-W-37050	3.7	50	100	✓	B-SN-B01	18.89

## UNO® Universal plugs in clip format

Truly universal plug which fixes into any base material, solid or hollow



R-U1-YEL-96-C R-U1-RED-96-C R-U1-BRN-96-C R-U1-BLU-80-C R-U1-GRY-80-C

### Packaging



### Approvals and Reports

- AT-15-8093/2009
- AT-15-8093/2009 - ANNEX No 1



Installation guide movie



Colour	Rawplug code	Screw Range			Plug Length mm	Hole Diameter mm	Quantity		Packaging 	Discount Group	Price Per Box £
		Length	Length	Box			pcs				
		mm	mm	mm			mm				
YELLOW	R-U1-YEL-96-C	3.0-4.5		24	5	10	✓	P-GF-H11	2.15		
RED	R-U1-RED-48-C	3.0-5.0		28	6	20	✓	P-GF-H11	1.54		
	R-U1-RED-96-C					10	✓	P-GF-H11	2.34		
BROWN	R-U1-BRN-48-C	4.0-6.0		30	7	20	✓	P-GF-H11	1.75		
	R-U1-BRN-96-C					10	✓	P-GF-H11	2.74		
BLUE	R-U1-BLU-40-C	4.5-6.0		32	8	20	✓	P-GF-H11	2.39		
	R-U1-BLU-80-C					10	✓	P-GF-H11	3.23		
GREY	R-U1-GRY-40-C	4.5-6.0		32	8	20	✓	P-GF-H11	4.00		
	R-U1-GRY-80-C	5.0-8.0		36	10	10	✓	P-GF-H11	5.02		

## UNO® Universal plugs in large bag format

Truly universal plug which fixes into any base material, solid or hollow



R-UNO-YEL-1000 R-UNO-RED-1000 R-UNO-BRN-1000 R-UNO-BLU-1000

### Packaging



### Approvals and Reports

- AT-15-8093/2009
- AT-15-8093/2009 - ANNEX No 1



Installation guide movie



Colour	Rawplug code	Screw Range			Plug Length mm	Hole Diameter mm	Quantity		Packaging 	Discount Group	Price Per Box £
		Length	Length	Box			pcs				
		mm	mm	mm			mm				
YELLOW	R-UNO-YEL-1000	3.0-4.5		24	5	1000	✓	B-GF-C01	22.12		
RED	R-UNO-RED-1000	3.0-5.0		28	6	1000	✓	B-GF-C01	22.65		
BROWN	R-UNO-BRN-1000	4.0-6.0		30	7	1000	✓	B-GF-C01	25.76		
BLUE	R-UNO-BLU-1000	4.5-6.0		32	8	1000	✓	B-GF-C01	45.00		

## UNO® Universal plugs in mixed clip format

Truly universal plug which fixes into any base material, solid or hollow



R-U1-MIX-RED-288 R-U1-MIX-BRN-288 R-U1-MIX-RBRB-272 R-U1-MIX-YRBR-144

### Packaging



### Approvals and Reports

- AT-15-8093/2009
- AT-15-8093/2009 - ANNEX No 1



Installation guide movie



Colour	Rawplug code	Screw Range			Plug Length mm	Hole Diameter mm	Quantity		Packaging 	Discount Group	Price Per Box £
		Length	Length	Box			pcs				
		mm	mm	mm			mm				
RED	R-U1-MIX-RED-288	3.0-5.0		28	6	4	✓	P-GF-H11	5.95		

## UNO® Universal plugs in mixed clip format Cont.

Colour	Rawlplug code	Screw Range	Plug	Hole	Quantity	Packaging	Discount Group	Price Per Box £
		Length	Length	Diameter	Box			
		mm	mm	mm	pcs			
BROWN	R-U1-MIX-BRN-288	4.0-6.0	30	7	4	✓	P-GF-H11	7.26
MIXED RED/ BROWN/BLUE	R-U1-MIX-RBRB-272	3.0-6.0	28/30/32	6/7/8	4	✓	P-GF-H11	7.46
	R-U1-MIX-RBRB-272D*	3.0-6.0	28/30/32	6/7/8	4	✓	P-GF-H11	10.05
MIXED YELLOW/ RED/BROWN	R-U1-MIX-YRBR-144	3.0-6.0	24/28/30	5/6/7	10	✓	P-GF-H11	3.49

\*R-U1-MIXRBRB-272D includes Drill bit

## UNO® Universal plug - Medium/Large bag

Truly universal plug which fixes into any base material, solid or hollow



R-PDL-UNOBR/500+

R-PDL-UNORED/500+

R-PDM-UNOBR/300

R-PDM-UNORED/300

### Packaging



### Approvals and Reports

- AT-15-8093/2009
- AT-15-8093/2009 - ANNEX No 1



Installation guide movie



Rawlplug code	Colour	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
				Qty			
				Packs			
R-PDM-UNOBR/300	BROWN	7x30mm plugs	300	1	✓	R-S1-A01	7.57
R-PDL-UNORED/500+	RED	6x28mm plugs with 4x35mm screws	500	1	✓	R-S1-A01	14.06
R-PDL-UNOBR/350+	BROWN	7x30mm plugs with 4x35mm screws	350	1	✓	R-S1-A01	13.39
R-PDM-UNORED/300	RED	6x28mm plugs	300	1	✓	R-S1-A01	6.97

## UNO® Universal plug and Screw Jars

Universal plug which fixes into any base material, solid or hollow



R-C1-UNORED

R-C1-UNORED+

R-C1-UNOBRN

R-C1-UNOBRN+

R-C1-UNOBLU

### Packaging



### Approvals and Reports

- AT-15-8093/2009
- AT-15-8093/2009 - ANNEX No 1




Installation guide movie



Rawlplug code	Colour	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
				Qty			
				Packs			
R-C1-UNORED	RED	6x28mm plugs	1000	1	✓	R-S1-A01	13.00
R-C1-UNORED+	RED	6x28mm plugs, 4, 5x40mm screws	500 Plugs 500 Screws	1	✓	R-S1-A01	17.98
R-C1-UNOBRN	BROWN	7x30mm plugs	700	1	✓	R-S1-A01	12.01
R-C1-UNOBRN+	BROWN	7x30mm plugs 4,0x40mm screws	450 Plugs 450 Screws	1	✓	R-S1-A01	17.03
R-C1-UNOBLU	BLUE	8x32mm plugs	500	1	✓	R-S1-A01	16.36

## UNO Universal plugs

Universal plug which fixes into any base material, solid & hollow



### Packaging



### Approvals and Reports

- AT-15-8093/2009
- AT-15-8093/2009 - ANNEX No 1



Installation guide movie

Rawplug code	Colour	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product €
				Qty			
				Packs			
R-S1-UNO-05+/40	YELLOW	5mm plugs + Screw	40	5	✓	R-S1-A01	1.87
R-S1-UNO-06+/36	RED	6mm plugs + Screw	36	5	✓	R-S1-A01	1.79
R-S1-UNO-07+/24	BROWN	7mm plugs + Screw	24	5	✓	R-S1-A01	1.66
R-S1-UNO-08+/20	BLUE	8mm plugs + Screw	20	5	✓	R-S1-A01	1.87
R-S1-UNO-10/20	GREY	10mm plugs	20	5	✓	R-S1-A01	1.76
R-S1-UNO-10+/15	GREY	10mm plugs + Screw	15	5	✓	R-S1-A01	1.93
R-S1-UNO-RBB	MIXED	6, 7 & 8mm plugs	60	5	✓	R-S1-A01	2.07

## 4ALL Universal nylon plug

High performance nylon plug for all types of substrates



### Packaging



Installation guide movie

Drill Size	Rawplug Code	Plug		Fixture		Quantity	Packaging	Discount Group	Price Per Box €
		Diameter	Length	Max. thickness	Hole diameter	Box			
		mm	mm	t <sub>fix</sub>	d <sub>f</sub>	pcs			
Ø5	4ALL-05	5	25	10	4	50	✓	B-FA-A01	4.62
Ø6	4ALL-06	6	30	10	5	50	✓	B-FA-A01	6.22
Ø8	4ALL-08	8	40	20	6	50	✓	B-FA-A01	7.04
Ø10	4ALL-10	10	50	10	7	25	✓	B-FA-A01	8.16

Rawplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product €
			Qty			
			Packs			
R-S1-4ALL-05/100	5x25mm	100	5	✓	R-S1-A01	3.27
R-S1-4ALL-05/26	5x25mm	26	5	✓	R-S1-A01	1.93
R-S1-4ALL-05+/20	5x25mm	20	5	✓	R-S1-A01	1.99
R-S1-4ALL-06/20	6x30mm	20	5	✓	R-S1-A01	1.78
R-S1-4ALL-06/80	6x30mm	80	5	✓	R-S1-A01	2.68
R-S1-4ALL-06+/14	6x30mm	14	5	✓	R-S1-A01	1.93
R-S1-4ALL-08/14	8x40mm	14	5	✓	R-S1-A01	1.93
R-S1-4ALL-08/20	8x40mm	20	5	✓	R-S1-A01	2.50
R-S1-4ALL-08/60	8x40mm	60	5	✓	R-S1-A01	3.64
R-S1-4ALL-08+/10	8x40mm	10	5	✓	R-S1-A01	2.31
R-S1-4ALL-08S/8	8x40mm	8	5	✓	R-S1-A01	2.79
R-S1-4ALL-10/25	10x50mm	25	5	✓	R-S1-A01	2.99
R-S1-4ALL-10/8	10x50mm	8	5	✓	R-S1-A01	1.87
R-S1-4ALL-10+/8	10x50mm	8	5	✓	R-S1-A01	2.58

All products listed in this publication are branded and distributed with RAWLPLUG® or RAWL® trademarks.

## 4ALL Universal nylon plug with screw

High performance nylon plug with screw for all types of substrates.



### Packaging



Installation guide movie

Drill Size	Rawplug Code	Plug		Screw		Fixture		Quantity	Packaging	Discount Group	Price Per Box €
		Diameter	Length	Diameter	Length	Max. thickness	Hole diameter	Box			
		mm	mm	mm	mm	t <sub>fix</sub>	d <sub>f</sub>	pcs			
Ø5	4ALL-05+3530	5	25	3.5	30	10	4	50	✓	B-FA-A01	7.58
Ø6	4ALL-06+4540	6	30	4.5	40	10	5	50	✓	B-FA-A01	8.70
Ø8	4ALL-08+5060	8	40	5	60	20	6	50	✓	B-FA-A01	13.63
Ø10	4ALL-10+6060	10	50	6	60	10	7	25	✓	B-FA-A01	10.41

## 4ALL Universal nylon plug packs

High performance nylon plug with screw for all types of substrates



R-PFKT-4ALL-MIX

### Packaging



Installation guide movie

Rawplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product €
			Qty			
			Packs			
R-PFKT-4ALL-MIX	6/8/10mm	200 plugs - 100 x 6x30mm, 80 x 8x40mm & 20 x 10x50mm	1	✓	B-FA-A01	12.71

## 4ALL Universal nylon plug jar

High performance nylon plug for all types of substrates



R-C1-4ALL06



R-C1-4ALL06+



R-C1-4ALL08



R-C1-4ALL08+

### Packaging



Installation guide movie

Rawplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product €
			Qty			
			Packs			
R-C1-4ALL06	6mm	1000 x 6x30mm plugs	1	✓	R-S1-A01	23.92
R-C1-4ALL06+	6mm	500 x 6x30mm plugs, 500 x 4,5x40mm screws	1	✓	R-S1-A01	21.93
R-C1-4ALL08	8mm	400 x 8x40mm plugs	1	✓	R-S1-A01	23.26
R-C1-4ALL08+	8mm	200 x 8x40mm plugs, 200 x 5,0x60mm screws	1	✓	R-S1-A01	19.31

## FIX Nylon expansion plug

Easy-to-install plug giving exceptional performance in solid base materials



### Packaging



### Approvals and Reports

- AT-15-8093/2009
- AT-15-8093/2009 - ANNEX No 1



Rawplug code	Plug		Quantity	Packaging	Discount Group	Price Per Box £
	Diameter	Length	Box			
	mm	mm	pcs			
R-FIX-N-06	6	30	100	✓	B-GF-A01	3.59
R-FIX-N-08	8	40	100	✓	B-GF-A01	6.61
R-FIX-N-10	10	50	100	✓	B-GF-A01	11.24
R-FIX-N-12	12	60	50	✓	B-GF-A01	10.75
R-FIX-N-14	14	70	25	✓	B-GF-A01	8.07

Rawplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty			
			Packs			
R-S1-FIX-N-05+/25	5x25mm	25	5	✓	R-S1-A01	1.63
R-S1-FIX-08BL/50+	Blue 8x40mm + Screws	50	5	✓	R-S1-A01	4.53
R-S1-FIX-YRBB+	Yellow 5x25, Red 6x30, Brown 7x35 & Blue 8x40mm + Screws	45	5	✓	R-S1-A01	2.21

## FIX Nylon expansion plug x 5 tubs

Easy-to-install plug giving exceptional performance in solid base materials



FXT-FIX360

### Packaging



### Approvals and Reports

- AT-15-8093/2009
- AT-15-8093/2009 - ANNEX No 1



Rawplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty			
			Packs			
FKT-FIX360	6/7mm	360 Red/Brown Plugs + Screws - Plugs: 100 x 6x30mm & 80 x 7x35mm - Screws: 100 x 4.5x45mm & 80 x 5.0x60mm	1	✓	P-GF-H11	20.41
FKT-FMSC520	6/7mm	520 Red/Brown Plugs + Screws - Plugs: 160 x 6x30mm & 100 x 7x35mm - Screws: 160 x 4.0x35mm & 100 x 5.0x45mm	1	✓	P-GF-H11	22.42

## HDPE Contractors Plastic Plug

Standard contractors plastic plugs for fixing of light weight loads



HDPE-RED



HDPE-BROWN

Packaging



Rawplug code	Plug		Quantity	Packaging	Discount Group	Price Per Box £
	Diameter	Length	Box			
	mm	mm	pcs			
HDPE-RED	6	34	1000	✓	B-GF-A01	18.36
HDPE-BROWN	7	40	1000	✓	B-GF-A01	21.89

## Scaffolding Eye Bolt & Nylon Plug

Easy-to-install plug giving exceptional performance in solid base materials



HR



HRK

Packaging



Drill Size	Rawplug Code	Eye Bolt		Plug		Quantity	Packaging	Discount Group	Price Per Box £
		Internal Diameter	External Diameter	Diameter	Length	Box			
		mm	mm	mm	mm	pcs			
<b>Eyebolts</b>									
Ø12	HR-12120	23	45	-	-	25	✓	B-IF-D01	81.72
Ø12	HR-12160	23	45	-	-	25	✓	B-IF-D01	95.32
Ø12	HR-12190	23	45	-	-	25	✓	B-IF-D01	108.95
Ø12	HR-12230	23	45	-	-	25	✓	B-IF-D01	102.15
Ø12	HR-12300	23	45	-	-	25	✓	B-IF-D01	112.35
Ø12	HR-12350	23	45	-	-	25	✓	B-IF-D01	156.61
<b>Nylon plugs</b>									
Ø14	HRK-14070	-	-	14	70	25	✓	B-IF-D02	11.85
Ø14	HRK-14100	-	-	14	100	25	✓	B-IF-D02	14.17
Ø14	HRK-14135	-	-	14	135	25	✓	B-IF-D02	16.10

## Rawplug Plastic Plugs

The original Rawplug.



R-OLD-RED-100-C



R-OLD-BRN-100-C


Packaging



Rawplug code	Plug		Quantity	Packaging	Discount Group	Price Per Box £
	Diameter	Length	Box			
	mm	mm	pcs			
R-OLD-RED-100-C	6	35	10	✓	P-GF-E01	16.18
R-OLD-BRN-100-C	7	45	10	✓	P-GF-E01	21.96

## Nylon self drill fixing for plasterboard

Nylon self-drill plasterboard fixing



Packaging



Rawlplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty			
			Packs			
R-S1-DRA01/6	14x22mm	6	5	✓	R-S1-A01	1.71
R-S1-DRA01/12	14x22mm	12	5	✓	R-S1-A01	2.25
R-S1-DRA01/25	14x22mm	25	5	✓	R-S1-A01	3.16

## Nylon self drill jar of 300

Nylon self drill plasterboard fixing



Packaging



Rawlplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty			
			Packs			
R-C1-DRA01+	14x22mm	300 Self drill 300 x 3.5x32mm Screws	1	✓	R-S1-A01	25.29

## Metal self drill fixing for plasterboard

Metal self-drive plasterboard fixing



Packaging



Rawlplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty			
			Packs			
R-S1-DRA02/6	14x28mm	6	5	✓	R-S1-A01	1.50
R-S1-DRA02/12	14x28mm	12	5	✓	R-S1-A01	2.19
R-S1-DRA02/25	14x28mm	25	5	✓	R-S1-A01	4.23
R-S1-DRA02/50	14x28mm	50	5	✓	R-S1-A01	7.24
R-S1-DRA02/100	14x28mm	100	5	✓	R-S1-A01	12.74

## Metal self drill fixing - Large pack

Metal self-drive plasterboard fixing



### Packaging



Rawplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty			
			Packs			
R-PDL-DRA02/200	Metal Self drill: 200 x 13x31mm, Screw: 200 x 4.5x34mm	200	1	✓	R-S1-A01	29.26

## Metal self drill jar of 400

Metal self-drive plasterboard fixing



### Packaging



Rawplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty			
			Packs			
R-C1-DRA02+	13x31mm	400self drill 400 x 4.5x34mm screws	1	✓	R-S1-A01	44.91

## Interaset Hollow wall anchor

Interaset fixing for permanent anchorages in cavity walls. Zinc-plated metal fixing with metric screw



### Packaging



Drill Size	Rawlplug Code	Anchor		Fixture	Quantity	Packaging	Discount Group	Price Per Box £
		Diameter	Length	Max. thickness	Box			
		mm	mm	t <sub>fix</sub>	pcs			
Ø8	R-SM-04020	4	20	2-5	100	✓	B-CP-C01	25.63
Ø8	R-SM-04032	4	32	2-10	100	✓	B-CP-C01	26.35
Ø8	R-SM-04038	4	38	8-15	100	✓	B-CP-C01	28.52
Ø8	R-SM-04046	4	46	15-21	100	✓	B-CP-C01	32.94
Ø8	R-SM-04059	4	59	34-38	100	✓	B-CP-C01	40.45
Ø10	R-SM-05037	5	37	5-13	100	✓	B-CP-C01	41.03
Ø10	R-SM-05052	5	52	6-16	100	✓	B-CP-C01	46.22
Ø10	R-SM-05065	5	65	15-28	100	✓	B-CP-C01	54.21
Ø12	R-SM-06037	6	37	8-12	100	✓	B-CP-C01	49.86
Ø12	R-SM-06052	6	52	13-15	100	✓	B-CP-C01	58.32
Ø12	R-SM-06065	6	65	15-28	50	✓	B-CP-C01	31.99
Ø12	R-SM-06080	6	80	32-35	50	✓	B-CP-C01	72.80
Ø16	R-SM-08080	8	80	32-35	50	✓	B-CP-C01	77.43
<b>Interaset with square hook</b>								
Ø8	R-SM-04032K	4	32	2-10	100	✓	B-CP-C01	50.68
<b>Interaset with round hook</b>								
Ø8	R-SM-04032S	4	32	2-10	100	✓	B-CP-C01	50.68
Rawlplug code	Product Size	Product QTY in Pack	Min Order		Packaging	Discount Group	Price Per Product £	
			Qty	Packs				
R-S1-SM04020/10	M4 x 20mm	10	5		✓	R-S1-A01	2.67	
R-S1-SM04020/6	M4 x 20mm	6	5		✓	R-S1-A01	2.20	
R-S1-SM04032/10	M4 x 32mm	10	5		✓	R-S1-A01	3.16	
R-S1-SM04032/6	M4 x 32mm	6	5		✓	R-S1-A01	2.43	
R-S1-SM04038/10	M4 x 38mm	10	5		✓	R-S1-A01	2.86	
R-S1-SM04038/20	M4 x 38mm	20	5		✓	R-S1-A01	5.25	
R-S1-SM04038/6	M4 x 38mm	6	5		✓	R-S1-A01	2.54	
R-S1-SM05037/10	M5 x 37mm	10	5		✓	R-S1-A01	3.74	
R-S1-SM05037/20	M5 x 37mm	20	5		✓	R-S1-A01	6.66	
R-S1-SM05037/6	M5 x 37mm	6	5		✓	R-S1-A01	2.45	
R-S1-SM05052/20	M5 x 52mm	20	5		✓	R-S1-A01	7.00	
R-S1-SM05065/20	M5 x 65mm	20	5		✓	R-S1-A01	9.26	
R-S1-SM05065/6	M5 x 65mm	6	5		✓	R-S1-A01	3.23	
R-S1-SM06037/20	M6 x 37mm	20	5		✓	R-S1-A01	7.35	
R-S1-SM06052/20	M6 x 52mm	20	5		✓	R-S1-A01	8.54	
R-S1-SM06065/20	M6 x 65mm	20	5		✓	R-S1-A01	10.01	

## AT Tool for interset

Setting tool for easy setting of Interaset cavity fixings



### Packaging



Rawplug code	Quantity		Packaging	Discount Group	Price Per Box £
	Box	pcs			
AT-88	1		✓	B-CP-C03	42.12

## Spring toggle

Spring toggle single or double thickness plasterboard and large fixtures



### Packaging



Rawplug code	Anchor		Quantity	Packaging	Discount Group	Price Per Box £
	Diameter	Length	Box			
	mm	mm	pcs			
<b>Wing with Screw</b>						
R-SPO-03050	M3x50	11	100	✓	B-CP-A31	27.25
R-SPO-05050	M5x50	14	100	✓	B-CP-A31	39.34
R-SPO-05080	M5x80	14	100	✓	B-CP-A31	46.90
R-SPO-06060	M6x60	18	50	✓	B-CP-A31	27.25
R-SPO-06080	M6x80	18	50	✓	B-CP-A31	31.19
Rawplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty			
			Packs			
R-S1-SPO3050/6	M3 x 50mm	6	5	✓	R-S1-A01	2.13
R-S1-SPO5050/20	M5 x 50mm	20	5	✓	R-S1-A01	5.09
R-S1-SPO5050/6	M5 x 50mm	6	5	✓	R-S1-A01	2.25
R-S1-SPO5080/20	M5 x 80mm	20	5	✓	R-S1-A01	5.72
R-S1-SPO5080/6	M5 x 80mm	6	5	✓	R-S1-A01	2.45
R-S1-SPO6080/20	M6 x 80mm	20	5	✓	R-S1-A01	6.90

## Plastic toggle

Fixtures can be removed and replaced for redecoration



### Packaging



Rawplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty Packs			
R-S1-10GL/5	10mm	5	5	✓	R-S1-A01	2.00
R-S1-10GL/10	10mm	10	5	✓	R-S1-A01	2.51
R-S1-10GL/20	10mm	20	5	✓	R-S1-A01	3.41

## Plasterboard plug

Standard Plasterboard fixing



### Packaging



Rawplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty Packs			
R-S1-PB/10	7mm plasterboard plug	10	5	✓	R-S1-A01	1.49
R-S1-PB/100	7mm plasterboard plug	100	5	✓	R-S1-A01	3.11

## RAWLNUT Flexi Plug

Easy-to-install rubber plug with screw giving exceptional resistance to vibration and corrosion.



RAWLNUT Flexi Plug

RAWLNUT Flexi Plug with Screw

### Packaging



Drill Size	Rawplug Code	Anchor		Screw	Quantity	Packaging	Discount Group	Price Per Box £
		Diameter	Length					
		mm	mm					
<b>RAWLNUT Flexi Plug</b>								
Ø8	R-RNT-M4/12	8	12.6	M4	50	✓	B-CP-G01	30.33
Ø8	R-RNT-M4/24	8	24.0	M5	50	✓	B-CP-G01	30.65
Ø10	R-RNT-M5/14	10	14.1	M5	50	✓	B-CP-G01	36.27
Ø10	R-RNT-M5/26	10	26.1	M5	50	✓	B-CP-G01	33.57
Ø10	R-RNT-M5/40	10	39.8	M6	50	✓	B-CP-G01	36.36
Ø13	R-RNT-M6/16	13	16.0	M6	50	✓	B-CP-G01	42.31
Ø13	R-RNT-M6/27	13	26.7	M6	50	✓	B-CP-G01	50.04
Ø13	R-RNT-M6/35	13	35.0	M6	50	✓	B-CP-G01	50.82
Ø13	R-RNT-M6/50	13	50.0	M6	50	✓	B-CP-G01	55.65
Ø16	R-RNT-M8/28	16	27.9	M8	50	✓	B-CP-G01	77.27
Ø18	R-RNT-M8/30	18	30.0	M8	50	✓	B-CP-G01	77.70
Ø18	R-RNT-M8/50	18	50.0	M8	50	✓	B-CP-G01	85.90
Ø20	R-RNT-M10/55	20	55.0	M10	25	✓	B-CP-G01	56.49
Ø24	R-RNT-M12/80	24	75.0	M12	20	✓	B-CP-G01	76.20

## RAWLNUT Flexi Plug Cont.

Drill Size	Rawplug Code	Anchor		Screw		Quantity	Packaging	Discount Group	Price Per Box £
		Diameter	Length	Size	Length	Box			
		mm	mm		mm	pcs			
<b>RAWLNUT Flexi Plug with Screw</b>									
Ø8	R-RNT-M3X30	M3x30	24.0	M3	30	50	✓	B-CP-G01	28.03
Ø8	R-RNT-M4X20	M4x20	12.6	M4	20	50	✓	B-CP-G01	40.06
Ø8	R-RNT-M4X30	M4x30	24.0	M4	30	50	✓	B-CP-G01	41.05
Ø8	R-RNT-M5X20	M5x20	14.1	M5	20	50	✓	B-CP-G01	50.97
Ø8	R-RNT-M5X30	M5x30	26.1	M5	30	50	✓	B-CP-G01	50.16
Ø8	R-RNT-M5X40-50	M5x50	39.8	M5	50	50	✓	B-CP-G01	55.04

## TAP-IT Hammer-in fixing for plasterboard

Metal fixing for plasterboard, 18<sup>th</sup> edition compliant



R-GPB

R-GPB-PLUS

Packaging



Rawplug Code	Anchor		Screw	Quantity	Packaging	Discount Group	Price Per Box £
	Diameter	Length	Size	Box			
	mm	mm	mm	pcs			
<b>RAWLNUT Flexi Plug</b>							
R-GPB	10.5	30	-	100	✓	R-S1-A01	17.73
R-GPB-PLUS	10.5	30	40	100	✓	R-S1-A01	19.07

Rawplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty			
			Packs			
R-S1-GPB/12	12x30mm	12	5	✓	R-S1-A01	2.91
R-S1-GPB/25	12x30mm	25	5	✓	R-S1-A01	5.77

## WETN FIX

The fast bonding repair solution for loose wall plugs



- Suitable for most materials including masonry, wood, ceramics & plasterboard

- Fast, easy to use and sets in 3 minutes

- Ideal for loose curtain rails, shelves, coat hooks, toilet roll holders, plus many more

Packaging



Rawplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty			
			Packs			
R-WNF/10	60mm	10	1	✓	R-S1-A01	4.48
R-WNF/20	60mm	20	1	✓	R-S1-A01	6.59
R-WNF/50	60mm	50	1	✓	R-S1-A01	11.77

# SANITARY FIXING KITS

A comprehensive range of bathroom fixings to secure all your bathroom essentials

## Basin Fixing Kit 8x100mm

Designed for secure mounting of washbasins to solid base materials



Rawlplug code	Product Size	Product QTY in Pack	Discount Group	Min Order	Price Per Product
				Qty Packs	£
R-S1-KPU120	Kit includes: 2 x 12x60mm plugs, 2 x 8x100mm screws, 2 x flange bushes, 2 x caps, 2 x nuts	10	R-S1-A01	5	2.37

## Basin Fixing Kit 10x140mm

Designed for secure mounting of washbasins to solid base materials



Rawlplug code	Product Size	Product QTY in Pack	Discount Group	Min Order	Price Per Product
				Qty Packs	£
R-S1-KPU141	Kit includes: 2 x 14x70mm plugs, 2 x 10x140mm screws, 2 x flange bushes, 2 x nuts	8	R-S1-A01	5	2.37

## WC Fixing Kit - Short Plug

For fixing WC or bidet into shallow holes



Rawlplug code	Product Size	Product QTY in Pack	Discount Group	Min Order	Price Per Product
				Qty Packs	£
R-S1-WCB-B	Kit includes: 2 x 8x40mm plugs, 2 x 6x70mm screws, 2 x flange bushes, 2 x white caps, 2 x silver caps	10	R-S1-A01	5	7.31

All products listed in this publication are branded and distributed with RAWLPLUG® or RAWL® trademarks.

## WC Fixing Kit - Long Plug

WC Fixing Kit - Long Plug



Rawplug code	Product Size	Product QTY in Pack	Discount Group	Min Order	Price Per Product
				Qty Packs	£
R-S1-WCB-F	Kit includes: 2 x 8x80mm plugs, 2 x 6x70mm screws, 2 x flange bushes, 2 x white caps, 2 x silver caps	10	R-S1-A01	5	4.94

## WC or Bidet Side Fixing Kit

Designed for side mounting WC and bidets



Rawplug code	Product Size	Product QTY in Pack	Discount Group	Min Order	Price Per Product
				Qty Packs	£
R-S1-KPUPBS	Kit includes: 2 x Side brackets, 2 x 8x40mm plugs, 2 x 6x60mm flange head screws, 2 x 4x45mm conter-sunk screws, 2 x flange bushes, 2 x caps	12	R-S1-A01	5	5.78

## Corner Basin Fixing Kit

This set is suitable for fixing corner basins onto solid base materials



Rawplug code	Product Size	Product QTY in Pack	Discount Group	Min Order	Price Per Product
				Qty Packs	£
R-S1-CBF	Kit includes: 2 x Brackets, 2 x 8x70mm plugs, 2 x 10x50mm plugs, 2 x caps	8	R-S1-A01	5	4.94

## Sanitary Fixing Kit

Suitable for fixing to Plasterboard, solid walls and floors



Rawlplug code	Product Size	Product QTY in Pack	Discount Group	Min Order	Price Per Product
				Qty Packs	£
R-S1-SFK	Kit includes: 4 x 8x40mm grey plugs, 2 x 7x30mm brown plugs, 4 x 4.5x60mm screws, 2 x flange bushes, 2 x caps	14	R-S1-A01	5	1.51

### Countertop Display Stand

Stand code: MZR-90-SP\*

- Take advantage of Rawlplug's amazing merchandising stand options
- Contemporary display option to showcase this fabulous range of sanitary fixings
- Stand size: 495W x 335D x 685H (mm)
- Sanitary products for this stand include: R-S1-SFK, R-S1-KPU141, R-S1-WCB-B
- R-S1-WCB-F, R-S1-CBF, R-S1-KPU120 & R-S1-KPUPBS

Contact your 'Area Sales Manager' for more information

\*Stand code only, stock needs to be ordered separately



Stand Options Available

### Hanger Display Stand

Stand code: MZR-91-SP\*

- Take advantage of Rawlplug's amazing merchandising stand options
- Contemporary display option to showcase this fabulous range of sanitary fixings
- Stand size: 180W x 175D x 1675H (mm)
- Sanitary products for this stand include: R-S1-SFK, R-S1-KPU141, R-S1-WCB-B
- R-S1-CBF, R-S1-KPU120 & R-S1-KPUPBS

Contact your 'Area Sales Manager' for more information

\*Stand code only, stock needs to be ordered separately



## Solution fixing kits

A comprehensive range of popular DIY fixing kits



Rawplug code	Product Size	Pack Contents	Product QTY in Pack	Discount Group	Min Order	Price Per Pack
					Qty Packs	£
R-S1-SHK	SHELF FIXING KIT	Plugs: 4 x 6x28mm, 4 x 7x30mm, Screws: 4 x 4.0x545mm, 4 x 5.0x50mm, Drill bits: 1 x 6mm & 1 x 7mm	18	R-S1-A01	5	2.07
R-S1-RAD	RADIATOR FIXING KIT	Fixings: 6 x M5x52mm, Plugs: 6 x 7x30mm, Screw: 6 x 5.0x50mm Drill bit: 1 x 7mm	19	R-S1-A01	5	2.80
R-S1-BAC	BATHROOM ACCESSORY KIT	Plugs: 6 x 6x28mm, 6 x 7x30mm Screws: 6 x 4.0x45mm, 6 x 5.0x50mm, Intersets: 6 x M5x37mm, Metal Self drill: 6 x 14x28mm	36	R-S1-A01	5	3.35
R-S1-GAR	GARDEN GATE KIT	Fixings: 4 x M8x50mm, Drill bit: 1 x 10mm	-	R-S1-A01	5	2.75
R-S1-FSHWD	TV SOLID WALL KIT	Frame Fixings: 6 x 8x100mm, Screws: 6 x 10x105mm Drill bit: 1 x 10mm	13	R-S1-A01	5	2.75
R-S1-FSLW	TV HOLLOW WALL KIT	Intersets: 6 x M5x37mm, Drill bit: 1 x 10mm	7	R-S1-A01	5	3.03

## SinkFix premium basin fixing

A faster and modern solution for basin fixing



- Fully Adjustable from 100mm-300mm M10 Fixing Bolts to Align with the Majority of Wash Basin Fixing Distances
- Large enough to Spread the Load, Small enough to be Covered by even the Slimmest of Wash Basins
- The Height Installation can be Fine Tuned, as can the Horizontal Level
- The Whole Wash Basin can be Moved, Left or Right if necessary
- Excellent For Stud Walls or where your Wall is of Poor Quality
- 55mm Length Bolts as Standard.

Rawplug code	Product Size	Product QTY in Pack	Discount Group	Min Order	Price Per Product
				Qty Packs	£
R-SFX-M10-300	Kit includes*: 1 x wash basin fixing plate, 2 x nylon bushes, 2 x M10 flange nuts, 2 x 55mm long M10 bolts. <small>*Please Note: Plastic plugs and screws are NOT included</small>	Box Set	R-S1-A01	1	30.23

## TubFix front bath panel frame kit

A faster and cost effective way to support a bath



R-TFX-700-800 (End)



R-TFX-1400-1800 (Front)

- Fast & Efficient**  
Plumbers, Carpenters, DIY just 35mins to install.
- Strong & Secure**  
Galvanised & Spray coated, guaranteed to last
- Cost Effective**  
Cheaper than labour and materials for traditional frame
- Fully Adjustable**  
Fits 1400-1800mm baths in length, 700/750/800mm in width

Rawplug code	Product Size	Product QTY in Pack	Discount Group	Min Order	Price Per Product
				Qty Packs	£
R-TFX-700-800	700mm - 800mm bath <b>end</b> panel frame kit	Box Set	R-S1-A01	1	54.00
R-TFX-1400-1800	1400mm - 1800mm bath <b>front</b> panel frame kit	Box Set	R-S1-A01	1	90.00

# Facade Insulation Fixings & Rainscreen Cladding

Rawlplug has been uniquely associated with innovations in the field of fixings for over 100 years. For more than 30 years, our line has been to design, manufacture, sell and fully maintain fixings for facade thermal insulations. Our company is unique in recognizing needs of contractors and manufacturers of insulation systems by cooperating with them and constantly developing our products.

To provide flexible and reliable solutions that ensure quick and simple installation, we have created the innovative TFIX facade fixings – designed for professionals, conforming to the ETICS requirements and backed by the European certificates.

The standard of our products has been defined by our customers and it is for them that we have precisely designed and now recommend the high-quality product, which provides:

- safe anchoring in every type of substrate with the highest technical parameters guaranteed;
- hidden anchoring of the fastener in the thermal insulation layer with no additional accessories needed;
- fixing of the thermal insulation up to 420 mm of thickness range;
- reduction of thermal transmittance in the anchoring point;
- very simple and quick installation; complete service - design consultation, training and site support.



Olympic park, Sochi  
Sochi, Russia.



Atal City Towers  
Kraków (Czyżyny), Poland



Sky Tower  
Wrocław, Poland



Wyndford Estate  
Refurbishment  
Glasgow, Scotland



Thanks to decades of experience, our customer-orientated approach, quality products and trustful relationships with our clients, RAWLPLUG® are proud to have been involved in many high-profile projects, including:

**Presidential Palace Abu Dhabi**  
Dubai.

**Biotechnology and Biomedicine Center of the Academy of Sciences and Charles University in Vestec**  
Prague, Czech Republic

**Louvre Museum Abu Dhabi**  
Dubai.

**Wembley Stadium**  
London.

**Mixed Use Complex**  
Sheikh Zayed Road – Dubai.

**Emirates Stadium**  
(Arsenal F.C) – London.

**Lower Lea Valley Cable Tunnels**  
National Grid – London.

**Burj Khalifa Tower**  
Dubai.

**Copernicus Science Centre**  
Warsaw.

**Municipal Stadium and Sky Tower**  
Wrocław.

**Bucharest Metro**  
Bucharest.

**Kraków Airport - multilevel parking**

**Atal City Towers**  
Kraków (Czyżyny).

And many more...

**RAWLPLUG®**

## R-KER II Hybrid resin

High resistance vinylester hybrid resin. ETA Option 1 cracked and non-cracked concrete, rebar



### Packaging



### Approvals and Reports

• ETA - 17/0594



Rawplug code	Volume	Recommended Gun	Quantity		Packaging	Discount Group	Price Per Box £
	ml		Box	pcs			
R-KER-II-400	400	R-GUN-380-UK	10	✓	B-CR-A06	360.00	

## R-STUDS Metric threaded rods

Threaded rod with hexagonal head made of carbon steel For use with bonded anchors



HEXAGONAL HEAD

FLAT HEAD

### Packaging



For Fixture Thickness and embedment depths, please contact our technical department 0141 273 2234

Size	Rawplug Code	Anchor		Quantity	Packaging	Discount Group	Price Per Box £
		Drill Size	Length	Box			
		mm	mm	pcs			
<b>R-STUDS Metric Threaded Rods - A4 with Hexagonal Head</b>							
M8	R-STUDS-08110-A4	10	110	10	✓	B-CR-B16	30.04
M10	R-STUDS-10130-A4	12	130	10	✓	B-CR-B16	46.82
M12	R-STUDS-12160-A4	14	160	10	✓	B-CR-B16	78.95
<b>R-STUDS Metric Threaded Rods - Steel Class 5.8 with Flat Head</b>							
M8	R-STUDS-08110-A4FL	10	110	10	✓	B-CR-B16	22.21
M10	R-STUDS-10130-A4FL	12	130	10	✓	B-CR-B16	48.63
M12	R-STUDS-12160-A4FL	14	160	10	✓	B-CR-B16	64.68

## R-HPTIIA4 Stainless steel throughbolt

Stainless steel throughbolt anchor, ETA Option 1 for cracked and non-cracked concrete.



### Packaging



### Approvals and Reports

• ETA-12/0021



Installation guide movie

Rawplug code	Anchor		Fixture		Quantity	Packaging	Discount Group	Price Per Box £
	Drill Hole Diameter	Length	Max. thickness		Box			
			mm	mm	t <sub>fix,r</sub>	t <sub>fix,s</sub>	pcs	
<b>R-HPTIIA4 Stainless steel throughbolt</b>								
R-HPTIIA4-08085/20	8	85	35	20	100	✓	B-MA-C11	413.16
R-HPTIIA4-08095/30	8	95	45	30	100	✓	B-MA-C11	427.41
R-HPTIIA4-10080/20	10	80	20	-	50	✓	B-MA-C11	290.27
R-HPTIIA4-10095/15	10	95	35	15	50	✓	B-MA-C11	313.26
R-HPTIIA4-10115/35	10	115	55	35	50	✓	B-MA-C11	349.13
R-HPTIIA4-12115/20	12	115	40	20	50	✓	B-MA-C11	497.55
R-HPTIIA4-12125/30	12	125	50	30	50	✓	B-MA-C11	537.42
R-HPTIIA4-12150/55	12	150	75	55	50	✓	B-MA-C11	601.22
R-HPTIIA4-16140/20	16	140	40	20	25	✓	B-MA-C11	458.83

## FF1 Nylon frame fixing

Universal frame fixing for many applications. ETA Option 7



FF1-N-K Frame Fixing with Collar

### Packaging



### Approvals and Reports

- ETA-12/0398



Installation guide movie

### Version

- Stainless steel
- Zinc-plated steel

Drill Size	Rawlplug code	Plug	Fixture		Quantity	Packaging	Discount Group	Price Per Box £
		Length	Max. thickness		Box			
		mm	$t_{fix, f}$ mm	$t_{fix, s}$ mm	pcs			
<b>FF1-N-K Frame fixing with collar - Stainless Steel screw, Hex head with Torx drive</b>								
Ø10	R-FF1-N-10K080-A4	80	30	10	50	✓	B-FF-C04	180.66
	R-FF1-N-10K100-A4	100	50	30	25	✓	B-FF-C04	103.09

## R-LX Concrete screwbolt

Self-tapping concrete screwbolt. ETA Option 1 cracked and non-cracked concrete.



### Features

R-LX screws have been designed in two variants, and come with high quality zinc electroplated (ZP) finish or zinc-flake (ZF) finish of even higher corrosion resistance.

The manufacturing process has allowed us to eliminate the risk of what is referred to as hydrogen embrittlement which haunts contractors when they decide to use products made of high hardness carbon steel.

### Packaging



### Approvals and Reports

- ETA Option 1



Installation guide movie

Head Type	Drill	Rawlplug code	Size O/D	Fixture			Quantity	Packaging	Discount Group	Price Per Box £
				Length	Max. thickness		Box			
				L mm	$t_{fix, f}$ mm	$t_{fix, s}$ mm	pcs			
<b>R-LX-HF Countersunk Concrete Screw Anchor - Zinc Flake</b>										
 R-LX-HF-ZF	6.0	R-LX-06X050-HF-ZF	Ø7.5	50	10	-	100	✓	B-MA-G01	29.13
	6.0	R-LX-06X075-HF-ZF		75	35	20	100	✓	B-MA-G01	38.13
	8.0	R-LX-08X060-HF-ZF	Ø10	60	10	-	100	✓	B-MA-G01	81.94
	8.0	R-LX-08X090-HF-ZF		90	40	20	100	✓	B-MA-G01	84.66
	10.0	R-LX-10X065-HF-ZF	Ø12.5	65	10	-	50	✓	B-MA-G01	48.97
	10.0	R-LX-10X075-HF-ZF		75	20	-	50	✓	B-MA-G01	57.52
	10.0	R-LX-10X085-HF-ZF		85	30	-	50	✓	B-MA-G01	63.20
	10.0	R-LX-10X100-HF-ZF		100	45	15	50	✓	B-MA-G01	65.34

## R-PH Pan head framing screws

Pan head self-drill screws



R-PH-55025-LG



R-PH-55038-HG



Packaging



Rawlplug code	Screw		Quantity	Packaging	Discount Group	Price Per Box £
	Diameter	Length	Box			
	mm	mm	pcs			
<b>Pancake head framing screw with TX25 Bit</b>						
R-PH-55025-LG	5.5	26	250	✓	B-TK-A01	17.50
R-PH-55038-HG	5.5	38	250	✓	B-TK-A01	26.25
<b>Framing Screw Bi-Metal - A2 Stainless Steel</b>						
R-PH-55025-LG-A2	5.5	26	250	✓	B-TK-A01	141.20

## OCWS Hex self-drill screws

Hex head self-drill screws for steel to steel applications



Packaging



Rawlplug code	Screw		Quantity	Packaging	Discount Group	Price Per Box £
	Diameter	Length	Box			
	mm	mm	pcs			
OCWS-48019	4.8	19	250	✓	B-TK-A01	160.00
OCWS-55025	5.5	25	250	✓	B-TK-A01	90.00
R-OCS-63038	6.3	38	100	✓	B-TK-A01	85.60
R-OCS-63050	6.3	50	100	✓	B-TK-A01	100.00

## R-ONS Hex head stainless steel screw

Hex head stainless steel screws for steel to steel applications with no washer



Packaging



Rawlplug code	Screw		Quantity	Packaging	Discount Group	Price Per Box £
	Diameter	Length	Box			
	mm	mm	pcs			
R-ONS-55040	5.5	40	100	✓	B-TK-A01	70.00
R-ONS-55040S19	5.5	40	100	✓	B-TK-A01	80.00

## R-CWT Countersunk wing tip self-drill screws

Countersunk wing tip self-drill screws for sheathing boards to steel frame



Packaging



Rawplug code	Screw		Quantity	Packaging	Discount Group	Price Per Box €
	Diameter	Length	Box			
	mm	mm	pcs			
R-CWT-48038-LG	4.8	38	200	✓	B-TK-A01	33.60
R-CWT-55050-LG	5.5	50	100	✓	B-TK-A01	11.36
R-CWT-55040-HG	5.5	40	100	✓	B-TK-A01	10.40
R-CWT-55050-HG	5.5	50	100	✓	B-TK-A01	12.50
<b>Countersunk Screw Bi-Metal</b>						
R-CWTS-48038-LG	4.8	38	200	✓	B-TK-A01	49.92

## KI-10 Facade fixing with plastic pin

Plastic hammer-set fixing with glass re-inforced nail



Packaging



Approvals and Reports

• ETA-07/0291



Index	Fixing			Fixture	Quantity	Packaging	Discount Group	Price Per Box €
	Diameter	Length	Plate Diameter	Recommended Thickness	Box			
	mm	mm	mm	t <sub>fix</sub> B, C, D, E mm	pcs			
KI-070	10	70	60	35	250	✓	B-IF-A01	34.00
KI-090	10	90	60	55	250	✓	B-IF-A01	35.64
KI-120	10	120	60	85	250	✓	B-IF-A01	41.45
KI-140	10	140	60	105	250	✓	B-IF-A01	48.55
KI-160	10	160	60	125	250	✓	B-IF-A01	50.48
KI-180	10	180	60	145	250	✓	B-IF-A01	59.03
KI-200	10	200	60	165	250	✓	B-IF-A01	62.79
KI-220	10	220	60	185	250	✓	B-IF-A01	72.85

## KI-10N Long expansion zone facade fixing with metal pin



Packaging



Approvals and Reports

• ETA-07/0221



Index	Fixing			Fixture Recommended Thickness	Quantity Box	Packaging 	Discount Group	Price Per Box €
	Diameter	Length	Plate Diameter					
	mm	mm	mm	$t_{fix}$ B, C, D, E mm	pcs			
KI-120N	10	120	60		250	✓	B-IF-A01	115.15
KI-140N	10	140	60	70	250	✓	B-IF-A01	114.36
KI-160N	10	160	60	90	250	✓	B-IF-A01	116.73
KI-180N	10	180	60	110	250	✓	B-IF-A01	127.21
KI-200N	10	200	60	130	250	✓	B-IF-A01	131.94
KI-220N	10	220	60	150	250	✓	B-IF-A01	137.94
KI-260N	10	260	60	190	200	✓	B-IF-A01	143.70
KI-300N	10	300	60	210	200	✓	B-IF-A01	180.85

## KI-10NS Screw-in insulation fixing with long expansion zone



Packaging



Approvals and Reports

• ETA-07/0221



Index	Fixing			Fixture Recommended Thickness	Quantity Box	Packaging 	Discount Group	Price Per Box €
	Diameter	Length	Plate Diameter					
	mm	mm	mm	$t_{fix}$ B, C, D, E mm	pcs			
KI-140NS	10	140	60	70	250	✓	B-IF-A01	169.33
KI-160NS	10	160	60	90	250	✓	B-IF-A01	178.48
KI-180NS	10	180	60	110	250	✓	B-IF-A01	187.33
KI-200NS	10	200	60	130	250	✓	B-IF-A01	206.00
KI-220NS	10	220	60	150	250	✓	B-IF-A01	218.06
KI-260NS	10	260	60	190	200	✓	B-IF-A01	349.15
KI-300NS	10	300	60	230	200	✓	B-IF-A01	523.03

## MBA Stainless steel facade fixing

Fire-resistant stainless steel insulation fixing



### Packaging



### Approvals and Reports

- AT-15-8092/2009
- AT-15-8092/2009 - ANNEX No 1
- AT-15-8092/2009 - ANNEX No 2



Index	Fixing			Fixture		Quantity	Packaging	Discount Group	Price Per Box €
	Diameter	Length	Plate Diameter	Concrete, Solid brick	Aerated Concrete Block	Box			
	mm	mm	mm	t <sub>fix</sub> (mm)	t <sub>fix</sub> (mm)	pcs			
MBA-SS-08090	8	90	40	60	40	250	✓	B-IF-B01	331.67
MBA-SS-08110	8	110	40	80	60	250	✓	B-IF-B01	361.82
MBA-SS-08140	8	140	40	110	90	250	✓	B-IF-B01	391.96
MBA-SS-08170	8	170	40	150	130	250	✓	B-IF-B01	444.75
MBA-SS-08200	8	200	40	170	150	250	✓	B-IF-B01	512.55
MBA-SS-08250	8	250	40	210	190	125	✓	B-IF-B01	358.04
MBA-SS-08300	8	300	40	270	250	125	✓	B-IF-B01	414.58

## MBA Steel facade fixing

Fire-resistant metal insulation fixing



### Packaging



### Approvals and Reports

- AT-15-8092/2009
- AT-15-8092/2009 - ANNEX No 1, 2 & 3



Index	Fixing			Fixture		Quantity	Packaging	Discount Group	Price Per Box €
	Diameter	Length	Plate Diameter	Concrete, Solid brick	Aerated Concrete Block	Box			
	mm	mm	mm	t <sub>fix</sub> (mm)	t <sub>fix</sub> (mm)	pcs			
MBA-08090	8	80	40	60	40	250	✓	B-IF-B01	130.46
MBA-08110	8	110	40	80	60	250	✓	B-IF-B01	144.28
MBA-08140	8	140	40	110	90	250	✓	B-IF-B01	159.63
MBA-08170	8	170	40	150	130	250	✓	B-IF-B01	178.04
MBA-08200	8	200	40	170	150	250	✓	B-IF-B01	199.55
MBA-08250	8	240	40	210	190	125	✓	B-IF-B01	122.79
MBA-08300	8	300	40	270	250	125	✓	B-IF-B01	152.72

## KC Insulation Washers

Insulation washer with integral cap



### Packaging



Index	Washer			Quantity	Packaging	Discount Group	Price Per Box £
	Diameter	Max screw size	Height	Box			
	mm	mm	mm	pcs			
R-KC-60	60	6	20	200	✓	B-IF-C01	49.56

## KWL Insulation retaining plate

A versatile solution for many insulation applications.



KWL-90PP

### Packaging



### Approvals and Reports

- ETA-07/0221
- ETA-07/0291
- ETA-07/0336
- ETA-11/0144
- ETA-13/0845



Index	Fixing	Quantity	Packaging	Discount Group	Price Per Box £
	Diameter	Box			
	mm	pcs			
R-KWL-090PP	90	200	✓	B-IF-C01	88.50

## WX-T Self-drilling screws for steel

Screw for trapezoidal steel sheet – max thickness of 2 x 1.25mm, TORX25 drive



### Packaging



### Approvals and Reports

- ETA-09/0346



Index	Size	Screw	Quantity	Packaging	Discount Group	Price Per Box £
		Length	Box			
		mm	pcs			
R-WX-48T050	Ø4.8	50	250	✓	B-FL-A01	40.00
R-WX-48T060		60	250	✓	B-FL-A01	47.80
R-WX-48T070		70	250	✓	B-FL-A01	55.94
R-WX-48T080		80	250	✓	B-FL-A01	69.44
R-WX-48T100		100	200	✓	B-FL-A01	70.83
R-WX-48T120		120	200	✓	B-FL-A01	118.98
R-WX-48T140		140	200	✓	B-FL-A01	144.46
R-WX-48T160		160	100	✓	B-FL-A01	87.81
R-WX-48T180		180	100	✓	B-FL-A01	118.98
R-WX-48T200		200	100	✓	B-FL-A01	155.80
R-WX-48T240		240	100	✓	B-FL-A01	262.02
R-WX-48T300		300	100	✓	B-FL-A01	311.59

## OCS Centre insulation fixings

Fixings to render / sheathing boards & LSF S/S



Packaging



Approvals and Reports

• ETA-09/0346



Index	Size	Screw	Quantity	Packaging	Discount Group	Price Per Box £
		Length	Box			
		mm	pcs			
OCS-55/63070	Ø5.5 / 6.3	70	100	✓	B-TK-A01	90.00
OCS-55/63090		90	100	✓	B-TK-A01	110.00
OCS-55/63110		110	100	✓	B-TK-A01	120.00
OCS-55/63130		130	100	✓	B-TK-A01	130.00
OCS-55/63150		150	100	✓	B-TK-A01	160.00
OCS-55/63170		170	100	✓	B-TK-A01	220.00
OCS-55/63200		200	100	✓	B-TK-A01	310.00
OCS-55/63230		230	100	✓	B-TK-A01	540.00
OCS-55/63300		300	100	✓	B-TK-A01	620.00

## MKC/MKC-A2 Washer

Metal washer compatible with MBA metal insulation fixings



Packaging



Approvals and Reports

- AT-15-8092/2009
- AT-15-8092/2009 - ANNEX No1
- AT-15-8092/2009 - ANNEX No 2



Index	Washer			Thickness	Quantity	Packaging	Discount Group	Price Per Box £
	Diameter	Length	Plate Diameter	t				
	mm	mm	mm	mm				
MKC-85	85	3	14	0.5	250	✓	B-IF-A01	131.65
MKC-A2-70	70	3	8.5	0.5	250	✓	B-IF-A01	215.00
MKC-SS-85	85	3	14	0.5	250	✓	B-IF-A01	248.40

## POK

Spreader washers



R-POK-041



R-POK-06

Packaging



Index	Washer			Thickness	Quantity	Packaging	Discount Group	Price Per Box £
	Diameter	Length	Plate Diameter	t				
	mm	mm	mm	mm				
R-POK-041-ALZN	40		6.5		100	✓	B-TK-A01	24.51
POK-041-ALZN-1300	40		6.5		1300	✓	B-TK-A01	247.00
R-POK-06-ALZN	75		6.5		100	✓	B-TK-A01	42.97

## DB-Z Fire rated washer (DIBT)

Spreader washers



Packaging



Index	Washer			Thickness	Quantity	Packaging	Discount Group	Price Per Box £
	Diameter	Length	Plate Diameter	t	Box			
	mm	mm	mm	mm	pcs			
R-DB-Z	70		6.5		100	✓	B-TK-A01	128.00

## WBT Screw for concrete

Screw for concrete substrates, TORX25 drive head. Shape and type of the thread specially design to allow connecting to concrete and wood.



Packaging



Approvals and Reports

- ETA-09/0346
- AT-15-7476/2012
- AT-15-7476/2012 - ANNEX No 1



Index	Size	Screw	Quantity	Packaging	Discount Group	Price Per Box £
		Length	Box			
		mm	pcs			
R-WBT-61050	Ø6.1	50	100	✓	B-FL-A01	27.78
R-WBT-61075		75	100	✓	B-FL-A01	47.65
R-WBT-61090		90	100	✓	B-FL-A01	58.23
R-WBT-61100		100	100	✓	B-FL-A01	70.14
R-WBT-61120		120	100	✓	B-FL-A01	88.68
R-WBT-61140		140	100	✓	B-FL-A01	113.83
R-WBT-61160		160	100	✓	B-FL-A01	138.97
R-WBT-61180		180	100	✓	B-FL-A01	169.41
R-WBT-61200		200	100	✓	B-FL-A01	215.74
R-WBT-61220		220	100	✓	B-FL-A01	259.51
R-WBT-61240		240	100	✓	B-FL-A01	299.13
R-WBT-61260		260	100	✓	B-FL-A01	370.59
R-WBT-61300		300	100	✓	B-FL-A01	476.46



# Flat Roofing & Cladding Screws

**RAWLPLUG®**

EXPERT IN FIXINGS, FASTENERS AND TOOLS

# SELF-DRILL SCREWS

## OC Hex self-drill screws

Hex head self-drill screws for light steel



### Packaging



Rawlplug code	Screw		Quantity	Packaging	Discount Group	Price Per Box £
	Diameter	Length	Box			
	mm	mm	pcs			
OC-48016	4.8	16	250	✓	B-TK-A01	15.00
OC-55022	5.5	22	200	✓	B-TK-A01	16.00
OC-55025	5.5	25	200	✓	B-TK-A01	18.00
OC-55032	5.5	32	100	✓	B-TK-A01	10.00
OC-55038	5.5	38	100	✓	B-TK-A01	11.00
OC-55055	5.5	55	100	✓	B-TK-A01	15.00
OC-55075	5.5	75	100	✓	B-TK-A01	20.00
OC-55090	5.5	90	100	✓	B-TK-A01	21.00
OC-55120	5.5	120	100	✓	B-TK-A01	32.00

## OC-T Hex self-drill screws with washer

Hex head self-drill screws for light steel



### Packaging



Rawlplug code	Screw		Quantity	Packaging	Discount Group	Price Per Box £
	Diameter	Length	Box			
	mm	mm	pcs			
OC-48016T	4.8	16	250	✓	B-TK-A01	18.00
OC-55022T	5.5	22	200	✓	B-TK-A01	22.00
OC-55025T	5.5	25	200	✓	B-TK-A01	24.00
OC-55032T	5.5	32	100	✓	B-TK-A01	13.00
OC-55038T	5.5	38	100	✓	B-TK-A01	14.00
OC-55055T	5.5	55	100	✓	B-TK-A01	18.00
OC-55075T	5.5	75	100	✓	B-TK-A01	20.00
OC-55090T	5.5	90	100	✓	B-TK-A01	22.00
OC-55120T	5.5	120	100	✓	B-TK-A01	32.00

## ON Hex head

Hex head screw



### Packaging



Rawlplug code	Screw		Quantity	Packaging	Discount Group	Price Per Box £
	Diameter	Length	Box			
	mm	mm	pcs			
ON-55032	5.5	32	100	✓	B-TK-A01	14.00
ON-55038	5.5	38	100	✓	B-TK-A01	16.00

## ON-T Hex head with washer

Hex head screw



Packaging



Rawplug code	Screw		Quantity	Packaging	Discount Group	Price Per Box £
	Diameter	Length	Box			
	mm	mm	pcs			
ON-55032T	5.5	32	100	✓	B-TK-A01	16.00
ON-55038T	5.5	38	100	✓	B-TK-A01	18.00
ON-55050T	5.5	50	100	✓	B-TK-A01	22.00

## OC Hex self-drill screws with washer

Hex head self-drill screws for light steel



R-S1-OC-48016T

R-S1-OC-55075

Packaging



Rawplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty			
			Packs			
R-S1-OC-48016	4.8 x 11mm	100	5	✓	R-S1-A01	3.81
R-S1-OC-48016T	4.8 x 11mm	100	5	✓	R-S1-A01	6.10
R-S1-OC-55022	5.5 x 22mm	100	5	✓	R-S1-A01	5.42
R-S1-OC-55022T	5.5 x 22mm	100	5	✓	R-S1-A01	7.50
R-S1-OC-55025	5.5 x 25mm	100	5	✓	R-S1-A01	5.51
R-S1-OC-55025T	5.5 x 25mm	100	5	✓	R-S1-A01	7.60
R-S1-OC-55032	5.5 x 32mm	100	5	✓	R-S1-A01	6.06
R-S1-OC-55038	5.5 x 38mm	100	5	✓	R-S1-A01	6.80
R-S1-OC-55045	5.5 x 45mm	100	5	✓	R-S1-A01	7.60
R-S1-OC-55055	5.5 x 55mm	100	5	✓	R-S1-A01	8.68
R-S1-OC-55075	5.5 x 75mm	100	5	✓	R-S1-A01	10.71

## CWT Countersunk wing tip self-drill screws

Countersunk wing tip self-drill screws for sheathing boards to steel frame + TORX 25 BIT



R-CWT-48038-LG

R-CWT-55040-HG

Packaging



Rawplug code	Screw		Quantity	Packaging	Discount Group	Price Per Box £
	Diameter	Length	Box			
	mm	mm	pcs			
<b>Countersunk Screw Light Grade</b>						
R-CWT-48038-LG	4.8	38	200	✓	B-TK-A01	16.00
R-CWT-55050-LG	5.5	50	100	✓	B-TK-A01	10.00
R-CWT-55070-LG	5.5	70	100	✓	B-TK-A01	14.00
R-CWT-55085-LG	5.5	85	100	✓	B-TK-A01	17.00
R-CWT-55100-LG	5.5	100	100	✓	B-TK-A01	22.00
R-CWT-55120-LG	5.5	120	100	✓	B-TK-A01	27.00
R-CWT-55150-LG	5.5	150	100	✓	B-TK-A01	40.00

# SELF-DRILL SCREWS

## CWT Countersunk wing tip self-drill screws Cont.

Rawlplug code	Screw		Quantity	Packaging	Discount Group	Price Per Box £
	Diameter	Length				
	mm	mm	pcs			
<b>Countersunk Screw HG</b>						
R-CWT-55040-HG	5.5	40	200	✓	B-TK-A01	12.00
R-CWT-55050-HG	5.5	50	100	✓	B-TK-A01	15.00
R-CWT-55065-HG	5.5	65	100	✓	B-TK-A01	17.00
R-CWT-55085-HG	5.5	85	100	✓	B-TK-A01	28.00
R-CWT-55100-HG	5.5	100	100	✓	B-TK-A01	30.00
R-CWT-55120-HG	5.5	120	100	✓	B-TK-A01	32.00
R-CWT-55150-HG	5.5	150	100	✓	B-TK-A01	42.00

## PH Pan head self-drill screw + torx 25 bit

Pan Head self drill screw with a torx 25 bit



R-PH-55025-LG

R-PH-55038-HG

Packaging



Rawlplug code	Screw		Quantity	Packaging	Discount Group	Price Per Box £
	Diameter	Length				
	mm	mm	pcs			
R-PH-55025-LG	5.5	26	250	✓	B-TK-A01	17.50
R-PH-55038-HG	5.5	38	250	✓	B-TK-A01	26.25

## OC High low thread gauge screw



Packaging



Index	Size	Screw	Quantity	Packaging	Discount Group	Price Per Box £
		Length				
		mm	pcs			
OC-55/63080G16	Ø5.5 / 6.3	80	100	✓	B-TK-A01	20.00
OC-55/63105G16		105	100	✓	B-TK-A01	26.00
OC-55/63135G16		135	100	✓	B-TK-A01	36.00
OC-55/63150G16		150	100	✓	B-TK-A01	40.00

## OCR Composite panel screw



Packaging



Approvals and Reports

• ETA-17/0518



Index	Size	Screw	Quantity	Packaging	Discount Group	Price Per Box £
		Length				
		mm	pcs			
R-OCR-55/63090A19	Ø5.5 / 6.3	90	100	✓	B-TK-A01	40.00
R-OCR-55/63110A19		110	100	✓	B-TK-A01	47.00
R-OCR-55/63125A19		125	100	✓	B-TK-A01	55.00

All products listed in this publication are branded and distributed with RAWLPLUG® or RAWL® trademarks.

## OCR Composite panel screw Cont.

Index	Size	Screw	Quantity	Packaging	Discount Group	Price Per Box £
		Length	Box			
		mm	pcs			
R-OCR-55/63150A19	Ø5.5 / 6.3	150	100	✓	B-TK-A01	74.00
R-OCR-55/63175A19		175	100	✓	B-TK-A01	100.00
OCS-55/63200G16		200	100	✓	B-TK-A01	130.00
OCS-55/63230G16		230	100	✓	B-TK-A01	170.00
OCS-55/63275G16		275	100	✓	B-TK-A01	250.00

## ONR Composite panel screw



Packaging



Approvals and Reports

• ETA-17/0518



Index	Size	Screw	Quantity	Packaging	Discount Group	Price Per Box £
		Length	Box			
		mm	pcs			
R-ONR-55/63101A19	Ø5.5 / 6.3	101	100	✓	B-TK-A01	50.00
R-ONR-55/63121A19		121	100	✓	B-TK-A01	62.00
R-ONR-55/63141A19		141	100	✓	B-TK-A01	76.00
R-ONR-55/63161A19		161	100	✓	B-TK-A01	94.00
R-ONR-55/63191A19		191	100	✓	B-TK-A01	132.00
R-ONR-55/63211A19		211	100	✓	B-TK-A01	150.00
R-ONR-55/63241A19		241	100	✓	B-TK-A01	196.00
R-ONR-55/63261A19		261	100	✓	B-TK-A01	224.00
R-ONR-55/63291A19		291	100	✓	B-TK-A01	284.00
R-ONR-55/63341A19		341	100	✓	B-TK-A01	400.00

## ORR Composite panel screw



Packaging



Approvals and Reports

• ETA-17/0518



Index	Size	Screw	Quantity	Packaging	Discount Group	Price Per Box £
		Length	Box			
		mm	pcs			
R-ORR-63/70109A19	Ø5.5 / 6.3	109	100	✓	B-TK-A01	67.00
R-ORR-63/70129A19		129	100	✓	B-TK-A01	82.00
R-ORR-63/70149A19		149	100	✓	B-TK-A01	100.00
R-ORR-63/70169A19		169	100	✓	B-TK-A01	130.00
R-ORR-63/70179A19		179	100	✓	B-TK-A01	160.00
R-ORR-63/70199A19		199	100	✓	B-TK-A01	176.00
R-ORR-63/70219A19		219	100	✓	B-TK-A01	210.00
R-ORR-63/70259A19		259	100	✓	B-TK-A01	270.00
R-ORR-63/70309A19		309	100	✓	B-TK-A01	390.00

## OTR Composite panel screw

Composite panel screws for concrete and timber



### Packaging



### Approvals and Reports

- ETA-17/0518



Index	Size	Screw	Quantity	Packaging	Discount Group	Price Per Box £
		Length mm	Box pcs			
R-OTR-63/70115A19	Ø6.3 / 7.0	115	100	✓	B-TK-A01	52.00
R-OTR-63/70135A19		135	100	✓	B-TK-A01	65.00
R-OTR-63/70155A19		155	100	✓	B-TK-A01	80.00
R-OTR-63/70185A19		185	100	✓	B-TK-A01	114.00
R-OTR-63/70205A19		205	100	✓	B-TK-A01	136.00
R-OTR-63/70255A19		255	100	✓	B-TK-A01	194.00

## GOK Telescopic sleeve with round plate

Telescopic sleeve for flat roof insulation fixings. Combined together with the corresponding screw allows application in all types of substrates.



### Packaging



### Approvals and Reports

- ETA-09/0346
- AT-15-7476/2012
- AT-15-7476/2012 - ANNEX No 1



Index	Plastic sleeve		Quantity	Packaging	Discount Group	Price Per Box £
	Diameter	Length	Box			
	mm	mm	pcs			
R-GOK-015	15,5	15	1100	✓	B-FL-A01	243.10
R-GOK-035	15,5	35	600	✓	B-FL-A01	142.80
R-GOK-065	15,5	65	400	✓	B-FL-A01	108.79
R-GOK-075	15,5	75	300	✓	B-FL-A01	86.71
R-GOK-085	15,5	85	300	✓	B-FL-A01	91.81
R-GOK-095	15,5	95	250	✓	B-FL-A01	87.76
R-GOK-105	15,5	105	250	✓	B-FL-A01	86.40
R-GOK-125	15,5	125	200	✓	B-FL-A01	78.20
R-GOK-135	15,5	135	200	✓	B-FL-A01	82.73
R-GOK-165	15,5	165	150	✓	B-FL-A01	68.85
R-GOK-185	15,5	185	100	✓	B-FL-A01	49.89
R-GOK-225	15,5	225	100	✓	B-FL-A01	61.20
R-GOK-255	15,5	255	75	✓	B-FL-A01	65.03
R-GOK-285	15,5	285	75	✓	B-FL-A01	89.66
R-GOK-325	15,5	325	50	✓	B-FL-A01	73.67
R-GOK-385	15,5	385	50	✓	B-FL-A01	99.17
R-GOK-425	15,5	425	50	✓	B-FL-A01	119.01

## GOK 75

Telescopic nylon sleeve for fastening of thermal insulation boards or base layer.



### Packaging



### Approvals and Reports

• ETA-09/0346



Index	Plastic sleeve			Quantity	Packaging	Discount Group	Price Per Box €
	Diameter	Length	Plate diameter	Box			
	mm	mm	mm	pcs			
R-GOK75-015	15.5	15	75	1100	✓	B-FL-A01	348.53
R-GOK75-035	15.5	35	75	600	✓	B-FL-A01	209.12
R-GOK75-065	15.5	65	75	400	✓	B-FL-A01	158.64
R-GOK75-075	15.5	75	75	300	✓	B-FL-A01	127.40
R-GOK75-085	15.5	85	75	300	✓	B-FL-A01	135.81
R-GOK75-095	15.5	95	75	250	✓	B-FL-A01	120.18
R-GOK75-105	15.5	105	75	250	✓	B-FL-A01	128.60
R-GOK75-125	15.5	125	75	200	✓	B-FL-A01	114.18
R-GOK75-135	15.5	135	75	200	✓	B-FL-A01	120.18
R-GOK75-165	15.5	165	75	150	✓	B-FL-A01	99.75
R-GOK75-185	15.5	185	75	100	✓	B-FL-A01	72.11
R-GOK75-225	15.5	225	75	100	✓	B-FL-A01	88.94
R-GOK75-255	15.5	255	75	75	✓	B-FL-A01	95.55
R-GOK75-285	15.5	285	75	75	✓	B-FL-A01	132.20
R-GOK75-325	15.5	325	75	50	✓	B-FL-A01	108.16

## WX-T Self-drilling screws for steel

Screw for trapezoidal steel sheet – max thickness of 2 x 1.25mm, TORX25 drive



### Packaging



### Approvals and Reports

• ETA-09/0346



Index	Size	Screw	Quantity	Packaging	Discount Group	Price Per Box €
		Length	Box			
		mm	pcs			
R-WX-48T050	Ø4.8	50	250	✓	B-FL-A01	40.00
R-WX-48T060		60	250	✓	B-FL-A01	47.80
R-WX-48T070		70	250	✓	B-FL-A01	55.94
R-WX-48T080		80	250	✓	B-FL-A01	69.44
R-WX-48T100		100	200	✓	B-FL-A01	70.83
R-WX-48T120		120	200	✓	B-FL-A01	118.98
R-WX-48T140		140	200	✓	B-FL-A01	144.46
R-WX-48T160		160	100	✓	B-FL-A01	87.81
R-WX-48T180		180	100	✓	B-FL-A01	118.98
R-WX-48T200		200	100	✓	B-FL-A01	155.80
R-WX-48T240		240	100	✓	B-FL-A01	262.02
R-WX-48T300		300	100	✓	B-FL-A01	311.59

## WBT Screw for concrete

Screw for concrete substrates, TORX25 drive head. Shape and type of the thread specially design to allow connecting to concrete and wood.



### Packaging



### Approvals and Reports

- ETA-09/0346
- AT-15-7476/2012
- AT-15-7476/2012 - ANNEX No 1



Index	Size	Screw	Quantity	Packaging	Discount Group	Price Per Box £
		Length mm	Box pcs			
R-WBT-61050	Ø6.1	50	100	✓	B-FL-A01	27.78
R-WBT-61075		75	100	✓	B-FL-A01	47.65
R-WBT-61090		90	100	✓	B-FL-A01	58.23
R-WBT-61100		100	100	✓	B-FL-A01	70.14
R-WBT-61120		120	100	✓	B-FL-A01	88.68
R-WBT-61140		140	100	✓	B-FL-A01	113.83
R-WBT-61160		160	100	✓	B-FL-A01	138.97
R-WBT-61180		180	100	✓	B-FL-A01	169.41
R-WBT-61200		200	100	✓	B-FL-A01	215.74
R-WBT-61220		220	100	✓	B-FL-A01	259.51
R-WBT-61240		240	100	✓	B-FL-A01	299.13
R-WBT-61260		260	100	✓	B-FL-A01	370.59
R-WBT-61300		300	100	✓	B-FL-A01	476.46

## WO-T Screws for steel

Screw for trapezoidal steel sheet substrate; max thickness of 0.9mm, TORX25 drive



### Packaging



### Approvals and Reports

- ETA-09/0346
- AT-15-7476/2012
- AT-15-7476/2012 - ANNEX No 1



Index	Size	Screw	Quantity	Packaging	Discount Group	Price Per Box £
		Length mm	Box pcs			
R-WO-48T060	Ø4.8	60	250	✓	B-FL-A01	38.23
R-WO-48T080		80	250	✓	B-FL-A01	48.87
R-WO-48T100		100	200	✓	B-FL-A01	52.40
R-WO-48T120		120	200	✓	B-FL-A01	73.66
R-WO-48T140		140	200	✓	B-FL-A01	93.47
R-WO-48T160		160	100	✓	B-FL-A01	56.65
R-WO-48T180		180	100	✓	B-FL-A01	77.89
R-WO-48T200		200	100	✓	B-FL-A01	101.98
R-WO-48T240		240	100	✓	B-FL-A01	177.03
R-WO-48T300		300	100	✓	B-FL-A01	254.92

## WW Timber torx screw

Timber torx screws zinc flake and ETA approve



Packaging



Approvals and Reports

• ETA-09/0346



Index	Size	Screw	Quantity	Packaging	Discount Group	Price Per Box £
		Length	Box			
		mm	pcs			
R-WW-50T25	Ø5.3	25	500	✓	B-FL-A01	75.64
R-WW-50T35		35	500	✓	B-FL-A01	91.45
R-WW-50T45		45	250	✓	B-FL-A01	53.61
R-WW-50T55		55	200	✓	B-FL-A01	52.98
R-WW-50T75		75	100	✓	B-FL-A01	70.64
R-WW-50T90		90	100	✓	B-FL-A01	45.38
R-WW-50T120		120	100	✓	B-FL-A01	57.09

## POK Timber torx screw and washer

Timber torx screw and washer



Packaging




Index	Washer			Thickness	Quantity	Packaging	Discount Group	Price Per Box £
	Diameter	Screw Length	Plate Diameter	t	Box			
	mm	mm	mm	mm	pcs			
POK-041/25-1100	41	25			100	✓	B-TK-A01	372.10
POK-041/40-850	41	40			100	✓	B-TK-A01	320.58

# SELF-DRILL SCREWS

## POW/POK/DB-Z Pressure plate washers

Spreader washers



Packaging



Index	Washer			Thickness	Quantity	Packaging	Discount Group	Price Per Box £
	Width	Length	Plate Diameter	t	Box			
	mm	mm	mm	mm	pcs			
R-POW-05-ALZN	40	82	5		100	✓	B-TK-A01	24.51
R-POW-07-ALZN	40	82	7		1300	✓	B-TK-A01	247.00
R-POK-041-ALZN	40mm diameter		6.5		100	✓	B-TK-A01	42.97
POK-041-ALZN-1300	40mm diameter		6.5		1300	✓	B-TK-A01	200.00
R-POK-06-ALZN	75mm diameter		6.5		100	✓	B-TK-A01	30.00
R-DB-Z	70mm diameter		6.5		100	✓	B-TK-A01	90.00

## OCS Hex head self-drill screws

Countersunk wing tip self-drill screws for sheathing boards to steel frame + TORX 25 BIT



Packaging



Rawlplug code	Screw		Quantity	Packaging	Discount Group	Price Per Box £
	Diameter	Length	Box			
	mm	mm	pcs			
<b>OCWS BI-METAL SELF-DRILL SCREWS 2.5MM MAX. STEEL ETA APPROVED</b>						
OCWS-48019	4.8	19	250	✓	B-TK-A01	150.00
OCWS-48019S16	4.8	19	200	✓	B-TK-A01	160.00
OCWS-55025	5.5	25	200	✓	B-TK-A01	90.00
OCWS-55025S16	5.5	25	200	✓	B-TK-A01	100.00
<b>OCS 5.5MM BI-METAL SELF-DRILL SCREWS 6.0MM MAX. STEEL ETA APPROVED</b>						
OCS-55025	5.5	25	200	✓	B-TK-A01	100.00
OCS-55030	5.5	30	200	✓	B-TK-A01	120.00
OCS-55035	5.5	35	200	✓	B-TK-A01	160.00
OCS-55050	5.5	50	100	✓	B-TK-A01	94.00
OCS-55070	5.5	70	100	✓	B-TK-A01	96.00
<b>OCS 6.3MM BI-METAL SELF-DRILL SCREWS 6.0MM MAX. STEEL</b>						
R-OCS-63038	6.3	38	100	✓	B-TK-A01	85.60
R-OCS-63050	6.3	50	100	✓	B-TK-A01	100.00

## ONS Hex head

Hex head screw



ONS-55040

ONS-55040S19

Packaging



Rawlplug code	Screw		Quantity	Packaging	Discount Group	Price Per Box £
	Diameter	Length	Box			
	mm	mm	pcs			
ONS-55040	5.5	40	100	✓	B-TK-A01	70.00
ONS-55040S19	5.5	40	100	✓	B-TK-A01	80.00

All products listed in this publication are branded and distributed with RAWLPLUG® or RAWL® trademarks.

## PH Pan head self-drill screw + torx 25 bit

Pan Head self drill screw with a torx 25 bit stainless steel



R-PH-55025-LG-A2

Packaging



Rawplug code	Screw		Quantity	Packaging	Discount Group	Price Per Box £
	Diameter	Length	Box			
	mm	mm	pcs			
R-PH-55025-LG-A2	5.5	26	250	✓	B-TK-A01	110.00

## CWTS Countersunk wing tip self-drill screws

Countersunk wing tip self-drill screws for sheathing boards to steel frame



R-CWT-48038-LG

Packaging



Rawplug code	Screw		Quantity	Packaging	Discount Group	Price Per Box £
	Diameter	Length	Box			
	mm	mm	pcs			
<b>Countersunk Screw Light Grade</b>						
R-CWTS-48038-LG	4.8	38	200	✓	B-TK-A01	110.00

## OCS High low thread gauge screw



Packaging



Index	Size	Screw	Quantity	Packaging	Discount Group	Price Per Box £
		Length	Box			
		mm	pcs			
R-OCS-55/63065S14	Ø5.5 / 6.3	65	250	✓	B-TK-A01	200.00
R-OCS-55/63085S14		85	250	✓	B-TK-A01	250.00
R-OCS-55/63105S14		105	250	✓	B-TK-A01	300.00
R-OCS-55/63130S14		130	250	✓	B-TK-A01	325.00
R-OCS-55/63150S14		150	250	✓	B-TK-A01	375.00

## UCF-A2 Timber screws



Packaging



Index	Size	Screw	Quantity	Packaging	Discount Group	Price Per Box £
		Length	Box			
		mm	pcs			
R-UCF-A2-60100	Ø6	100	100	✓	B-TK-A01	70.00
R-UCF-A2-60120		120	100	✓	B-TK-A01	80.00
R-UCF-A2-60140		140	100	✓	B-TK-A01	112.00
R-UCF-A2-60150		150	100	✓	B-TK-A01	140.00
R-UCF-A2-60160		160	100	✓	B-TK-A01	152.00

## UCF-A2 Timber screws Cont.

Index	Size	Screw	Quantity	Packaging	Discount Group	Price Per Box £
		Length	Box			
		mm	pcs			
R-UCF-A2-60180	Ø6	180	100	✓	B-TK-A01	180.00
R-UCF-A2-60200		200	100	✓	B-TK-A01	198.00
R-UCF-A2-60220		220	100	✓	B-TK-A01	288.00
R-UCF-A2-60240		240	100	✓	B-TK-A01	340.00
R-UCF-A2-60260		260	100	✓	B-TK-A01	385.00
R-UCF-A2-60280		280	100	✓	B-TK-A01	396.00
R-UCF-A2-60300		300	100	✓	B-TK-A01	460.00
R-UCF-A2-80350	Ø8	350	100	✓	B-TK-A01	560.00

## MKC-A2 Washer

Metal washer compatible with MBA metal insulation fixings



### Packaging



### Approvals and Reports

- AT-15-8092/2009
- AT-15-8092/2009 - ANNEX No1
- AT-15-8092/2009 - ANNEX No 2



Index	Washer			Thickness	Quantity	Packaging	Discount Group	Price Per Box £
	Diameter	Length	Plate Diameter	t	Box			
	mm	mm	mm	mm	pcs			
MKC-A2-070	70	3	8.5	0.5	250	✓	B-IF-A01	215.00

## KC Insulation Washers

Insulation washer with integral cap



### Packaging



Index	Washer			Quantity	Packaging	Discount Group	Price Per Box £
	Diameter	Max screw size	Height	Box			
	mm	mm	mm	pcs			
R-KC-60	60	6	20	200	✓	B-IF-C01	49.56

## KWL Insulation retaining plate

A versatile solution for many insulation applications.



KWL-110PP

KWL-90PP

### Packaging



### Approvals and Reports

- ETA-07/0221
- ETA-07/0291
- ETA-07/0336
- ETA-11/0144
- ETA-13/0845



Index	Fixing	Quantity	Packaging	Discount Group	Price Per Box €
	Diameter	Box			
	mm	pcs			
R-KWL-090PP	90	200	✓	B-IF-C01	88.50
R-KWL-110PP	110	200	✓	B-IF-C01	101.93

## FTF Firtree Fixing

Firtree fixings securely fasten surface mounted beads into the insulation.




### Packaging



Index	Plug			Quantity	Packaging	Discount Group	Price Per Box €
	Length	Depth	Diameter	Box			
	mm	mm	mm	pcs			
FTF-PA	29	7.5	18	1000	✓	B-IF-A02	92.88

## ISO-PLUG Insulation fixings

For fastening lightweight fixtures on insulated facades eliminating thermal bridging



ISO-PLUG 50

ISO-PLUG 80


### Packaging



Installation guide movie

Index	Plug	Quantity	Packaging	Discount Group	Price Per Box €
	Length	Box			
	mm	pcs			
R-ISO-PLUG-50	52	50	✓	B-IF-A02	62.29
R-ISO-PLUG-80	82	40	✓	B-IF-A02	87.78

## Fixing selection according to insulation thickness

[mm]	STEEL		CONCRETE		TIMBER/WOOD
	Index	Index	Index	Index	Index
					
	$h_{nom} = 0.9 - 2.5mm$	$h_{nom} = 0.7 - 0.9mm$	Self-tapping screws	With expansion plug	Self-tapping screws
60	R-GOK-035+R-WX-48T060	R-GOK-035+R-WO-48T060	R-GOK-035+R-WBT-61075	R-GOK-035+R-WO-48080+R-K08L40	R-GOK-035+R-WW-5075
80	R-GOK-065+R-WX-48T050	R-GOK-065+R-WO-48T060	R-GOK-035+R-WBT-61090	R-GOK-065+R-WO-48080+R-K08L40	R-GOK-065+R-WW-5055
100	R-GOK-085+R-WX-48T050	R-GOK-085+R-WO-48T060	R-GOK-075+R-WBT-61075	R-GOK-085+R-WO-48080+R-K08L40	R-GOK-085+R-WW-5055
120	R-GOK-105+R-WX-48T050	R-GOK-105+R-WO-48T060	R-GOK-095+R-WBT-61075	R-GOK-105+R-WO-48080+R-K08L40	R-GOK-105+R-WW-5055
140	R-GOK-125+R-WX-48T050	R-GOK-125+R-WO-48T060	R-GOK-105+R-WBT-61090	R-GOK-125+R-WO-48080+R-K08L40	R-GOK-125+R-WW-5055
160	R-GOK-135+R-WX-48T060	R-GOK-135+R-WO-48T060	R-GOK-135+R-WBT-61075	R-GOK-135+R-WO-48080+R-K08L40	R-GOK-135+R-WW-5075
180	R-GOK-165+R-WX-48T050	R-GOK-165+R-WO-48T060	R-GOK-135+R-WBT-61090	R-GOK-165+R-WO-48080+R-K08L40	R-GOK-165+R-WW-5055
200	R-GOK-185+R-WX-48T050	R-GOK-185+R-WO-48T060	R-GOK-165+R-WBT-61090	R-GOK-185+R-WO-48080+R-K08L40	R-GOK-185+R-WW-5055
220	R-GOK-185+R-WX-48T070	R-GOK-185+R-WO-48T080	R-GOK-185+R-WBT-61090	R-GOK-185+R-WO-48100+R-K08L40	R-GOK-185+R-WW-5075
240	R-GOK-225+R-WX-48T050	R-GOK-225+R-WO-48T060	R-GOK-035+R-WBT-61075	R-GOK-225+R-WO-48080+R-K08L40	R-GOK-225+R-WW-5055
260	R-GOK-225+R-WX-48T070	R-GOK-225+R-WO-48T080	R-GOK-225+R-WBT-61090	R-GOK-225+R-WO-48100+R-K08L40	R-GOK-225+R-WW-5075
280	R-GOK-255+R-WX-48T060	R-GOK-255+R-WO-48T060	R-GOK-255+R-WBT-61075	R-GOK-255+R-WO-48080+R-K08L40	R-GOK-255+R-WW-5075
300	R-GOK-285+R-WX-48T050	R-GOK-285+R-WO-48T060	R-GOK-255+R-WBT-61090	R-GOK-285+R-WO-48080+R-K08L40	R-GOK-285+R-WW-5055
320	R-GOK-285+R-WX-48T070	R-GOK-285+R-WO-48T080	R-GOK-285+R-WBT-61090	R-GOK-285+R-WO-48100+R-K08L40	R-GOK-285+R-WW-5075
340	R-GOK-325+R-WX-48T050	R-GOK-325+R-WO-48T060	R-GOK-285+R-WBT-61100	R-GOK-325+R-WO-48080+R-K08L40	R-GOK-325+R-WW-5055
360	R-GOK-325+R-WX-48T060	R-GOK-325+R-WO-48T080	R-GOK-325+R-WBT-61090	R-GOK-325+R-WO-48100+R-K08L40	R-GOK-325+R-WW-5075
380	R-GOK-325+R-WX-48T100	R-GOK-325+R-WO-48T100	R-GOK-325+R-WBT-61090	R-GOK-325+R-WO-48120+R-K08L40	R-GOK-325+R-WW-5055
400	R-GOK-385+R-WX-48T050	R-GOK-385+R-WO-48T060	R-GOK-385+R-WBT-61075	R-GOK-385+R-WO-48080+R-K08L40	R-GOK-385+R-WW-5055
420	R-GOK-385+R-WX-48T070	R-GOK-385+R-WO-48T080	R-GOK-385+R-WBT-61090	R-GOK-385+R-WO-48100+R-K08L40	R-GOK-385+R-WW-5055
440	R-GOK-425+R-WX-48T050	R-GOK-425+R-WO-48T060	R-GOK-385+R-WBT-61100	R-GOK-425+R-WO-48080+R-K08L40	R-GOK-425+R-WW-5055
460	R-GOK-425+R-WX-48T070	R-GOK-425+R-WO-48T080	R-GOK-425+R-WBT-61090	R-GOK-425+R-WO-48100+R-K08L40	R-GOK-425+R-WW-5075
480	R-GOK-425+R-WX-48T100	R-GOK-425+R-WO-48T100	R-GOK-425+R-WBT-61100	R-GOK-425+R-WO-48120+R-K08L40	R-GOK-425+R-WW-5090
500	R-GOK-425+R-WX-48T120	R-GOK-425+R-WO-48T120	R-GOK-425+R-WBT-61120	R-GOK-425+R-WO-48140+R-K08L40	R-GOK-425+R-WW-5120
520	R-GOK-425+R-WX-48T140	R-GOK-425+R-WO-48T140	R-GOK-425+R-WBT-61140	R-GOK-425+R-WO-48160+R-K08L40	R-GOK-425+R-WO-48140
540	R-GOK-525+R-WX-48T050	R-GOK-525+R-WO-48T060	R-GOK-525+R-WBT-61075	R-GOK-525+R-WO-48080+R-K08L40	R-GOK-525+R-WW-5055
560	R-GOK-525+R-WX-48T070	R-GOK-525+R-WO-48T080	R-GOK-525+R-WBT-61090	R-GOK-525+R-WO-48100+R-K08L40	R-GOK-525+R-WW-5075
580	R-GOK-525+R-WX-48T100	R-GOK-525+R-WO-48T100	R-GOK-525+R-WBT-61100	R-GOK-525+R-WO-48120+R-K08L40	R-GOK-525+R-WW-5090
600	R-GOK-525+R-WX-48T120	R-GOK-525+R-WO-48T120	R-GOK-525+R-WBT-61120	R-GOK-525+R-WO-48140+R-K08L40	R-GOK-525+R-WW-5120
620	R-GOK-525+R-WX-48T140	R-GOK-525+R-WO-48T140	R-GOK-525+R-WBT-61140	R-GOK-525+R-WO-48160+R-K08L40	R-GOK-525+R-WO-48140
640	R-GOK-625+R-WX-48T050	R-GOK-625+R-WO-48T060	R-GOK-625+R-WBT-61075	R-GOK-625+R-WO-48080+R-K08L40	R-GOK-625+R-WW-5055
660	R-GOK-625+R-WX-48T070	R-GOK-625+R-WO-48T080	R-GOK-625+R-WBT-61090	R-GOK-625+R-WO-48100+R-K08L40	R-GOK-625+R-WW-5075
680	R-GOK-625+R-WX-48T100	R-GOK-625+R-WO-48T100	R-GOK-625+R-WBT-61100	R-GOK-625+R-WO-48120+R-K08L40	R-GOK-625+R-WW-5090
700	R-GOK-625+R-WX-48T120	R-GOK-625+R-WO-48T120	R-GOK-625+R-WBT-61120	R-GOK-625+R-WO-48140+R-K08L40	R-GOK-625+R-WW-5120
720	R-GOK-625+R-WX-48T140	R-GOK-625+R-WO-48T140	R-GOK-625+R-WBT-61140	R-GOK-625+R-WO-48160+R-K08L40	R-GOK-625+R-WO-48140
740	R-GOK-725+R-WX-48T050	R-GOK-755+R-WO-48T060	R-GOK-725+R-WBT-61075	R-GOK-725+R-WO-48080+R-K08L40	R-GOK-725+R-WW-5055
760	R-GOK-725+R-WX-48T070	R-GOK-725+R-WO-48T080	R-GOK-725+R-WBT-61090	R-GOK-725+R-WO-48100+R-K08L40	R-GOK-725+R-WW-5075
780	R-GOK-725+R-WX-48T100	R-GOK-725+R-WO-48T100	R-GOK-725+R-WBT-61100	R-GOK-725+R-WO-48120+R-K08L40	R-GOK-725+R-WW-5090
800	R-GOK-725+R-WX-48T120	R-GOK-725+R-WO-48T120	R-GOK-725+R-WBT-61120	R-GOK-725+R-WO-48140+R-K08L40	R-GOK-725+R-WW-5120
820	R-GOK-725+R-WX-48T140	R-GOK-725+R-WO-48T140	R-GOK-725+R-WBT-61140	R-GOK-725+R-WO-48160+R-K08L40	R-GOK-725+R-WO-48140
840	R-GOK-725+R-WX-48T160	R-GOK-725+R-WO-48T160	R-GOK-725+R-WBT-61160	R-GOK-725+R-WO-48180+R-K08L40	R-GOK-725+R-WO-48160
860	R-GOK-725+R-WX-48T180	R-GOK-725+R-WO-48T180	R-GOK-725+R-WBT-61180	R-GOK-725+R-WO-48200+R-K08L40	R-GOK-725+R-WO-48180
880	R-GOK-725+R-WX-48T200	R-GOK-725+R-WO-48T200	R-GOK-725+R-WBT-61200	R-GOK-725+R-WO-48240+R-K08L40	R-GOK-725+R-WO-48200
900	R-GOK-725+R-WX-48T240	R-GOK-725+R-WO-48T240	R-GOK-725+R-WBT-61240	R-GOK-725+R-WO-48240+R-K08L40	R-GOK-725+R-WO-48240
920	R-GOK-725+R-WX-48T240	R-GOK-725+R-WO-48T240	R-GOK-725+R-WBT-61240	R-GOK-725+R-WO-48300+R-K08L40	R-GOK-725+R-WO-48240
940	R-GOK-725+R-WX-48T240	R-GOK-725+R-WO-48T240	R-GOK-725+R-WBT-61300	R-GOK-725+R-WO-48300+R-K08L40	R-GOK-725+R-WO-48300
960	R-GOK-725+R-WX-48T300	R-GOK-725+R-WO-48T300	R-GOK-725+R-WBT-61300	R-GOK-725+R-WO-48300+R-K08L40	R-GOK-725+R-WO-48300
980	R-GOK-725+R-WX-48T300	R-GOK-725+R-WO-48T300	R-GOK-725+R-WBT-61300	-	R-GOK-725+R-WO-48300
990	R-GOK-725+R-WX-48T300	R-GOK-725+R-WO-48T300	-	-	R-GOK-725+R-WO-48300

## Self Drilling Screws

Suitable for joining sheet metal, stitching, cladding, ducting etc



### Packaging



Rawplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty	Packs		
R-S1-OC-48016	HEX 4.8X16	100	5	✓	R-S1-A01	3.81
R-S1-OC-48016T	HEX+W 4.8X16	100	5	✓	R-S1-A01	6.10
R-S1-OC-55022	HEX 5.5X22	100	5	✓	R-S1-A01	5.42
R-S1-OC-55022T	HEX+W 5.5X22	100	5	✓	R-S1-A01	7.50
R-S1-OC-55025	HEX 5.5X25	100	5	✓	R-S1-A01	5.51
R-S1-OC-55025T	HEX+W 5.5X25	100	5	✓	R-S1-A01	7.60
R-S1-OC-55032	HEX 5.5X32	100	5	✓	R-S1-A01	6.06
R-S1-OC-55038	HEX 5.5X38	100	5	✓	R-S1-A01	6.80
R-S1-OC-55045	HEX 5.5X45	100	5	✓	R-S1-A01	7.60
R-S1-OC-55055	HEX 5.5X55	100	5	✓	R-S1-A01	8.68
R-S1-OC-55075	HEX 5.5X75	100	5	✓	R-S1-A01	10.71
R-S1-PEA-14	EPDM B/WASHER 14mm	100	5	✓	R-S1-A01	3.23

# NUTS AND BOLTS

## R-NW Nut and washer

Suitable for a range of threaded metal



### Packaging



Rawplug code	Product Size	Product QTY in Pack	Min Order		Packaging	Discount Group	Price Per Product £
			Qty	Packs			
			R-S1-NW-M6/20	M6			
R-S1-NW-M8/20	M8	20	5	✓	R-S1-A01	1.76	
R-S1-NW-M10/10	M10	10	5	✓	R-S1-A01	1.84	
R-S1-NW-M12/10	M12	10	5	✓	R-S1-A01	2.16	
R-S1-NW-M16/6	M16	6	5	✓	R-S1-A01	2.58	
R-S1-NW-M20/3	M20	3	5	✓	R-S1-A01	2.34	

## R-933 Hex screw with nut and washer

Rawplug Hex Head Set Screw with Nut and Washer



### Packaging



Rawplug code	Product Size	Product QTY in Pack	Min Order		Packaging	Discount Group	Price Per Product £
			Qty	Packs			
			R-S1-93306040NW/10	M6			
R-S1-93308050NW/6	M8	6	5	✓	R-S1-A01	1.76	
R-S1-93308080NW/6	M8	6	5	✓	R-S1-A01	2.12	
R-S1-93310080NW/4	M10	4	5	✓	R-S1-A01	2.61	

## R-RW Roof washer

Black Dowty Roof Washer



### Packaging



Rawplug code	Product Size	Product QTY in Pack	Min Order		Packaging	Discount Group	Price Per Product £
			Qty	Packs			
			R-S1-RW/20	M6			

## R-RSF Roof sheet fixing

Clear Roof Sheet Fixing



### Packaging



Rawplug code	Product Size	Product QTY in Pack	Min Order		Packaging	Discount Group	Price Per Product £
			Qty	Packs			
			R-S1-RSF/10	-			

All products listed in this publication are branded and distributed with RAWLPLUG® or RAWL® trademarks.

## R-603 Hex bolt and nut

Cup Square Hex Bolt and Nut



Packaging



Rawplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty			
			Packs			
R-S1-603-06040/10	M6x40mm	10	5	✓	R-S1-A01	1.46
R-S1-603-06050/10	M6x50mm	10	5	✓	R-S1-A01	1.59
R-S1-603-06080/10	M6x80mm	10	5	✓	R-S1-A01	1.99
R-S1-603-06100/5	M6x100mm	5	5	✓	R-S1-A01	1.34
R-S1-603-08040/10	M8x40mm	10	5	✓	R-S1-A01	2.15
R-S1-603-08050/10	M8x50mm	10	5	✓	R-S1-A01	2.38
R-S1-603-08080/10	M8x80mm	10	5	✓	R-S1-A01	3.09
R-S1-603-08100/5	M8x100mm	5	5	✓	R-S1-A01	2.14
R-S1-603-08130/5	M8x130mm	5	5	✓	R-S1-A01	2.19
R-S1-603-08150/5	M8x150mm	5	5	✓	R-S1-A01	2.60
R-S1-603-10080/5	M10x80mm	5	5	✓	R-S1-A01	2.57
R-S1-603-10100/5	M10x100mm	5	5	✓	R-S1-A01	2.96
R-S1-603-10110/5	M10x110mm	5	5	✓	R-S1-A01	3.12
R-S1-603-10130/5	M10x130mm	5	5	✓	R-S1-A01	3.81
R-S1-603-10150/5	M10x150mm	5	5	✓	R-S1-A01	4.15
R-S1-603-10180/5	M10x180mm	5	5	✓	R-S1-A01	4.96
R-S1-603-10200/5	M10x200mm	5	5	✓	R-S1-A01	5.35
R-S1-603-12080/4	M12x80mm	4	5	✓	R-S1-A01	2.98
R-S1-603-12100/4	M12x100mm	4	5	✓	R-S1-A01	3.55
R-S1-603-12130/4	M12x130mm	4	5	✓	R-S1-A01	4.34
R-S1-603-12150/4	M12x150mm	4	5	✓	R-S1-A01	4.76
R-S1-603-12180/4	M12x180mm	4	5	✓	R-S1-A01	8.87
R-S1-603-12220/2	M12x220mm	2	5	✓	R-S1-A01	4.18
R-S1-603-12240/2	M12x240mm	2	5	✓	R-S1-A01	4.28

## R-125 Flat washer

Flat Washer



Packaging



Rawplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty			
			Packs			
R-S1-125-06/30	M6	30	5	✓	R-S1-A01	0.90
R-S1-125-08/30	M8	30	5	✓	R-S1-A01	1.08
R-S1-125-10/20	M10	20	5	✓	R-S1-A01	1.20
R-S1-125-12/20	M12	20	5	✓	R-S1-A01	1.50

# NUTS AND BOLTS

## R-934 Hex nut

Hex nut



Packaging



Rawlplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty			
			Packs			
R-S1-934-06/20	M6	20	5	✓	R-S1-A01	0.85
R-S1-934-08/20	M8	20	5	✓	R-S1-A01	1.02
R-S1-934-10/10	M10	20	5	✓	R-S1-A01	1.05
R-S1-934-12/8	M12	20	5	✓	R-S1-A01	1.20

## R-985 Nylon insert nut

Nylon insert nut



Packaging



Rawlplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty			
			Packs			
R-S1-985-08/20	M8	20	5	✓	R-S1-A01	1.29
R-S1-985-10/10	M10	10	5	✓	R-S1-A01	1.30

## R-571 Hex head coach screw

Hex head coach screw



Packaging



Rawlplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty			
			Packs			
R-S1-571-06050/10	M6x50mm	10	5	✓	R-S1-A01	1.19
R-S1-571-06080/10	M6x80mm	10	5	✓	R-S1-A01	1.54
R-S1-571-08050/5	M8x50mm	5	5	✓	R-S1-A01	1.14
R-S1-571-08080/5	M8x80mm	5	5	✓	R-S1-A01	1.35
R-S1-571-08100/5	M8x100mm	5	5	✓	R-S1-A01	1.59
R-S1-571-08160/5	M8x160mm	5	5	✓	R-S1-A01	1.92
R-S1-571-10100/5	M10x100mm	5	5	✓	R-S1-A01	1.95
R-S1-571-10160/5	M10x160mm	5	5	✓	R-S1-A01	2.71
R-S1-571-10050/5	M10x50mm	5	5	✓	R-S1-A01	1.41
R-S1-571-10080/5	M10x80mm	5	5	✓	R-S1-A01	1.81

## R-NW Hex nut and washer

Hex nut and washer



Packaging



Rawplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty			
			Packs			
R-S1-NW-M16/4	M16	4	5	✓	R-S1-A01	1.50
R-S1-NW-M20/2	M20	2	5	✓	R-S1-A01	1.50

## R-MC-02 Mirror Screw

Mirror Screw Dometop



Packaging



Rawplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty			
			Packs			
R-S1-MC-02	-	20	5	✓	R-S1-A01	1.91

## R-9021 Repair washer

Repair washer



Packaging



Rawplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty			
			Packs			
R-S1-9021-06/20	M6	20	5	✓	R-S1-A01	0.93
R-S1-9021-08/20	M8	20	5	✓	R-S1-A01	1.24
R-S1-9021-10/20	M10	20	5	✓	R-S1-A01	2.17

## R-RBN Roofing bolt and nut

Roofing bolt and nut



Packaging



Rawlplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty Packs			
R-S1-RBN06080/10	M6x80mm	10	5	✓	R-S1-A01	2.83
R-S1-RBN06100/10	M6x100mm	10	5	✓	R-S1-A01	2.96
R-S1-RBN06040/25	M6x40mm	25	5	✓	R-S1-A01	3.66
R-S1-RBN06050/25	M6x50mm	25	5	✓	R-S1-A01	3.86
R-S1-RBN06060/25	M6x60mm	25	5	✓	R-S1-A01	4.21
R-S1-RBN06020/25	M6x20mm	25	5	✓	R-S1-A01	2.83
R-S1-RBN06025/25	M6x25mm	25	5	✓	R-S1-A01	3.17
R-S1-RBN06030/25	M6x30mm	25	5	✓	R-S1-A01	3.24

## R-SCDC Screw cover

Screw cover dome cap black and white



SCDC-Black



SCDC-White

Packaging



Rawlplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty Packs			
R-S1-SCDC-Black/20	-	20	5	✓	R-S1-A01	2.17
R-S1-SCDC-White/20	-	20	5	✓	R-S1-A01	2.17

## R-SCP Screw cover

Screw cover plustop white



Packaging



Rawlplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty Packs			
R-S1-SCP-White/50	-	50	5	✓	R-S1-A01	2.23

## R-SC Screw cup brass

Screw Cup Brass



Packaging



Rawplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty			
			Packs			
R-S1-SC78GBRASS/50	-	50	5	✓	R-S1-A01	3.51
R-S1-SC910BRASS/50	-	50	5	✓	R-S1-A01	3.82

## R-SC Screw Cup Nickle Plated

Screw Cup Nickle Plated



Packaging



Rawplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty			
			Packs			
R-S1-SC910NICKL/50	-	50	5	✓	R-S1-A01	4.41
R-S1-SC78GNICKL/50	-	50	5	✓	R-S1-A01	4.21

## R-436 Square plate washer

Square Plate Washer



Packaging



Rawplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty			
			Packs			
R-S1-436-12/8	M12	8	5	✓	R-S1-A01	2.77

## RPP-B1 B1 Fire Resistant Gun PU Foam

Fire Resistant Gun PU foam with EI 120 classification



### Packaging



### Approvals and Reports

- DIN 4102
- EN 13501
- EN 13501-2



Rawplug code	Colour	Volume (ml)	Quantity pcs	Packaging	Discount Group	Price Per Box £
			Box			
RPP-B1	Pink	750	12	✓	R-PU-A01	149.43

## RPP-45 B3 GUN PU Foam

Self-expanding, single component polyurethane foam adhering to all common building materials



### Packaging



### Approvals and Reports

- AT-15-9800/2016



Rawplug code	Volume (ml)	Quantity pcs	Packaging	Discount Group	Price Per Box £
		Box			
R-RPP-45-K	750	12	✓	R-PU-A01	78.02

## RPS B3 Hand Held Expanding Foam

Self-expanding, single component polyurethane foam adhering to all common building materials



### Packaging



### Approvals and Reports

- AT-15-9800/2016



Rawplug code	Volume (ml)	Quantity pcs	Packaging	Discount Group	Price Per Box £
		Box			
R-RPS-K	750	12	✓	R-PU-A01	70.77
R-RPS-500	500	12	✓	R-PU-A01	62.34

## RPP-PVC B3 Low Expansion Gun PU Foam

Low expansion formula, single component polyurethane foam with controlled expansion rate, for window frames and air tightness



### Packaging



### Approvals and Reports

- AT-15-9800/2016



Rawplug code	Quantity pcs		Packaging	Discount Group	Price Per Box €
	Box				
R-RPP-PVC	12		✓	R-PU-A01	95.90

## RPP-FIX Adhesive

PU adhesive for bonding plasterboard, polystyrene and other insulation materials and decorative substrates.



### Packaging



### Approvals and Reports

- AT-15-8153/2012



Rawplug code	Quantity pcs		Packaging	Discount Group	Price Per Box €
	Box				
R-RPP-FIX	12		✓	R-PU-A01	127.33

## RPP-MORTAR

PU mortar for thin joints designed for internal and external walls of cellular concrete in dimensional class TLMB, hollow ceramic blocks and silicate blocks



### Packaging



Rawplug code	Quantity pcs		Packaging	Discount Group	Price Per Box €
	Box				
R-RPP-MORTAR	12		✓	R-PU-A01	139.32

## R-RPC-0500 Agent for removing uncured polyurethane foams

High power cleaner for removing uncured polyurethane foams or adhesives and cleaning equipment



### Packaging



Rawplug code	Colour	Volume (ml)	Quantity pcs		Discount Group	Price Per Box €
			Box			
R-RPC-0500	transparent	500	12	✓	R-PU-A01	69.12

## RPP-GUN-NC Professional gun for expanding foams

Professional grade metal polyurethane applicator gun for use with gun foams



Packaging



Rawplug code	Quantity [pcs]	Discount Group	Packaging	Price Per Box £
	Box			
RPP-GUN-NC	1	R-PU-A01	✓	16.63

## R-FRACR-310 Acrylic Firestop acrylic compound for sealing expansion joints

Universal fire-stopping acrylic compound for expansion joint sealing



Packaging



Rawplug code	Volume (ml)	Quantity pcs	Packaging	Discount Group	Price Per Box £
		Box			
R-FRACR-310	310	12	✓	R-PU-A01	29.40

## R-FRACR-600 Acrylic Firestop compound in foil format

Fire-stopping, universal sealing compound for expansion joints, cable and pipe installation protection



R-FRACR-600



R-CFS+GUN-600

Packaging



Rawplug code	Volume (ml)	Quantity pcs	Packaging	Discount Group	Price Per Box £
		Box			
R-FRACR-600	600	12	✓	R-PU-A01	51.00
R-CFS+GUN-600	Dispenser Gun for R-FRACR-600	12	✓	R-PU-A01	26.98

## R-XPC-300 Express Cement

Express cement repair compound for repairwork for joints, cracks and chipped edges. Two nozzles attached for reuse.



SAND

GREY

Packaging



Rawplug code	Volume (ml)	Quantity pcs	Packaging	Discount Group	Price Per Unit £
		Box			
R-XPC-300-SAND-EN	300	12	✓	R-PU-A01	76.36
R-XPC-300-GREY-EN	300	12	✓	R-PU-A01	76.36

## CS Timber screws

High reliability hardened screws for timber constructions, zink plated



Packaging



Approvals and Reports

• PN-EN 14592 + A1:2012



Installation guide movie

Rawlplug code	Screw		Quantity	Packaging	Discount Group	Price Per Box £	
	Drive	Length mm					Diameter mm
CS-8080	T40	80	8.0	50	✓	B-FF-D01	27.76
CS-8100	T40	100	8.0	50	✓	B-FF-D01	34.02
CS-8120	T40	120	8.0	50	✓	B-FF-D01	40.07
CS-8140	T40	140	8.0	50	✓	B-FF-D01	48.71
CS-8160	T40	160	8.0	50	✓	B-FF-D01	56.81
CS-8180	T40	180	8.0	50	✓	B-FF-D01	68.47
CS-8200	T40	200	8.0	50	✓	B-FF-D01	77.54
CS-8220	T40	220	8.0	50	✓	B-FF-D01	90.18
CS-8240	T40	240	8.0	50	✓	B-FF-D01	101.41
CS-8260	T40	260	8.0	50	✓	B-FF-D01	113.18
CS-8280	T40	280	8.0	50	✓	B-FF-D01	140.83
CS-8300	T40	300	8.0	50	✓	B-FF-D01	152.50
CS-8320	T40	320	8.0	50	✓	B-FF-D01	158.44
CS-8340	T40	340	8.0	25	✓	B-FF-D01	102.06
CS-8360	T40	360	8.0	25	✓	B-FF-D01	96.88
CS-8380	T40	380	8.0	25	✓	B-FF-D01	116.64
CS-8400	T40	400	8.0	25	✓	B-FF-D01	134.14

## QCP High Performance wood screw with Pozi head

### Packaging



Rawplug code	Thread	Screw			Quantity	Packaging	Discount Group	Box Price Per Box £
		Drive	Diameter	Length	Box			
			mm	mm	pcs			
R-QCP-3016	Full	PZ1	3.0	16	200	✓	B-SN-A01	4.74
R-QCP-3020	Full	PZ1	3.0	20	200	✓	B-SN-A01	5.31
R-QCP-3025	Full	PZ1	3.0	25	200	✓	B-SN-A01	6.12
R-QCP-3516	Full	PZ2	3.5	16	200	✓	B-SN-A01	5.55
R-QCP-3520	Full	PZ2	3.5	20	200	✓	B-SN-A01	6.36
R-QCP-3525	Full	PZ2	3.5	25	200	✓	B-SN-A01	6.93
R-QCP-3530	Full	PZ2	3.5	30	200	✓	B-SN-A01	7.97
R-QCP-3540	Full	PZ2	3.5	40	200	✓	B-SN-A01	9.36
R-QCP-3550	Full	PZ2	3.5	50	200	✓	B-SN-A01	11.21
R-QCP-4016	Full	PZ2	4.0	16	200	✓	B-SN-A01	10.00
R-QCP-4020	Full	PZ2	4.0	20	200	✓	B-SN-A01	7.40
R-QCP-4025	Full	PZ2	4.0	25	200	✓	B-SN-A01	8.09
R-QCP-4030	Full	PZ2	4.0	30	200	✓	B-SN-A01	9.24
R-QCP-4040	Full	PZ2	4.0	40	200	✓	B-SN-A01	11.56
R-QCP-4050	Full	PZ2	4.0	50	200	✓	B-SN-A01	11.98
R-QCP-4060	Partial	PZ2	4.0	60	200	✓	B-SN-A01	14.45
R-QCP-4070	Partial	PZ2	4.0	70	200	✓	B-SN-A01	17.33
R-QCP-4080	Partial	PZ2	4.0	80	200	✓	B-SN-A01	21.02
R-QCP-4530	Full	PZ2	4.5	30	200	✓	B-SN-A01	12.59
R-QCP-4540	Full	PZ2	4.5	40	200	✓	B-SN-A01	13.18
R-QCP-4550	Full	PZ2	4.5	50	200	✓	B-SN-A01	15.61
R-QCP-4560	Partial	PZ2	4.5	60	200	✓	B-SN-A01	19.07
R-QCP-5025	Full	PZ2	5.0	25	200	✓	B-SN-A01	12.71
R-QCP-5030	Full	PZ2	5.0	30	200	✓	B-SN-A01	14.98
R-QCP-5040	Full	PZ2	5.0	40	200	✓	B-SN-A01	15.49
R-QCP-5050	Full	PZ2	5.0	50	200	✓	B-SN-A01	21.83
R-QCP-5060	Partial	PZ2	5.0	60	200	✓	B-SN-A01	23.24
R-QCP-5070	Partial	PZ2	5.0	70	200	✓	B-SN-A01	24.16
R-QCP-5080	Partial	PZ2	5.0	80	200	✓	B-SN-A01	29.39
R-QCP-5100	Partial	PZ2	5.0	100	200	✓	B-SN-A01	38.35
R-QCP-6030	Full	PZ3	6.0	30	200	✓	B-SN-A01	19.65
R-QCP-6040	Full	PZ3	6.0	40	200	✓	B-SN-A01	24.27
R-QCP-6050	Full	PZ3	6.0	50	200	✓	B-SN-A01	27.73
R-QCP-6060	Partial	PZ3	6.0	60	200	✓	B-SN-A01	32.13
R-QCP-6070	Partial	PZ3	6.0	70	200	✓	B-SN-A01	37.11
R-QCP-6080	Partial	PZ3	6.0	80	200	✓	B-SN-A01	44.95
R-QCP-6100	Partial	PZ3	6.0	100	200	✓	B-SN-A01	53.14
R-QCP-6130	Partial	PZ3	6.0	130	100	✓	B-SN-A01	48.73
R-QCP-6150	Partial	PZ3	6.0	150	100	✓	B-SN-A01	49.69

### R-RAWL-WW90CH Gas powered 1st Fix Nailer

High performance gas powered framing nailer for timber framing and roofing applications



R-RAWL-WW90

Packaging



Rawlplug code	Fastener length range	Fastener type	Dimensions	Fuel cell type	Weight	Magazine capacity	Battery charge	Shots per charge	Noise level	Packaging	Discount Group	Price Per Box £
	[mm]		[mm]		[kg]	[nail]	[h]		[dB]			
R-RAWL-WW90CH	50 - 90	Clipped head nail	367x372x108	GP1	3.4	60	2	4000	94	✓	B-TL-G01	751.14

### R-DPG, R-DRG paper collated nails with fuel cells - 1st Fix Nailer

Smooth and ring shank clipped head nails for timber framing, roofing and other timber applications. 34° paper laminated collation.



Packaging



TÜV

Service Class 2 [Min 12 Microns]

Rawlplug code	Fastener diameter	Length	Shank type	Finish	Protection	Fasteners per strip	Carton quantity	Fuel cells per carton	Packaging	Discount Group	Price Per Box £
	[mm]	[mm]				[pcs]	[pcs]	[pcs]			
<b>R-DPG</b>											
R-DPG-3190	3.1	90	Smooth	Silver Galvanised	Min. 12 microns	44	2200	2	✓	B-TL-G02	95.71
<b>R-DRG</b>											
R-DRG-2851	2.8	51	Ring	Silver Galvanised	Min. 12 microns	44	3300	3	✓	B-TL-G02	97.61
R-DRG-2863	2.8	63	Ring	Silver Galvanised	Min. 12 microns	44	3300	3	✓	B-TL-G02	107.84
R-DRG-3163	3.1	63	Ring	Silver Galvanised	Min. 12 microns	44	3300	3	✓	B-TL-G02	113.58
R-DRG-3175	3.1	75	Ring	Silver Galvanised	Min. 12 microns	44	2200	2	✓	B-TL-G02	89.51
R-DRG-3190	3.1	90	Ring	Silver Galvanised	Min. 12 microns	44	2200	2	✓	B-TL-G02	105.40

## R-DPGH, R-DRGH paper collated nails with fuel cells - 1st Fix Nailer Handy Packs

Smooth and ring shank galvanised nails for timber framing, roofing and other timber applications. 34° paper laminated collation.



Packaging



TÜV

Service Class 2 [Min 12 Microns]

Rawlplug code	Fastener diameter	Length	Head type	Shank type	Finish	Protection	Fasteners per strip	Carton quantity	Fuel cells per carton	Packaging	Discount Group	Price Per Box £
	[mm]	[mm]					[pcs]	[pcs]	[pcs]			
<b>R-DPGH</b>												
R-DPGH-3190	3.1	90	Clipped head	Smooth	Silver Galvanised	Min. 12 microns	44	1100	1	✓	B-TL-G04	55.94
<b>R-DRGH</b>												
R-DRGH-2851	2.8	51	Clipped head	Ring	Silver Galvanised	Min. 12 microns	44	1100	1	✓	B-TL-G04	33.40
R-DRGH-2863	2.8	63	Clipped head	Ring	Silver Galvanised	Min. 12 microns	44	1100	1	✓	B-TL-G04	36.97
R-DRGH-3163	3.1	63	Clipped head	Ring	Silver Galvanised	Min. 12 microns	44	1100	1	✓	B-TL-G04	42.44
R-DRGH-3175	3.1	75	Clipped head	Ring	Silver Galvanised	Min. 12 microns	44	1100	1	✓	B-TL-G04	45.65
R-DRGH-3190	3.1	90	Clipped head	Ring	Silver Galvanised	Min. 12 microns	44	1100	1	✓	B-TL-G04	59.39

## R-DRS paper collated nails with fuel cells

Ring shank Stainless steel nails for timber framing, roofing and wooden facades installation. 34° paper laminated collation.



Packaging



TÜV

Service Class 3 [Full Protection]

Rawlplug code	Fastener diameter	Length	Head type	Shank type	Finish	Protection	Fasteners per strip	Carton quantity	Fuel cells per carton	Packaging	Discount Group	Price Per Box £
	[mm]	[mm]					[pcs]	[pcs]	[pcs]			
R-DRS-2851	2.8	51	Clipped head	Ring	Stainless Steel -A2	Full protection	44	3300	3	✓	307.10	331.67
R-DRS-2863	2.8	63	Clipped head	Ring	Stainless Steel -A2	Full protection	44	3300	3	✓	362.99	392.03

## R-RAWL-A2064 Gas powered brad second fix nailer

Gas powered angled brad nailer for all second fix applications



Packaging




Rawlplug code	Fastener length range	Fastener type	Substrate	Dimensions	Fuel cell type	Weight	Magazine capacity	Battery charge	Shots per charge	Noise level	Packaging	Discount Group	Price Per Box £
	[mm]			[mm]		[kg]	[nail]	[h]		[dB]			
R-RAWL-A2064	32 - 64	16 gauge angled brad	Timber	320x280x86	GP4	2.15	100	2	4500	92	✓	B-TL-G01	774.47

All products listed in this publication are branded and distributed with RAWLPLUG® or RAWL® trademarks.

## Angled brad nails

16 gauge angled brad nails for all second fix applications. 20° glue laminated collation.



Packaging



Service Class 1

Rawlplug code	Gauge	Length	Finish	Fasteners per strip	Carton quantity	Fuel cells per carton	Packaging	Discount Group	Price Per Box £
		mm		pcs	pcs	pcs			
BRADS2032	16 Gauge	32	Galvanised	50	2000	2	✓	B-TL-G04	26.41
BRADS2038	16 Gauge	38	Galvanised	50	2000	2	✓	B-TL-G04	27.29
BRADS2045	16 Gauge	45	Galvanised	50	2000	2	✓	B-TL-G04	28.83
BRADS2050	16 Gauge	50	Galvanised	50	2000	2	✓	B-TL-G04	30.15
BRADS2064	16 Gauge	64	Galvanised	50	2000	2	✓	B-TL-G04	33.09

## R-RAWL-B1664 Gas powered brad second fix nailer

Gas powered straight brad nailer for all second fix applications



Packaging



Rawlplug code	Fastener length range	Fastener type	Substrate	Dimensions	Fuel cell type	Weight	Magazine capacity	Battery charge	Shots per charge	Noise level	Packaging	Discount Group	Price Per Box £
	[mm]			[mm]		[kg]	[nail]	[h]		[dB]			
R-RAWL-B1664	19 - 64	16 gauge straight brad	Timber	315x274x86	GP4	2.15	100	2	4500	92	✓	B-TL-G01	774.47

## Straight brad nails

16 gauge straight brad nails for all second fix applications



Packaging



Service Class 1

Rawlplug code	Gauge	Length	Finish	Collation	Fasteners per strip	Carton quantity	Fuel cells per carton	Packaging	Discount Group	Price Per Box £
		mm			pcs	pcs	pcs			
BRADS1619	16 Gauge	19	Galvanised	0° glue laminated	50	2000	2	✓	B-TL-G04	22.78
BRADS1625	16 Gauge	25	Galvanised	0° glue laminated	50	2000	2	✓	B-TL-G04	22.93
BRADS1632	16 Gauge	32	Galvanised	0° glue laminated	50	2000	2	✓	B-TL-G04	23.09
BRADS1638	16 Gauge	38	Galvanised	0° glue laminated	50	2000	2	✓	B-TL-G04	23.31
BRADS1645	16 Gauge	45	Galvanised	0° glue laminated	50	2000	2	✓	B-TL-G04	24.04
BRADS1650	16 Gauge	50	Galvanised	0° glue laminated	50	2000	2	✓	B-TL-G04	30.00
BRADS1664	16 Gauge	64	Galvanised	0° glue laminated	50	2000	2	✓	B-TL-G04	27.89

## R-RAWL-SC40II Gas powered steel and concrete nailer

High performance gas powered steel and concrete nailer. For Drylining & M&E applications



Packaging



Rawplug code	Fastener length range	Fastener type	Substrate	Dimensions	Fuel cell type	Weight	Magazine capacity	Battery charge	Shots per charge	Noise level	Packaging	Discount Group	Price Per Box £
	[mm]			[mm]		[kg]				[dB]			
R-RAWL-SC40II	15 - 40	Round head pin	Concrete & Steel	395 x 355 x 120	GPS	3.4	30	2	8000	94	✓	B-TL-G01	950.00

## R-KNC, R-KSC plastic collated concrete pins with fuel cells

Pins for the R-RAWL-SC40, concrete applications and for lightweight steel structures

Packaging



Plastic collated pins for concrete with fuel cells

Rawplug code	Fastener diameter	Length	Head type	Shank type	Finish	Collation method	Fasteners per strip	Box quantity	Fuel cells per carton	Packaging	Discount Group	Price Per Box £
	[mm]	[mm]					[pcs]	[pcs]	[pcs]			
R-KNC-6/22/500	2.7	22	Full Round	Smooth	5 microns electro galv	Plastic collated	10	500	1	✓	B-TL-G05	79.92
R-KNC-6/25/500	2.7	25	Full Round	Smooth	5 microns electro galv	Plastic collated	10	500	1	✓	B-TL-G05	79.92
R-KNC-6/27/500	2.7	27	Full Round	Smooth	5 microns electro galv	Plastic collated	10	500	1	✓	B-TL-G05	79.92
R-KNC-6/32/500	2.7	32	Full Round	Smooth	5 microns electro galv	Plastic collated	10	500	1	✓	B-TL-G05	79.92
R-KNC-6/38/500	2.7	38	Full Round	Smooth	5 microns electro galv	Plastic collated	10	500	1	✓	B-TL-G05	79.92

Plastic collated pins for steel with fuel cells

Rawplug code	Fastener diameter	Length	Head type	Head diameter	Shank type	Finish	Collation	Fuel Cell	Quantity Box	Packaging	Discount Group	Price Per Box £
	[mm]	[mm]		[mm]					[pcs]			
R-KSC-6/17/500	2.7	17	Full Round	-	Smooth	5 microns electro galv	Plastic collated	1	500	✓	B-TL-G05	79.92
R-KSC-6/19/500	2.7	19	Full Round	-	Smooth	5 microns electro galv	Plastic collated	1	500	✓	B-TL-G05	79.92

## R-FP Single plastic clip

Single plastic clip for MEP applications



Packaging



Rawplug code	Internal Diameter	Outer Weight	Box Weight	Bag Quantity	Packaging	Discount Group	Price Per Box £
	[mm]	[kg]	[kg]	[pcs]			
R-FP-16	16	3.60	0.23	100	✓	B-TL-G01	POA
R-FP-18	18	7.52	0.47	100	✓	B-TL-G01	28.58
R-FP-20	20	8.00	0.50	100	✓	B-TL-G01	POA
R-FP-22	22	8.80	0.55	100	✓	B-TL-G01	33.84
R-FP-25	25	5.80	0.58	100	✓	B-TL-G01	POA
R-FP-28	28	0.75	0.08	100	✓	B-TL-G01	39.23
R-FP-32	32	2.64	0.17	50	✓	B-TL-G01	POA

## R-PCC Pipe and cable clip

Ajustable pipe and cable clip for MEP applications



Packaging



Rawplug code	Internal Diameter	Dimintions	Operational Temperatures	Bag Quantity	Packaging	Discount Group	Price Per Box £
	[mm]	[mm]	[°C]	[pcs]			
R-PCC-18-B100	14 - 18	20x24x35.6	-10 - +90	100	✓	B-TL-G01	POA
R-PCC-25-B50	20 - 25	20x29x45.5	-10 - +90	50	✓	B-TL-G01	POA
R-PCC-32-8B50	26 - 32	20x36x53.6	-10 - +90	50	✓	B-TL-G01	POA
R-PCC-42-B25	35 - 42	20x45x66.4	-10 - +90	25	✓	B-TL-G01	POA

## R-UTC Pipe and cable clip

Ajustable pipe and cable clip for MEP applications



Packaging



Rawplug code	Internal Diameter	Outer Weight	Box Weight	Bag Quantity	Packaging	Discount Group	Price Per Box £
	[mm]	[kg]	[kg]	[pcs]			
R-UTC-16-B100	16	5.93	0.40	100	✓	B-TL-G01	POA
R-UTC-20-B100	20	0.06	0.00	100	✓	B-TL-G01	POA
R-UTC-25-B100	25	8.31	0.55	100	✓	B-TL-G01	POA
R-UTC-32-B50	32	6.12	0.41	50	✓	B-TL-G01	POA
R-UTC-40-B50	40	7.39	0.49	50	✓	B-TL-G01	POA

## R-TPC Plastic clip for twin and earth cable

Plastic clip for installing 17mm twin and earth cable



Packaging



Rawplug code	Width	Outer Weight	Box Weight	Bag Quantity	Packaging	Discount Group	Price Per Box €
	[mm]	[kg]	[kg]	[pcs]			
R-TPC-17	17.5	0.25	0.03	100	✓	B-TL-G01	24.68

## R-TPLC Plastic clip for twin and earth cable

Plastic clip for installing twin and earth cable



Packaging



Rawplug code	Width	Outer Weight	Box Weight	Bag Quantity	Packaging	Discount Group	Price Per Box €
	[mm]	[kg]	[kg]	[pcs]			
R-TPLC-25	25.5	0.55	0.06	100	✓	B-TL-G01	50.00

## R-FPD Double plastic Clip

Double plastics clip for MEP applications



Packaging



Rawplug code	Diameter	Outer Weight	Box Weight	Bag Quantity	Packaging	Discount Group	Price Per Box €
	[mm]	[kg]	[kg]	[pcs]			
R-FPD-16	16	5.20	0.52	100	✓	B-TL-G01	47.44
R-FPD-20	20	2.80	0.18	50	✓	B-TL-G01	POA
R-FPD-25	25	2.45	0.25	50	✓	B-TL-G01	44.69

## R-DFT Double metal clip for low voltage fire protection system

Double metal clip for low voltage electric installations



Packaging



Rawplug code	Internal Diameter	Class Fire Reaction	Outer Weight	Box Weight	Bag Quantity	Packaging	Discount Group	Price Per Box €
	[mm]	[min]	[kg]	[kg]	[pcs]			
R-DFT-6	6	90	14.40	0.90	100	✓	B-TL-G01	47.85
R-DFT-8	8	90	14.72	0.92	100	✓	B-TL-G01	51.92
R-DFT-10	10	90	7.50	0.50	100	✓	B-TL-G01	53.05

## R-FT Single metal clip for pipe installation

Single metal clip for MEP applications



Packaging



Rawlplug code	Internal Diameter	Outer Weight	Box Weight	Bag Quantity	Packaging	Discount Group	Price Per Box £
	[mm]	[kg]	[kg]	[pcs]			
R-FT-10	10	4.48	0.28	100	✓	B-TL-G01	15.21
R-FT-16	16	7.50	0.50	100	✓	B-TL-G01	POA
R-FT-18	18	9.75	0.65	100	✓	B-TL-G01	24.54
R-FT-20	20	13.80	0.92	100	✓	B-TL-G01	POA
R-FT-22	22	11.00	1.10	100	✓	B-TL-G01	35.16
R-FT-25	25	11.40	1.14	100	✓	B-TL-G01	38.29
R-FT-28	28	13.70	1.37	100	✓	B-TL-G01	POA
R-FT-32	32	15.50	1.55	100	✓	B-TL-G01	POA

## R-WDC Double cable bow

Double plastic cable for wiring and electrical installations



Packaging



Rawlplug code	Width	Length	Outer Weight	Box Weight	Bag Quantity	Packaging	Discount Group	Price Per Box £
	[mm]	[mm]	[kg]	[kg]	[pcs]			
R-WDC	76.5	234	5.0	0.50	100	✓	B-TL-G01	88.50

## R-WSC Single cable bow

Single plastic cable for wiring and electrical installations




Packaging



Rawlplug code	Width	Length	Outer Weight	Box Weight	Bag Quantity	Packaging	Discount Group	Price Per Box £
	[mm]	[mm]	[kg]	[kg]	[pcs]			
R-WSC	76.5	127	1.25	0.13	100	✓	B-TL-G01	110.04

## R-HEX

Base plate for use with cable ties



Packaging



Rawlplug code	Width	Length	Outer Weight	Box Weight	Bag Quantity	Packaging	Discount Group	Price Per Box £
	[mm]	[mm]	[kg]	[kg]	[pcs]			
R-HEX						✓	B-TL-G01	POA

# DIRECT FASTENING SYSTEMS

## R-RAWL-GP1 & R-RAWL-GP5

R-RAWL-GP1 fuel cell for use in R-RAWL-WW90CH gas nailer. R-RAWL-GP5 fuel cell for use in R-RAWL-SC40ll gas nailer



### Packaging



Rawplug code	Fuel type	Lubrication	Size	Weight	Operating temperatures	Efficiency	Packaging	Discount Group	Price Per Box £
			[mm]	[g]	[°C]	[shots]			
R-RAWL-GP1	Propane & Butane	Yes	165	40	-5 - 35	min. 1100	✓	B-TL-G03	6.90
R-RAWL-GP5	Propane & Butane	Yes	-	-	-	-	✓	B-TL-G03	5.92

## R-RAWL-GP4-2BL

Fuel cell x2 for use in R-RAWL-A2064 or R-RAWL-B1664 second fix nailers



### Packaging



Rawplug code	Fuel type	Lubrication	Size	Weight	Operating temperatures	Efficiency	Packaging	Discount Group	Price Per Box £
			[mm]	[g]	[°C]	[shots]			
SP-RAWL-GP-4PLAINBX	Propane & Butane	Yes	30	20	-5 - 35	min. 1000 shots	✓	B-TL-G03	13.21

## Tool Cleaning Kit

Cleaning kit for the Rawplug Direct fastening products




### Packaging



Rawplug code	Product Size	Product QTY in Pack	Min Order	Packaging	Discount Group	Price Per Product £
			Qty			
			Packs			
R-KIT-WW90/SC40	-	1	1	✓	B-TL-G01	24.98

All products listed in this publication are branded and distributed with RAWLPLUG® or RAWL® trademarks.



## RAWLPLUG TOOL SERVICING DISCLAIMER

### Service within Warranty Period

Once the Rawlplug Tool has fired in excess of 40,000 shots, there may be a need for a service. This is a chargeable general maintenance service and is not included in the warranty period issued with tool on purchase. The general maintenance of the tool is the responsibility of the owner.

### Warranty Return

If your Tool develops a fault within the warranty period you should return to the place of purchase, please include the proof of purchase. The tool will then be returned to Rawlplug to be assessed by our Technical Team. Once repaired or serviced it will be returned to the place of purchase. Please note if there was no fault but just needed a service this will be chargeable will then be assessed by our Technical Team. The tool will be returned to the point of collection.

### Repair or Service outside of Warranty

If your Rawlplug Gas Tool requires a repair, due to a fault or your tool is outside of the warranty period and requires a service, please send it direct to:

**Tool Return Dept, Rawlplug Ltd, Skibo Drive, Thornliebank Ind. Est. Glasgow G46 8JR.**

For any of the above options there will be a supplementary cost dependent on the tools condition.

**For more information on servicing and warranty returns, please contact our Tool Return Department via [service@rawlplug.co.uk](mailto:service@rawlplug.co.uk), or call 0141 638 7961**

## RT-BIT-ADAP/2M Bit holder with 2 magnets

Bit holder with 2 magnets precisely holds the screws during application in a variety of substrates

Packaging



Rawplug code	Size	Length	Packaging	Discount Group	Price Per Box £
		[mm]			
RT-BIT-ADAP/2M	1/4" 6.35	60	✓	R-RT-A01	15.04

## RT-BIT-ADAP/60 Bit holder

Holder for 1/4" bits with a powerful internal magnet

Packaging



Rawplug code	Length	Quantity	Packaging	Discount Group	Price Per Box £
	[mm]	[pcs]			
RT-BIT-ADAP/60	60	1	✓	R-RT-A01	3.59

## RT-IBIT-T T type impact screwdriver bits

Impact adapter designed for use with impact bits, for screwing screws and other fastening applications

Packaging



Rawplug code	Length	Dimensions	Quantity	Packaging	Discount Group	Price Per Box £
	[mm]	[mm]	[pcs]			
RT-IBIT-ADAP/58	58	1/4" 6.35	1	✓	R-RT-A01	2.94

## RT-BIT-ADAP/QC Bit holder Quick Change

Bit holder with quick bit replacement when working with large amounts of various screws

Packaging



Rawplug code	Size	Length	Packaging	Discount Group	Price Per Box £
		[mm]			
RT-BIT-ADAP/QC	1/4" 6.35	60	1	R-RT-A01	14.70

## RT-BIT-ADAP/SDS Bit holder SDS plus

Adapter for bits to enable screw driving with the use of corded and cordless rotary hammer SDS plus



Packaging



Rawplug code	Size	Length	Quantity	Packaging	Discount Group	Price Per Box £
		[mm]	[pcs]			
RT-BIT-ADAP/SDS	1/4" 6.35	78	1	✓	R-RT-A01	10.76

## RT-BIT-PH Phillips screwdriver bits

Phillips screwdriver bits with precision milled head



Packaging



Rawplug code	Size	Length	Quantity	Packaging	Discount Group	Price Per Box £
		[mm]	[pcs]			
RT-BIT-PH1/25	PH1	25	20	✓	R-RT-A01	9.46
RT-BIT-PH2/25	PH2	25	20	✓	R-RT-A01	10.22
RT-BIT-PH2/50	PH2	50	10	✓	R-RT-A01	13.85

## RT-BIT-PZ Pozidriv screwdriver bits

Pozidriv screwdriver bits with precision milled head



Packaging



Rawplug code	Size	Length	Quantity	Packaging	Discount Group	Price Per Box £
		[mm]	[pcs]			
RT-BIT-PZ1/25	PZ1	25	20	✓	R-RT-A01	9.12
RT-BIT-PZ2/25	PZ2	25	20	✓	R-RT-A01	10.11
RT-BIT-PZ2/50	PZ2	50	10	✓	R-RT-A01	13.85
RT-BIT-PZ3/25	PZ3	25	20	✓	R-RT-A01	9.02

## RT-BIT-SET1 Bits set

High quality bits set



Packaging



Rawplug code	Length	Quantity	Size	Packaging	Discount Group	Price Per Box £
	[mm]	[pcs]				
RT-BIT-SET1	25	1	PH1, PH2, PH3, PZ1, PZ2, PZ3, T20, T30, H4, ADAPTER 60 MM		R-RT-A01	16.58

## RT-BIT-TORX T type screwdriver bits

T type screwdriver bits with precision milled head



Packaging



Rawplug code	Size	Length	Quantity	Packaging	Discount Group	Price Per Box €
		[mm]	[pcs]			
RT-BIT-TORX25/25	T20	25	20	✓	R-RT-A01	9.81
RT-BIT-TORX30/25	T30	25	20	✓	R-RT-A01	10.01
RT-BIT-TORX40/25	T40	25	20	✓	R-RT-A01	9.81

## RT-BIT-TORX25 T25 long screwdriver bits

Special long screwdriver bits designed for roof fixings applications



RT-BIT-TORX25 T25

Packaging



Rawplug code	Size	Length	Quantity	Packaging	Discount Group	Price Per Box €
		[mm]	[pcs]			
RT-BIT-TORX25/100	T25	100	1	✓	R-RT-A01	3.34
RT-BIT-TORX25/150	T25	150	1	✓	R-RT-A01	5.17
RT-BIT-TORX25/200	T25	200	1	✓	R-RT-A01	6.77
RT-BIT-TORX25/250	T25	250	1	✓	R-RT-A01	8.12
RT-BIT-TORX25/350	T25	350	1	✓	R-RT-A01	9.86
RT-BIT-TORX25/450	T25	450	1	✓	R-RT-A01	15.74

## RT-CHUCK/13 Chuck with key

Chuck with key for use with impact and non-impact drills up to 900W



Packaging



Rawplug code	Dimensions	Quantity	Packaging	Discount Group	Price Per Box €
	[mm]	[pcs]			
RT-CHUCK/13	1,5 - 13	1	✓	R-RT-A01	7.87

## RT-CHUCKADAPT Adapter SDS plus 1/2"

Adapter used for non-impact drilling with an SDS plus hammer drills



Packaging



Rawlplug code	Diameter	Quantity	Packaging	Discount Group	Price Per Box €
	[mm]	[pcs]			
RT-CHUCKADAPT	13	1	✓	R-RT-A01	2.69

## RT-CHUCKSET/1 Set of chuck and adapter SDS plus

Drill chuck and adapter used for non-impact drilling with an SDS Plus hammer drill



Packaging



Rawlplug code	Diameter	Quantity	Packaging	Discount Group	Price Per Box €
	[mm]	[pcs]			
RT-CHUCKSET/1	13	1	✓	R-RT-A01	9.51

## RT-CHUCK-UNIVKEY Key for chucks

Key for tightening drill chucks



Packaging



Rawlplug code	Diameter	Quantity	Packaging	Discount Group	Price Per Box €
	[mm]	[pcs]			
RT-CHUCK-UNIVKEY	13	1	✓	R-RT-A01	1.70

## RT-KLESSCHUCK/13 Keyless chuck

Keyless chuck for use with impact and non-impact drills up to 900W



Packaging



Rawlplug code	Diameter	Quantity	Packaging	Discount Group	Price Per Box €
	[mm]	[pcs]			
RT-KLESSCHUCK/13	13	1	✓	R-RT-A01	17.59

## RT-JSB-M Jigsaw blades for metal cutting

Jigsaw blades for easy cutting of sheet metal, ferrous and non-ferrous metals



**Bosch Code:**  
T118B


**Packaging**



Rawlplug code	Length	Working length	Quantity	Tooth spacing	Cutting	Packaging	Discount Group	Price Per Box €
	[mm]	[mm]	[pcs]	[mm]				
RT-JSB-M07VF	77	50	1	0.8	0.7-2.0	✓	R-RT-A01	5.48
RT-JSB-M12F	77	50	1	1.2	1.5-3.0	✓	R-RT-A01	5.48
RT-JSB-M2M	77	50	1	2.0	>2.5	✓	R-RT-A01	5.48

## RT-JSB-B112 Jigsaw blade for clean and finishing wood cutting

Jigsaw blade for straight, clean and finishing cutting of wood and wood-based materials



**Bosch Code:**  
T142HB


**Packaging**



Rawlplug code	Length	Working length	Quantity	Tooth spacing	Cutting	Packaging	Discount Group	Price Per Box €
	[mm]	[mm]	[pcs]	[mm]				
RT-JSB-B112	110	80	1	2.3	10-50	✓	R-RT-A01	2.30

## RT-JSB-MW1AS Jigsaw blades set

A set of jigsaw blades designed for cutting wood, wood-based materials, ferrous and non-ferrous metals



**Packaging**



**Bosch Code:**  
T118A, T118B, T144D, T111C & T010B

Rawlplug code	Carton quantity	Packaging	Discount Group	Price Per Box €
	[pcs]			
RT-JSB-MW1AS	1	✓	R-RT-A01	4.22

## RT-JSB-W2F Jigsaw blades for wood cutting

Jigsaw blades for precise and clean cutting of wood and wood-based materials



**Bosch Code:**  
T101AO

**Packaging**



Rawplug code	Length	Working length	Quantity	Tooth spacing	Cutting	Packaging	Discount Group	Price Per Box €
	[mm]	[mm]	[pcs]	[mm]				
RT-JSB-W2F	77	50	1	1.4	3-20	✓	R-RT-A01	4.22

## RT-JSB-W2MR Jigsaw blades for furniture panels cutting

Jigsaw blades with inverted teeth for straight and clean cutting of kitchen countertops and furniture panels



**Bosch Code:**  
T101BR

**Packaging**



Rawplug code	Length	Working length	Quantity	Tooth spacing	Cutting	Packaging	Discount Group	Price Per Box €
	[mm]	[mm]	[pcs]	[mm]				
RT-JSB-W2MR	100	75	1	2.5	3-30	✓	R-RT-A01	4.17

## RT-JSB-W Jigsaw blades for wood cutting

Jigsaw blades for straight and fast cutting of wood and wood-based materials



**Bosch Code:**  
T101B

**Packaging**



Rawplug code	Length	Working length	Quantity	Tooth spacing	Cutting	Packaging	Discount Group	Price Per Box €
	[mm]	[mm]	[pcs]	[mm]				
RT-JSB-W4C	100	75	1	4	10-50	✓	R-RT-A01	4.22
RT-JSB-W2M	100	75	1	2.5	3-30	✓	R-RT-A01	4.22
RT-JSB-W4U	100	75	1	4	4-50	✓	R-RT-A01	3.23
RT-JSB-W3RC	100	75	1	3	4-50	✓	R-RT-A01	2.26
RT-JSB-W2VF	77	50	1	2	2-15	✓	R-RT-A01	2.26

## RT-JSB-M150C Reciprocating saw blades

Reciprocating saw blades for easy cutting of sheet metal, ferrous and non-ferrous metals



**Bosch Code:**  
S922HF

**Packaging**



Rawplug code	Length	Working length	Quantity	Tooth spacing	Cutting	Packaging	Discount Group	Price Per Box €
	[mm]	[mm]	[pcs]	[mm]				
RT-JSB-M150C	150	130	1	2.5	5-10	✓	R-RT-A01	13.59

## RT-JSB-M150M Reciprocating saw blades

Reciprocating saw blades for easy cutting of sheet metal, ferrous and non-ferrous metals

Packaging



Rawplug code	Length	Working length	Quantity	Tooth spacing	Cutting	Packaging	Discount Group	Price Per Box £
	[mm]	[mm]	[pcs]	[mm]				
RT-JSB-M150M	150	130	1	1.8	3-8	✓	R-RT-A01	13.59

## RT-JSB-W150M Reciprocating saw blades

**Bosch Code:**  
S922BF

Reciprocating saw blades for cutting beams, planks, wooden panels and all wood-based materials

Packaging



**Bosch Code:**  
S644D

Rawplug code	Length	Working length	Quantity	Tooth spacing	Cutting	Packaging	Discount Group	Price Per Box £
	[mm]	[mm]	[pcs]	[mm]				
RT-JSB-W150M	152	132	1	4	6-100	✓	R-RT-A01	8.99

## RT-JSB-W225C Reciprocating saw blades

Reciprocating saw blades for cutting beams, planks and all wood-based materials

Packaging



**Bosch Code:**  
S1111K

Rawplug code	Length	Working length	Quantity	Tooth spacing	Cutting	Packaging	Discount Group	Price Per Box £
	[mm]	[mm]	[pcs]	[mm]				
RT-JSB-W225C	225	210	1	8.5	20-175	✓	R-RT-A01	9.54

## RT-JSB-W240P Reciprocating saw blades

Reciprocating saw blades designed for cutting wet wood, branches and firewood

Packaging



**Bosch Code:**  
S1531L

Rawplug code	Length	Working length	Quantity	Tooth spacing	Cutting	Packaging	Discount Group	Price Per Box £
	[mm]	[mm]	[pcs]	[mm]				
RT-JSB-W240P	240	220	1	5	20-175	✓	R-RT-A01	13.09

## RT-AWD Auger bits

Auger bits for fast drilling in wood, without the need of applying much force



### Packaging



Rawlplug code	Drill diameter x Length	Pack quantity	Packaging	Discount Group	Price Per Box £
	[mm]	[pcs]			
RT-AWD-100-400	10x400	1	✓	R-RT-A01	6.27
RT-AWD-120-400	12x400	1	✓	R-RT-A01	7.38
RT-AWD-140-400	14x400	1	✓	R-RT-A01	8.56
RT-AWD-160-400	16x400	1	✓	R-RT-A01	9.57
RT-AWD-180-400	18x400	1	✓	R-RT-A01	10.95
RT-AWD-200-400	20x400	1	✓	R-RT-A01	13.25
RT-AWD-220-400	22x400	1	✓	R-RT-A01	14.70
RT-AWD-240-400	24x400	1	✓	R-RT-A01	17.44
RT-AWD-260-400	26x400	1	✓	R-RT-A01	19.77
RT-AWD-280-400	28x400	1	✓	R-RT-A01	20.82
RT-AWD-300-400	30x400	1	✓	R-RT-A01	22.46

## RT-FLWD Flat drill bits

Flat drill bits with a reinforced shank for a fast drilling of holes, high in diameter, in wood and wood-based materials



### Packaging



Rawlplug code	Drill diameter x Length	Pack quantity	Packaging	Discount Group	Price Per Box £
	[mm]	[pcs]			
RT-FLWD-100-152	10x152	1	✓	R-RT-A01	2.84
RT-FLWD-120-152	12x152	1	✓	R-RT-A01	2.89
RT-FLWD-140-152	14x152	1	✓	R-RT-A01	3.03
RT-FLWD-160-152	16x152	1	✓	R-RT-A01	3.14
RT-FLWD-180-152	18x152	1	✓	R-RT-A01	3.28
RT-FLWD-200-152	20x152	1	✓	R-RT-A01	3.34
RT-FLWD-220-152	22x152	1	✓	R-RT-A01	3.53
RT-FLWD-240-152	24x152	1	✓	R-RT-A01	3.68
RT-FLWD-260-152	26x152	1	✓	R-RT-A01	3.89
RT-FLWD-280-152	28x152	1	✓	R-RT-A01	3.94
RT-FLWD-300-152	30x152	1	✓	R-RT-A01	4.38
RT-FLWD-320-152	32x152	1	✓	R-RT-A01	4.88

## RT-HSSP HSS drill bits

Ground HSS drill bits for a precise drilling in steel and non-ferrous metal



### Packaging



Rawplug code	Drill diameter x Length	Pack quantity	Packaging	Discount Group	Price Per Box €
	[mm]	[pcs]			
RT-HSSP-015	1.5x40	3	✓	R-RT-A01	1.10
RT-HSSP-020	2x49	3	✓	R-RT-A01	1.19
RT-HSSP-025	2.5x57	3	✓	R-RT-A01	1.25
RT-HSSP-030	3x61	3	✓	R-RT-A01	1.64
RT-HSSP-035	3.5x70	2	✓	R-RT-A01	1.70
RT-HSSP-040	4x75	2	✓	R-RT-A01	1.89
RT-HSSP-045	4.5x80	2	✓	R-RT-A01	2.19
RT-HSSP-050	5x86	2	✓	R-RT-A01	2.49
RT-HSSP-055	5.5x93	1	✓	R-RT-A01	1.79
RT-HSSP-060	6x93	1	✓	R-RT-A01	1.99
RT-HSSP-065	6.5x101	1	✓	R-RT-A01	2.14
RT-HSSP-070	7x109	1	✓	R-RT-A01	2.49
RT-HSSP-080	8x117	1	✓	R-RT-A01	3.24
RT-HSSP-090	9x125	1	✓	R-RT-A01	3.94
RT-HSSP-100	10x133	1	✓	R-RT-A01	4.83
RT-HSSP-110	11x142	1	✓	R-RT-A01	5.58
RT-HSSP-120	12x151	1	✓	R-RT-A01	6.67
RT-HSSP-130	13x151	1	✓	R-RT-A01	7.57

## RT-IMP Masonry drill bits Impactor

High-quality masonry drill bits consuming 20% less battery power while drilling hammer Cordless drill



### Packaging



Rawplug code	Drill diameter x Length	Pack quantity	Packaging	Discount Group	Price Per Box €
	[mm]	[pcs]			
RT-IMP-050-150	5 x 150	1	✓	R-RT-A01	3.53
RT-IMP-055-150	5.5 x 150	1	✓	R-RT-A01	3.53
RT-IMP-060-100	6 x 100	1	✓	R-RT-A01	1.70
RT-IMP-060-150	6 x 150	1	✓	R-RT-A01	3.14
RT-IMP-065-150	6.5 x 150	1	✓	R-RT-A01	3.53
RT-IMP-070-100	7 x 100	1	✓	R-RT-A01	1.84
RT-IMP-070-150	7 x 150	1	✓	R-RT-A01	3.79
RT-IMP-080-150	8 x 150	1	✓	R-RT-A01	3.49
RT-IMP-080-300	8 x 300	1	✓	R-RT-A01	6.53
RT-IMP-100-150	10 x 150	1	✓	R-RT-A01	3.99
RT-IMP-100-300	10 x 300	1	✓	R-RT-A01	8.41
RT-IMP-120-300	12 x 300	1	✓	R-RT-A01	8.81
RT-IMP-140-300	14 x 300	1	✓	R-RT-A01	9.91

## R-BF Blue Flash Masonry drill bits

Masonry drill bits for drilling into common types of masonry



Packaging



Rawlplug code	Drill diameter x Length	Pack quantity	Packaging	Discount Group	Price Per Box £
	[mm]	[pcs]			
R-BF-05085	5x85	1	✓	R-RT-A01	12.58
R-BF-55085	5.5x85	1	✓	R-RT-A01	12.58
R-BF-55150	5.5x150	1	✓	R-RT-A01	14.17
R-BF-06100	6x100	1	✓	R-RT-A01	13.02
R-BF-06150	6x150	1	✓	R-RT-A01	14.70
R-BF-65150	6.5x150	1	✓	R-RT-A01	15.42
R-BF-07100	7x100	1	✓	R-RT-A01	14.36
R-BF-07150	7x150	1	✓	R-RT-A01	16.14
R-BF-08120	8x120	1	✓	R-RT-A01	16.09
R-BF-08150	8x150	1	✓	R-RT-A01	20.63
R-BF-12150	12x150	1	✓	R-RT-A01	29.68

## RT-SDSA Drill bits Aggressor SDS plus

Drill bits SDS plus for fast drilling in concrete



Packaging



Rawlplug code	Drill diameter	Length	Working length	Quantity	Packaging	Discount Group	Price Per Box £
	[mm]	[mm]	[mm]	[pcs]			
RT-SDSA-5/160	5	160	100	1	✓	R-RT-A01	4.63
RT-SDSA-5/210	5	210	150	1	✓	R-RT-A01	6.37
RT-SDSA-5/310	5	310	250	1	✓	R-RT-A01	12.85
RT-SDSA-5/360	5	360	250	1	✓	R-RT-A01	11.90
RT-SDSA-5/460	5	460	400	1	✓	R-RT-A01	14.95
RT-SDSA-5.5/160	5.5	160	100	1	✓	R-RT-A01	4.98
RT-SDSA-5.5/260	5.5	260	200	1	✓	R-RT-A01	7.57
RT-SDSA-6/110	6	110	50	1	✓	R-RT-A01	3.59
RT-SDSA-6/160	6	160	100	1	✓	R-RT-A01	3.64
RT-SDSA-6/210	6	210	150	1	✓	R-RT-A01	5.58
RT-SDSA-6/260	6	260	200	1	✓	R-RT-A01	8.42
RT-SDSA-7/160	7	160	100	1	✓	R-RT-A01	4.73
RT-SDSA-8/160	8	160	100	1	✓	R-RT-A01	4.23
RT-SDSA-8/210	8	210	150	1	✓	R-RT-A01	5.58
RT-SDSA-8/260	8	260	200	1	✓	R-RT-A01	7.57
RT-SDSA-10/160	10	160	100	1	✓	R-RT-A01	5.89
RT-SDSA-10/210	10	210	150	1	✓	R-RT-A01	6.62
RT-SDSA-10/260	10	260	200	1	✓	R-RT-A01	8.02
RT-SDSA-10/310	10	310	250	1	✓	R-RT-A01	9.36
RT-SDSA-10/460	10	460	400	1	✓	R-RT-A01	19.56
RT-SDSA-12/160	12	160	100	1	✓	R-RT-A01	7.23

## RT-SDSA Drill bits Aggressor SDS plus Cont.

Rawlplug code	Drill diameter	Length	Working length	Quantity	Packaging	Discount Group	Price Per Box £
	[mm]	[mm]	[mm]	[pcs]			
RT-SDSA-12/210	12	210	150	1	✓	R-RT-A01	7.42
RT-SDSA-12/260	12	260	200	1	✓	R-RT-A01	8.96
RT-SDSA-12/310	12	310	250	1	✓	R-RT-A01	11.06
RT-SDSA-12/460	12	460	400	1	✓	R-RT-A01	14.79
RT-SDSA-12/1000	12	1000	940	1	✓	R-RT-A01	47.33
RT-SDSA-14/210	14	210	150	1	✓	R-RT-A01	9.67
RT-SDSA-14/260	14	260	200	1	✓	R-RT-A01	11.60
RT-SDSA-14/460	14	460	400	1	✓	R-RT-A01	17.14
RT-SDSA-16/210	16	210	150	1	✓	R-RT-A01	13.75
RT-SDSA-16/260	16	260	200	1	✓	R-RT-A01	14.00
RT-SDSA-16/310	16	310	250	1	✓	R-RT-A01	18.01
RT-SDSA-16/460	16	460	400	1	✓	R-RT-A01	24.86
RT-SDSA-16/1000	16	1000	940	1	✓	R-RT-A01	47.92
RT-SDSA-18/310	18	310	250	1	✓	R-RT-A01	24.09
RT-SDSA-18/460	18	460	400	1	✓	R-RT-A01	24.86
RT-SDSA-20/460	20	460	400	1	✓	R-RT-A01	31.18
RT-SDSA-24/460	24	460	400	1	✓	R-RT-A01	48.39
RT-SDSA-26/460	26	460	400	1	✓	R-RT-A01	47.27
RT-SDSA-30/460	30	460	400	1	✓	R-RT-A01	132.25

## RT-SDSR Drill bits Rebardrill SDS plus

High-quality SDS plus drill bits for drilling in reinforced concrete



Packaging



Rawlplug code	Drill diameter	Length	Working length	Quantity	Packaging	Discount Group	Price Per Box €
	[mm]	[mm]	[mm]	[pcs]			
RT-SDSR-5/160	5	160	100	1	✓	R-RT-A01	9.34
RT-SDSR-5/210	5	210	150	1	✓	R-RT-A01	9.31
RT-SDSR-6/160	6	160	100	1	✓	R-RT-A01	6.32
RT-SDSR-6/210	6	210	100	1	✓	R-RT-A01	6.53
RT-SDSR-7/160	7	160	100	1	✓	R-RT-A01	12.46
RT-SDSR-8/160	8	160	100	1	✓	R-RT-A01	7.42
RT-SDSR-8/210	8	210	150	1	✓	R-RT-A01	7.12
RT-SDSR-8/260	8	260	200	1	✓	R-RT-A01	9.67
RT-SDSR-10/110	10	110	50	1	✓	R-RT-A01	8.87
RT-SDSR-10/160	10	160	100	1	✓	R-RT-A01	9.02
RT-SDSR-10/210	10	210	150	1	✓	R-RT-A01	9.31
RT-SDSR-10/260	10	260	200	1	✓	R-RT-A01	11.45
RT-SDSR-10/310	10	310	250	1	✓	R-RT-A01	13.25
RT-SDSR-10/360	10	360	250	1	✓	R-RT-A01	16.58
RT-SDSR-10/460	10	460	400	1	✓	R-RT-A01	17.68
RT-SDSR-12/160	12	160	100	1	✓	R-RT-A01	11.10
RT-SDSR-12/210	12	210	150	1	✓	R-RT-A01	9.81
RT-SDSR-12/260	12	260	200	1	✓	R-RT-A01	12.81
RT-SDSR-12/310	12	310	250	1	✓	R-RT-A01	13.60
RT-SDSR-12/460	12	460	400	1	✓	R-RT-A01	17.87
RT-SDSR-14/210	14	210	150	1	✓	R-RT-A01	16.73
RT-SDSR-14/260	14	260	200	1	✓	R-RT-A01	16.95
RT-SDSR-14/310	14	310	250	1	✓	R-RT-A01	19.83
RT-SDSR-14/460	14	460	400	1	✓	R-RT-A01	21.12
RT-SDSR-15/160	15	160	100	1	✓	R-RT-A01	18.09
RT-SDSR-15/210	15	210	150	1	✓	R-RT-A01	18.44
RT-SDSR-16/160	16	160	100	1	✓	R-RT-A01	17.29
RT-SDSR-16/210	16	210	150	1	✓	R-RT-A01	17.64
RT-SDSR-16/260	16	260	200	1	✓	R-RT-A01	17.87
RT-SDSR-16/310	16	310	250	1	✓	R-RT-A01	25.17
RT-SDSR-16/460	16	460	400	1	✓	R-RT-A01	22.57
RT-SDSR-18/210	18	210	150	1	✓	R-RT-A01	37.51
RT-SDSR-18/310	18	310	250	1	✓	R-RT-A01	34.69
RT-SDSR-20/310	20	310	250	1	✓	R-RT-A01	32.78
RT-SDSR-20/460	20	460	400	1	✓	R-RT-A01	45.18

## RT-MAXA Drill bits Aggressor SDS max

Professional SDS max drill bits for drilling in reinforced concrete



Packaging



Rawplug code	Drill diameter	Length	Working length	Quantity	Discount Group	Price Per Box €
	[mm]	[mm]	[mm]	[pcs]		
RT-MAXA-16/540	16	540	400	1	R-RT-A01	63.95
RT-MAXA-18/540	18	540	400	1	R-RT-A01	65.25
RT-MAXA-20/540	20	540	400	1	R-RT-A01	67.64
RT-MAXA-20/920	20	920	780	1	R-RT-A01	92.19
RT-MAXA-22/540	22	540	400	1	R-RT-A01	76.41
RT-MAXA-22/920	22	920	780	1	R-RT-A01	106.79
RT-MAXA-24/540	24	540	400	1	R-RT-A01	81.99
RT-MAXA-24/920	24	920	780	1	R-RT-A01	121.38
RT-MAXA-25/540	25	540	400	1	R-RT-A01	89.11
RT-MAXA-25/920	25	920	780	1	R-RT-A01	113.96
RT-MAXA-26/540	26	540	400	1	R-RT-A01	91.95
RT-MAXA-26/920	26	920	780	1	R-RT-A01	148.28
RT-MAXA-28/540	28	540	400	1	R-RT-A01	105.95
RT-MAXA-28/920	28	920	780	1	R-RT-A01	170.06
RT-MAXA-30/540	30	540	400	1	R-RT-A01	119.89
RT-MAXA-30/920	30	920	780	1	R-RT-A01	170.31
RT-MAXA-32/540	32	540	400	1	R-RT-A01	125.47
RT-MAXA-32/920	32	920	780	1	R-RT-A01	171.05
RT-MAXA-36/540	36	540	400	1	R-RT-A01	178.77
RT-MAXA-38/540	38	540	400	1	R-RT-A01	185.00
RT-MAXA-38/690	38	690	550	1	R-RT-A01	257.62
RT-MAXA-40/540	40	540	400	1	R-RT-A01	209.26
RT-MAXA-40/920	40	920	780	1	R-RT-A01	309.27
RT-MAXA-42/540	42	540	400	1	R-RT-A01	337.47
RT-MAXA-45/540	45	540	400	1	R-RT-A01	309.13

## RT-MAXC Connector SDS max

System of extensions and connector SDS max allows drilling deep holes



Rawplug code	Length	Quantity	Discount Group	Price Per Box €
	[mm]	[pcs]		
RT-MAXC-ADAP	190	1	R-RT-A01	407.48
RT-MAXC-320	320	1	R-RT-A01	53.01
RT-MAXC-750	750	1	R-RT-A01	66.56

### RT-KGR0011 – Roofing 6-10 mm

Roofing hammer tacker; Type 140 and Type 13; 6-10 mm



Packaging



Rawplug code	Range [mm]	Quantity [units]			Weight [kg]			Packaging	Discount Group	Price Per Box £
		Units in set [pcs]	Inner [pcs]	Outer [pcs]	Unit [kg]	Inner [kg]	Outer [kg]			
RT-KGR0011	6-14	1	10	20	1.10	11.00	22.00	✓	B-ST-A01	63.91

### RT-KGR0024 Hand stapler – Universal Trade 3 in 1, 6-14 mm

Heavy duty stapler for flat wire staples; Professional line; Type 140; 6-14 mm



Packaging



Rawplug code	Range [mm]	Quantity	Weight [kg]			Packaging	Discount Group	Price Per Box £
		[pcs]	Unit [kg]	Inner [kg]	Outer [kg]			
RT-KGR0024	6-14	1	0.78	7.80	15.54	✓	B-ST-A01	65.47

### RT-KSS140 Staples RL 140

Flat wire staples; Professional line; Type 140; Ideal for working with insulation material and thin plastic. See IJ about what steps to use with RT-KGR0011 & RT-KGR0024



Packaging



Rawplug code	Type	Body size			Quantity [units]	Packaging	Discount Group	Price Per Box £
		Height [mm]	Length [mm]	Depth [mm]	Units in set [pcs]			
RT-KSS140061	RL140	6	10	1.25	1250	✓	B-ST-A01	4.86
RT-KSS140081	RL140	8	10	1.25	1250	✓	B-ST-A01	5.65
RT-KSS140101	RL140	10	10	1.25	1250	✓	B-ST-A01	6.54
RT-KSS140121	RL140	12	10	1.25	1250	✓	B-ST-A01	7.40
RT-KSS140141	RL140	14	10	1.25	1250	✓	B-ST-A01	8.16



# RAWLPLUG®

Discover the **NEW**  
Rawlplug POS concept.

A unique and complete merchandising solution to suit your needs!



- › Easy to assemble display system
- › Modular design
- › Eco-friendly packaging
- › Colour coded for easy product and substrate identification
- › Full range of POS stand accessories including: Toppers, shelf wobblers, shelf strips, branded side panels, QR codes and stickers



Rawlplug Ltd, Skibo Drive, Thornliebank Industrial Estate, Glasgow G46 8JR

Tel: 0141 638 7961 | rawlinfo@rawlplug.co.uk | www.rawlplug.co.uk



# Stand Options

## General Fixings Large Stock Stand

INCLUDES

Rawplug Code	Stand Qty
R-KEM-II-175	10
R-KEM-II-300	10
R-U1-YEL-96-C	10
R-U1-RED-96-C	10
R-U1-MIX-RED-288	4
R-U1-BRN-96-C	10
R-U1-MIX-BRN-288	4
R-U1-BLU-80-C	10
R-U1-GRY-80-C	10
R-U1-MIX RBRB-272	4
HDPE-RED	10 packs of 100
HDPE-BRN	10 packs of 100
R-OLD-RED-100-C	5
R-OLD-BRN-100-C	5
RT-AWD-100-400	3
RT-AWD-160-400	3
RT-AWD-260-400	3
RT-FLWD-100-152	3
RT-FLWD-120-152	3
RT-FLWD-140-152	3
RT-FLWD-160-152	3
RT-FLWD-180-152	3
RT-FLWD-200-152	3
RT-FLWD-220-152	3
RT-FLWD-260-152	3
RT-FLWD-280-152	3
RT-FLWD-320-152	3
RT-HSSP-015	3
RT-HSSP-020	3
RT-HSSP-025	3
RT-HSSP-030	3
RT-HSSP-035	3
RT-HSSP-040	3
RT-HSSP-045	3
RT-HSSP-050	3
RT-HSSP-055	3
RT-HSSP-060	3
RT-HSSP-065	3
RT-HSSP-070	3
RT-HSSP-080	3
RT-HSSP-090	3
RT-HSSP-100	3
RT-HSSP-110	3
RT-HSSP-120	3
RT-HSSP-130	3
RT-IMP-050-150	3
RT-IMP-055-150	3
RT-IMP-060-150	3
RT-IMP-065-150	3
RT-IMP-070-150	3
RT-IMP-080-150	3
RT-IMP-080-300	3
RT-IMP-100-150	3
RT-IMP-100-300	3
RT-JSB-M07VF	5
RT-JSB-M12F	5
RT-JSB-M2M	5
RT-JSB-MW1AS	5
RT-JSB-W2F	5
RT-JSB-W2MR	5
RT-JSB-W2M	5
RT-JSB-W2VF	5
RT-JSB-W3RC	5
RT-JSB-W4C	5

Contact your 'Area Sales Manager' for more information.



Rawplug Code	Stand Qty
RT-JSB-W4U	5
RT-SDSA-10/160	3
RT-SDSA-5/160	3
RT-SDSA-55/160	3
RT-SDSA-6/160	3
RT-SDSA-7/160	3
RT-SDSA-8/210	3
R-S1-SM04038/20	5
R-S1-SM05037/20	5
R-S1-SPO3050/6	5
R-S1-SPO5050/6	5
R-S1-10GL/5	5
R-S1-PB/20	5
R-S1-DRA01/25	5
R-S1-DRA02/25	5
R-S1-GPB/25	5
R-S1-WHO75092/30	5
R-S1-WHO75112/30	5
R-S1-WHO75132/20	5
R-S1-FX-N06L060/20	5
R-S1-FX-N08L100/20	5
R-S1-LXH08090Z/10	5
R-S1-LXH10085Z/10	5
R-S1-KPU141	5
R-S1-WCB-B	5
R-S1-SFK	5
R-S1-SHK	5
R-S1-RAD	5
R-S1-HDK	5
R-S1-BAC	5
R-S1-CPB	5
R-S1-GAR	5
MZR-43-SP	1
MZR-992	100
MZR-51-SP	2
MP-S-B-01	2
MP-S1-TMIX-01	1

All products listed in this publication are branded and distributed with RAWPLUG® or RAWL® trademarks.

**General Fixings Small Stock Stand**

**INCLUDES**

Rawlplug Code	Stand Qty
R-KEM-II-175	10
R-KEM-II-300	10
R-U1-YEL-96-C	10
R-U1-RED-96-C	10
R-U1-MIX-RED-288	4
R-U1-BRN-96-C	10
R-U1-MIX-BRN-288	4
R-U1-MIX-RBRB-272	4
HDPE-RED	10 packs of 100
HDPE-BRN	10 packs of 100
R-OLD-RED-100-C	5
R-OLD-BRN-100-C	5
RT-HSSP-015	3
RT-HSSP-020	3
RT-HSSP-025	3
RT-HSSP-030	3
RT-HSSP-035	3
RT-HSSP-040	3
RT-HSSP-045	3
RT-HSSP-050	3
RT-HSSP-055	3
RT-HSSP-060	3
RT-HSSP-065	3
RT-HSSP-070	3
RT-HSSP-080	3
RT-HSSP-090	3
RT-HSSP-100	3
RT-HSSP-110	3
RT-HSSP-120	3
RT-HSSP-130	3
RT-IMP-050-150	3
RT-IMP-055-150	3
RT-IMP-060-150	3
RT-IMP-065-150	3
RT-IMP-070-150	3
RT-IMP-080-150	3
RT-IMP-080-300	3
RT-IMP-100-150	3
RT-IMP-100-300	3
RT-JSB-M12F	5
RT-JSB-M2M	5
RT-JSB-MW1AS	5
RT-JSB-W2F	5
RT-JSB-W2MR	5
RT-JSB-W2M	5
RT-JSB-W2VF	5
RT-JSB-W3RC	5
RT-JSB-W4C	5
RT-JSB-W4U	5

Contact your 'Area Sales Manager' for more information.



Rawlplug Code	Stand Qty
RT-SDSA-10/160	3
RT-SDSA-6/160	3
RT-SDSA-7/160	3
R-S1-SM04020/6	5
R-S1-SM04038/6	5
R-S1-SM05037/6	5
R-S1-SPO3050/6	5
R-S1-SPO5050/6	5
R-S1-10GL/5	5
R-S1-PB/10	5
R-S1-DRA01/12	5
R-S1-DRA02/50	5
R-S1-GPB/25	5
R-S1-KPU141	5
R-S1-WCB-B	5
R-S1-KPUPBS	5
R-S1-SFK	5
R-S1-SHK	5
R-S1-RAD	5
R-S1-HDK	5
R-S1-BAC	5
R-S1-CPB	5
R-S1-GAR	5
MZR-43-SP	1
MZR-992	100
MZR-51-SP	2
MP-S-B-01	2
MP-S1-TMIX-01	1

# References

Rawlplug® is an unsung hero of many construction projects all over the world.

Burj Khalifa Tower\*  
United Arab Emirates, Dubai

Admiring spectacular structures known all over the world, we are delighted with their beauty, splendour and functionality. And we are delighted that we can offer you the highest reliability, durability and aesthetics thanks to the application of Rawlplug® products. There are millions of fasteners and anchors, the appropriate selection of which allows you to admire the beauty, and to ensure the safe use safely use, of the facilities that are visited by thousands of people every day.

Wembley Stadium\*  
United Kingdom, London



Curiosity rover\*  
Solar System, Mars



By NASA/JPL-Caltech/MSSS. Derivative work including grading, distortion correction, minor local adjustment and rendering from tiff-file: Julian Herzog (<http://photojournal.jpl.nasa.gov/P/A15883.jpg>) [public domain], via Wikimedia Commons

Metro Bucharest\*  
Romania, Bucharest



Delhi Metro  
India, New Delhi





Source: [https://en.wikipedia.org/wiki/State\\_Courts\\_of\\_Singapore](https://en.wikipedia.org/wiki/State_Courts_of_Singapore)

\*Names of the buildings or engineering constructions may be registered as trademarks in the name of third parties. Rawlplug is not an owner of said trademarks and claims no rights thereto.

> We are proud that our products facilitate your work and increase comfort, effectiveness and quality of work,

meeting even the most specific and ambitious needs of our Customers. And we want to share this pride with you. Every year, our portfolio is extended with new investments that allow us to carry out the mission of Rawlplug, i.e. to provide the state-of-the-art reliable solutions.





## SALES & CUSTOMER SERVICES

- Tel: +44 (0) 141 638 2255
- Email: [sales@rawlplug.co.uk](mailto:sales@rawlplug.co.uk)



## TECHNICAL ADVISORY SERVICE

- Tel: +44 (0) 141 273 2234
- Email: [rawltech@rawlplug.co.uk](mailto:rawltech@rawlplug.co.uk)



## GENERAL INFORMATION

- Tel: +44 (0) 141 638 7961
- Email: [rawlinfo@rawlplug.co.uk](mailto:rawlinfo@rawlplug.co.uk)



## FINANCE

- Tel: +44 (0) 141 273 2233
- Email: [accounts@rawlplug.co.uk](mailto:accounts@rawlplug.co.uk)



## CUSTOMER SERVICES

Our dedicated customer services team based in our Glasgow office, aim to deliver the best customer service experience to our customers.



## UK DELIVERY

Please contact our customer service team for UK delivery options and up-to-date pricing on 24hr and 48hr deliveries.

## CONNECT WITH US



[RawlplugLtd](#)



[RawlplugLtd](#)



[Rawlplug Ltd](#)



[RawlplugGroup](#)

**1. DEFINITIONS**

In these conditions "Rawlplug" shall mean Rawlplug Limited; "the Goods" shall mean the products supplied or to be supplied by Rawlplug under any Contract; "the Customer" shall mean the company firm or person buying the Goods from Rawlplug under any Contract and "Contract" shall mean a contract between Rawlplug and the Customer for the sale and purchase of the Goods.

**2. APPLICATION OF CONDITIONS**

All Goods supplied by Rawlplug are supplied on the following terms and conditions and no variation of those terms and conditions shall have effect unless expressly accepted by a Director of Rawlplug in writing. Rawlplug's conditions exclude any other terms and conditions which the Customer may seek to impose whether or not the Customer's conditions are contained in any other acceptance or counter offer made by the Customer.

**3. QUOTATIONS**

All quotations given by Rawlplug are subject to acceptance by Rawlplug on receipt of the Customer's order. A Contract will only be formed when Rawlplug has accepted the Customer's order.

**4. ACCURACY OF DESCRIPTION OF GOODS**

All descriptions specifications drawings and particulars of weights and dimensions submitted by Rawlplug or otherwise contained in Rawlplug's price list or other published matter are provided by Rawlplug in the belief that they are as accurate as reasonably possible but none of these shall form part of any Contract, shall not constitute a description of the Goods or be taken to be representations made by Rawlplug and are not warranted to be accurate.

**5. PRICE**

All prices quoted are Rawlplug's current prices at the time of delivery and are exclusive of VAT unless otherwise stated. The price payable for the Goods shall be the price ruling at the date of dispatch and Rawlplug shall be entitled to adjust the price of the Goods at any time between the date of the order and the date of delivery of the Goods to take account of any increase in costs incurred by Rawlplug.

**6. DELIVERY**

6.1 Delivery shall be deemed to have been effected:

6.1.1 Where the Goods are carried in a vehicle owned by Rawlplug or in a vehicle owned by a carrier employed by Rawlplug when the vehicle is stationary as near to the point of delivery designated by the Customer as it can reasonably get and the delivery note is tendered to the Customer or the recipient of the Goods where delivery is not directly to the Customer.

6.1.2 In all other cases when the Goods leave Rawlplug's premises.

6.2 Time for delivery is not of the essence and Rawlplug shall not be liable for any loss or damage caused by late delivery or by non-delivery.

6.3 Rawlplug shall be entitled to make delivery by instalments and to invoice separately for each installment. Where delivery is made by instalment each instalment shall be construed as the subject of a separate agreement to which all the provisions of these conditions shall (with any necessary alterations) apply.

6.4 Where Rawlplug has agreed to deferred delivery such delivery shall be accepted by the Customer within six months from the date of the order. If the Customer fails to take delivery within such a period the risk shall pass to the Customer and the balance remaining undelivered together with storage costs shall be invoiced to the Customer and payment shall become immediately due.

6.5 Goods which the customer agrees to collect ex works must be collected within seven days of Rawlplug notifying the Customer that the Goods are ready. If the Goods are not collected within this period Rawlplug shall be entitled to invoice the Customer for the Goods and to charge for storage of the Goods the Goods being held at the Customer's risk.

6.6 Deviations in quantity of the Goods delivered from those stated on the Contract shall not give the Customer the right to repudiate the Contract to reject the Goods (save insofar as they materially exceed the amount ordered) or to claim damages for breach of Contract and the Customer shall be obliged to accept and pay at the Contract rate for the quantity delivered (except insofar as the Customer has the right to reject the Goods under this condition).

6.7 The Customer shall ensure that the point of delivery designated by the Customer and all access routes to it are reasonably accessible for motor transport and shall also take such further steps as are reasonably necessary to facilitate delivery by Rawlplug at such point of delivery.

6.8 Proof of delivery is available from the customer services department for a period of 28 days from the date of invoice. If a proof of delivery is requested more than 28 days after the date of the invoice or requested again Rawlplug Ltd shall be under no obligation to provide such proof and if the company decides to provide such proof of delivery it shall charge and administration fee of £5.

**7. PAYMENT**

7.1 The price of the Goods (less any discount to which Customer is entitled) shall be due and payable on the last day of the month following that in which the invoice is dated. The time of payment of the price of the Goods shall be of the essence of the Contract.

7.2 If the Customer fails to make payment in respect of any invoice on the due date;

7.2.1 All invoices for Goods delivered for which payment has not been received shall become immediately due and payable not withstanding clause 7.1 or any previous agreement to the contrary.

7.2.2 Without prejudice to any other right or remedy available to Rawlplug, Rawlplug shall be entitled to:

7.3.1 Charge the Customer interest (both before and after judgement) on the amount unpaid at the rate of 2% above the U.K. Clearing Bank base lending rate from time to time, until actual payment on all overdue accounts. 7.3.2.2 cancel the Contract or suspend any further deliveries to the Customer.

7.4 Rawlplug reserves the right at any time to demand security for payment before continuing with or delivering any order.

**8. RISK AND PROPERTY**

8.1 Risk in the Goods shall pass to the Customer when the Goods are delivered or collected by the Customer or its agent.

8.2 Notwithstanding delivery and the passing of risk in the Goods the Goods shall remain the property of

Rawlplug until the Customer has paid the full price for the goods and all other sums owing from it to Rawlplug under any Contract together with any interest payable under any Contract in respect of the Goods.

8.3 Until title to the Goods passes to the Customer the Customer shall hold the Goods as fiduciary agent and bailee for Rawlplug and shall keep the Goods in good and substantial repair and condition properly stored protected and insured and the Goods shall be stored in such a way as to be clearly identifiable as belonging to Rawlplug.

8.4 Until such time as the title in the Goods passes to the Customer (and provided the Goods are still in existence and have not been re-sold) Rawlplug shall be entitled at any time to require the Customer to deliver up the Goods to Rawlplug and if the Customer fails to do so forthwith to enter upon any premises of the Customer or any third Party where the Goods are stored and repossess the Goods.

8.5 Rawlplug shall at any time be entitled to appropriate any payment made by the

Customer in respect of any Goods in settlement of such invoices as Rawlplug may in its absolute discretion think fit notwithstanding any purported appropriation by the Customer.

**9. INSPECTION • SHORT AGES**

9.1 The Customer shall inspect the Goods on delivery or on collection as the case may be. 9.2 Rawlplug shall be under no liability for any defects or shortages that would be apparent on careful inspection if the terms of this Clause are not complied with and in any event will be under no liability if a written complaint is not delivered to Rawlplug within seven days of delivery detailing the alleged defect or shortage.

9.3 In all cases where the Customer complains of defects or shortages Rawlplug shall without prejudice to the question of liability generally be under no liability in any event if it has not been given an opportunity to inspect the Goods before they had been used by the Customer.

**10. WARRANTY**

10.1 Rawlplug warrants that it has title to and the right to sell the Goods.

10.2 No representation or warranty is given by Rawlplug as to the suitability or fitness of the Goods for any or any particular purpose and the Customer shall satisfy himself in this respect and shall be totally responsible therefore.

**11. LIABILITY EXCLUSIONS**

11.1 Each of the sub-clauses in this clause are to be treated as separate and independent. 11.2 Nothing in these conditions shall exclude or restrict Rawlplug's liability for death or personal injury caused by the negligence of Rawlplug.

11.3 Rawlplug is willing to undertake liability additional to that provided by this clause 11 in exchange for a higher price for the Goods.

11.4 Rawlplug will either repair the Goods at its own expense or at its option replace the Goods if any defects which Rawlplug is reasonably satisfied are caused by faulty design manufacture materials or workmanship which are discovered within three months from the date of dispatch provided that Rawlplug shall not be liable for defects caused by abnormal use misuse or neglect or use other than in accordance with any applicable Rawlplug technical instructions or similar literature and provided further that the Customer informs Rawlplug of the relevant defect in writing within seven days of delivery (or where the defect was not apparent on reasonable inspection) within seven days of discovering it.

11.5 Other than the terms set out in these conditions no other terms conditions or warranties expressed or implied statutory or otherwise shall form part of the Contract.

11.6 Rawlplug shall not be liable for any direct or indirect loss or damage, loss of profit, loss of goodwill or loss of business opportunity suffered by the Customer or any damage to property of the Customer or anyone else whatsoever howsoever arising and whether or not caused by Rawlplug's negligence.

11.7 In the event that notwithstanding the foregoing provisions of this clause Rawlplug is found liable for any loss or damage suffered by the Customer then Rawlplug's total liability for any one claim or for the total of all claims arising from any one act or default of Rawlplug (whether arising from Rawlplug's negligence or otherwise) shall not in any event exceed the Contract price for the Goods.

**12. INSOLVENCY OF CUSTOMER**

If the Customer being a company shall pass a resolution or suffer an order of a court to be made for its winding up or goes into liquidation (otherwise than for the purposes of amalgamation or reconstruction) or makes any voluntary arrangement with its creditors or becomes subject to an administration order or an encumbrancer takes possession or a receiver or administrative receiver is appointed of any of the assets or property of the Customer or being an individual or partnership shall suspend payment or propose to enter into any composition with creditors or becomes bankrupt or in either case becomes unable to pay its debts (or have no reasonable prospect of so doing) or threatens to cease to carry on business then without prejudice to any other right or remedy available to Rawlplug, Rawlplug shall be entitled to treat the Contract as repudiated or suspend any further deliveries or recover the possession of any Goods for which payment in full has not been received without liability to the Customer and if Goods have been delivered but not paid for the price of those Goods shall become immediately due and payable notwithstanding any previous agreement or arrangement to the contrary.

**13. SAMPLE GOODS**

In no circumstances will Rawlplug sell its Goods by sample and the supply of sample Goods to Customers or prospective Customers is not intended to provide them with a contractual specification of the Goods or to constitute a sale or offer of sale by sample.

**14. HEALTH AND SAFETY AT WORK**

Rawlplug gives notice to the Customer that information and product literature is available concerning the conditions necessary to ensure that the Goods supplied against the Contract will be safe and without risk to health when used handled processed stored or transported by a person at work. The Customer should immediately contact Rawlplug if he is not in possession of such information or literature.

**15. ASSIGNMENT**

The Customer shall not assign or transfer or purport to assign and transfer any Contract to which these conditions apply or the benefit thereof to any other person whatsoever.

**16. FORCE MAJEURE**

Rawlplug shall not be liable for any failure to deliver the Goods arising from circumstances outside Rawlplug's control including for example acts of god, war, riot, explosion, abnormal weather, fire, flood, strikes, lock outs, Government action or Regulations (UK or otherwise) delays by suppliers, accidents and shortages of materials, labour or manufacturing facilities.

**17. CANCELLATION**

No cancellation by the Customer is permitted unless expressly agreed by a Director of Rawlplug in writing. In the event of cancellation the Customer will indemnify Rawlplug fully against all expenses incurred by Rawlplug together with liquidated damages of 15% of the Contract price.

**18. NOTICES**

Any notices to be given hereunder shall be in writing and shall be deemed to have been duly given if sent or delivered to Rawlplug at its address (given below) or such other address as that party may from time to time notify in writing and shall be deemed to have been served and sent by post 48 hours after posting.

**19. WAIVER**

No waiver by Rawlplug of any breach of the Contract by the Customer shall be considered as a waiver of any subsequent breach of the same or any other provision.

**20. JURISDICTION**

All contracts between Rawlplug and the Customer shall be governed and construed in accordance with English law and all disputes arising in relation to such Contracts shall be submitted to the jurisdiction of the English courts save that Rawlplug retain the right to take proceedings in any other court of competent jurisdiction.

**21. HEADINGS**

Headings in these conditions are for each of reference only and do not form part of the conditions and shall not be deemed to alter or affect the meaning of any of the conditions.

Rawlplug Ltd, Skibo Drive, Thornliebank Industrial Estate, Glasgow G46 8JR

# RAWLPLUG®



## UNITED KINGDOM

**Rawlplug Ltd**  
Skibo Drive  
Thornliebank Industrial Estate  
Glasgow G46 8JR

Tel: + 44 (0) 141 6387 961  
Email: [rawlinfo@rawlplug.co.uk](mailto:rawlinfo@rawlplug.co.uk)  
Web: [www.rawlplug.co.uk](http://www.rawlplug.co.uk)



## NEED TECHNICAL ADVICE?

The Rawlplug Technical Help Desk is here to help you.

- CFA (construction fixing association) accredited on-site testing
- EASYFIX Calculation software
- FREE download [www.easyfix.rawlplug.com](http://www.easyfix.rawlplug.com)
- Toolbox & BS 8539:2012 Training
- CPD Technical seminars available

Contact our Technical Team on:  
0141 273 2234 or email us at [rawltech@rawlplug.co.uk](mailto:rawltech@rawlplug.co.uk)

## CONNECT WITH US



RawlplugLtd



Rawlplug Ltd



RawlplugLtd



RawlplugGroup

[www.rawlplug.co.uk](http://www.rawlplug.co.uk)

